Confidentiality Requested: Yes No

Gas

OG

D&A

## KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1159191

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

\_\_\_\_ Feet

Feet

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #           | API No. 15   |
|-------------------------------|--|
| Name:                         | Spot Description:  |
| Address 1:                    |  |
| Address 2:                    | Feet from Dorth / South Line of Section                  |
| City: State: Zip:+            | Feet from East / West Line of Section                    |
| Contact Person:               | Footages Calculated from Nearest Outside Section Corner: |
| Phone: ()                     |  |
| CONTRACTOR: License #         | GPS Location: Lat:, Long:, (e.g. xx.xxxxx)               |
| Name:                         |  |
| Wellsite Geologist:           | Datum: NAD27 NAD83 WGS84                                 |
| Purchaser:                    | County:  |
| Designate Type of Completion: | Lease Name: Well #:                                      |
|                               | Field Name:  |
| New Well Re-Entry Workover    | Producing Formation:                                     |
|                               |  |

SIGW

Temp. Abd.

| CM (Coal Bed Methane)                      |   |
|--|---|
| Cathodic Other (Core                       | e, Expl., etc.):                                |
| If Workover/Re-entry: Old Well Inf         | o as follows:                                   |
| Operator:                                  |   |
| Well Name:                                 |   |
| Original Comp. Date:                       | Original Total Depth:                           |
| Deepening Re-perf.                         | Conv. to ENHR Conv. to SWD                      |
| Plug Back                                  | Conv. to GSW Conv. to Producer                  |
| Commingled                                 | Permit #:                                       |
| Dual Completion                            | Permit #:                                       |
| SWD  | Permit #:                                       |
| ENHR                                       | Permit #:                                       |
| GSW  | Permit #:                                       |
|  |   |
| Spud Date or Date Rea<br>Recompletion Date | ched TD Completion Date or<br>Recompletion Date |

ENHR

GSW

# (e.q. -xxx.xxxxx) #: \_\_\_\_ Elevation: Ground:\_\_\_\_ \_\_ Kelly Bushing: \_\_ Total Vertical Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_ Amount of Surface Pipe Set and Cemented at: \_\_\_\_ Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: \_\_\_\_ If Alternate II completion, cement circulated from:

#### \_\_\_\_\_ sx cmt. feet depth to:\_\_\_ \_\_\_\_w/\_\_\_\_

#### **Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

| Chloride content:     | ppm                    | Fluid volume: | bbls |
|-----------------------|------------------------|---------------|------|
| Dewatering method     | used:                  |               |      |
| Location of fluid dis | oosal if hauled offsit | ie:           |      |
| Operator Name:        |                        |               |      |

| Lease Name: |      |      | Lice     | ense #: |           |
|-------------|------|------|----------|---------|-----------|
| Quarter     | _Sec | Twp  | S.       | R       | East West |
| County:     |      | Perm | nit #: . |         |           |

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

# Submitted Electronically

| KCC Office Use ONLY         |
|-----------------------------|
| Confidentiality Requested   |
| Date:                       |
| Confidential Release Date:  |
| Wireline Log Received       |
| Geologist Report Received   |
| UIC Distribution            |
| ALT I II Approved by: Date: |
|                             |

|              |     |      |           | Page Iwo    | 11591 |         |
|--------------|-----|------|-----------|-------------|-------|---------|
| Operator Nam | e:  |      |           | Lease Name: |       | Well #: |
| Sec          | Twp | S. R | East West | County:     |       |         |

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken Yes No     |   |                                 | L                    | .og Formatic     | on (Top), Depth an            | d Datum          | Sample        |
|-----------------------------------|---|---------------------------------|----------------------|------------------|-------------------------------|------------------|---------------|
| Samples Sent to Geological Survey |   | Nam                             | e                    |                  | Тор                           | Datum            |               |
| Cores Taken<br>Electric Log Run   |   | ☐ Yes ☐ No<br>☐ Yes ☐ No        |                      |                  |                               |                  |               |
| List All E. Logs Run:             |   |                                 |                      |                  |                               |                  |               |
|                                   |   |                                 |                      |                  |                               |                  |               |
|                                   | CASING RECORD New Used<br>Report all strings set-conductor, surface, intermediate, production, etc. |                                 |                      |                  |                               |                  |               |
| Purpose of String                 | Size Hole<br>Drilled  | Size Casing<br>Set (In O.D.)    | Weight<br>Lbs. / Ft. | Setting<br>Depth | Type and Percent<br>Additives |                  |               |
|                                   |   |                                 |                      |                  |                               |                  |               |
|                                   |   |                                 |                      |                  |                               |                  |               |
|                                   |   |                                 |                      |                  |                               |                  |               |
|                                   |   | ADDITIONAL                      | CEMENTING / SQL      | JEEZE RECORD     |                               |                  |               |
| Purpose:<br>Perforate             | Depth<br>Top Bottom   | Type of Cement                  | # Sacks Used         |                  | Type and Pe                   | ercent Additives |               |
| Protect Casing Plug Back TD       |   |                                 |                      |                  |                               |                  |               |
| Plug Off Zone                     |   |                                 |                      |                  |                               |                  |               |
| Did you perform a hydraulic       | fracturing treatment of   | on this well?                   |                      | Yes              | No (If No, ski                | o questions 2 an | d 3)          |
| Does the volume of the tota       | I base fluid of the hyd   | Iraulic fracturing treatment ex | ceed 350,000 gallons | ? Yes            | No (If No, ski                | o question 3)    |               |
| Was the hydraulic fracturing      | g treatment informatio  | n submitted to the chemical     | disclosure registry? | Yes              | No (If No, fill o             | out Page Three o | of the ACO-1) |

| Shots Per Foot                       |          | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated |            |                   |            |                 | Acid, Fracture, Shot, Ce<br>(Amount and Kino | ement Squeeze Record<br>I of Material Used) | Depth   |
|--------------------------------------|----------|---|------------|-------------------|------------|-----------------|--|---|---------|
|                                      |          |   |            |                   |            |                 |  |   |         |
|                                      |          |   |            |                   |            |                 |  |   |         |
|                                      |          |   |            |                   |            |                 |  |   |         |
|                                      |          |   |            |                   |            |                 |  |   |         |
|                                      |          |   |            |                   |            |                 |  |   |         |
| TUBING RECORD:                       | Siz      | e:  | Set At:    | : Packer          | r At:      | Liner F         |  | No  |         |
| Date of First, Resumed               | Producti | on, SWD or ENHF   | <b>}</b> . | Producing Method: | ping       | Gas Lift        | Other (Explain)                              |   |         |
| Estimated Production<br>Per 24 Hours |          | Oil Bb  | ls.        | Gas Mcf           | Wat        | ər              | Bbls.  | Gas-Oil Ratio                               | Gravity |
|                                      |          |   |            |                   |            |                 |  |   |         |
|                                      |          | Open Hole Perf. Dually  |            | TION:<br>Comp.    | Commingled | PRODUCTION INTE | ERVAL:                                       |   |         |
|                                      |          | Jsed on Lease   |            |                   | (Submit    |                 | (Submit ACO-4)                               |   |         |
| (If vented, Su                       | omit ACO | -18.)   |            | Other (Specify)   |            |                 |  |   |         |

Skyy Drilling, L.L.C. Park Place – Becker Building 11551 Ash Street, Suite # 205 Leawood, Kansas 66211 Office (913) 499-8373 Fax (913) 766-1310

July 1, 2013

| Company: | Haas Petroleum, LLC     |
|----------|-------------------------|
|          | 11551 Ash Street, # 205 |
|          | Leawood, Kansas 66211   |

 Lease:
 Arnold - Well # 7 HP

 County:
 Woodson

 Spot:
 E2 SW NE NE Sec 35, Twp 23, R 14 E

 API:
 15-207-28475-00-00

 TD:
 2008'

Total Footage 2008' Total Rig Time 21 Hours 25 Sacks Cement Total Dozer Work 6 Hours



.



| TICKET NUMBER  | 42974 |
|----------------|-------|
| LOCATION Fure, | ka KS |
| CODEMAN de     |       |

FOREMAN Shannon Feck

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

## FIELD TICKET & TREATMENT REPORT

| 620-431-9210 or 800-467-8676                | CEMEN              | IT API #     | 15-207-28        | 475       |           |
|---|--------------------|--------------|------------------|-----------|-----------|
| DATE CUSTOMER # WELL NAME & N               | UMBER              | SECTION      | TOWNSHIP         | RANGE     | COUNTY    |
| 6-29-13 3431 Arnold                         | 7-HP               | 35           | 235              | 14 E      | upation   |
| CUSTOMER // On / / O                        | SKYY               |              |                  |           |           |
| Haas Vetroleum LLC<br>MAILING ADDRESS       | Drig               | TRUCK #      | DRIVER           | TRUCK #   | DRIVER    |
|   | Ling               | 775          | Dave 6           |           |           |
| 11551 Ash St Ste 205                        |                    | 479          | COLOY N          |           |           |
| CITY STATE ZIP CODE                         |                    | 515          | Chris m          |           |           |
| Leawood KS 66211                            | <b>'</b>           |              |                  |           |           |
| JOB TYPE L/S HOLE SIZE 6 74                 | HOLE DEPTH         | 2.008        | CASING SIZE & W  | EIGHT 4/2 | @ 9,50#   |
| CASING DEPTH 2009. 67 64 DRILL PIPE         |                    |              |                  | OTHER     | <u> </u>  |
|   |                    | ik 8.0- 7.0  | CEMENT LEFT In   | CASING 🖉  |           |
| DISPLACEMENT 33 14 BBL DISPLACEMENT PSI 500 | MEX PSI <u>BUM</u> | p Pluga 1000 | RATE <u>58PM</u> | 7         |           |
| REMARKS: Rig UD to 4/12" Casing,            | Bicak              | ciculation   | n w/5 Bb         | 1 HZO,    | mixed     |
|   | 1 w/ 8%            | ael + 1      | # phonosca       | ISK @     | 12.8 #/9. |
| as our lead cement. Tailed in               | r 5/60             | SKS TI       | hickset c        | ement u   | J/ 5 # KO |
| geal/SK @ 13.5-13.6 #/gal. Did no           | + which u          | 10. Displa   | red plug         | W/ 33/4   | BU HZO    |
|   |                    |              | 109 @ 1000       | PSi. PI   | ug & Flo  |
|   | imes. To           | b Compl      |                  | <i>-</i>  | >         |
| traini con a circoria man (a dit - t        |                    |              | ×                |           |           |

"Thanks Shannon & Crew"

| ACCOUNT<br>CODE |           | DESCRIPTION of SERVICES or PRODUCT | UNIT PRICE | TOTAL   |
|-----------------|-----------|------------------------------------|------------|---------|
| 5401            | 1         | PUMP CHARGE                        | 1085.00    | 1085,00 |
| 5406            | 45        | MILEAGE                            | 4.20       | 189.00  |
| 1/3/            | 75 SK5    | 60/40 pozmik cement Lead           | 13.18      | 988.50  |
| 1118 8          | 5/5#      | Ge @ 8% cement                     | , 22       | 113.30  |
| 1107 A          | _75 #     | Phenoscal @ 1#/sk / cernerci       | 1. 35      | 101.25  |
| 1126A           | 60 5KS    | Thickset Cement Tail               | 20.16      | 1209.60 |
| 1110 A          | 300 #     | Kol-scal @ 5#/5K / cement          | . 46       | 138,00  |
| 5407            | 5.98 Tons | Ton mileage bulk Trucks (+2)       | m/c        | 736.00  |
| 4404            | 1         | 412" Rubber Plug                   | 47.25      | 47,25   |
| 4103            | 1         | 412" Busket                        | 829.00_    | 259.00  |
|                 |           |                                    |            |         |
|                 |           |                                    | Sub Total  | 483690  |
|                 |           |                                    | SALES TAX  | L206.36 |
| vin 3737        | 2 11      |                                    | TOTAL      | 5043.21 |
|                 | Dem Hone  | ul TITLE TOO UPUSTUR               | DATE       |         |

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner Sam Brownback, Governor

September 20, 2013

Mark Haas Haas Petroleum, LLC 11551 ASH ST., STE 205 LEAWOOD, KS 66211

Re: ACO1 API 15-207-28475-00-00 Arnold 7-HP NE/4 Sec.35-23S-14E Woodson County, Kansas

**Dear Production Department:** 

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Mark Haas