

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1160719

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15						
Name:			Spot Description:						
Address 1:			Sec	TwpS. R					
Address 2:			Feet	from $\ \square$ North / $\ \square$ South Line of Section					
City: St	ate: Ziŗ	D:+	Feet	from East / West Line of Section					
Contact Person:			Footages Calculated from Ne	arest Outside Section Corner:					
Phone: ()			□ NE □ NW	□ SE □ SW					
CONTRACTOR: License #			GPS Location: Lat:, Long:						
Name:				. xx.xxxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:			Datum: NAD27 NAD83 WGS84						
Purchaser:			County:						
Designate Type of Completion:			Lease Name:	Well #:					
New Well Re-	·Fntrv	Workover	Field Name: Producing Formation:						
	_								
☐ Oil ☐ WSW	SWD	SIOW	Elevation: Ground: Kelly Bushing:						
☐ Gas ☐ D&A ☐ OG	☐ ENHR	☐ SIGW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth: Feet Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?						
CM (Coal Bed Methane)	G3W	iemp. Abd.							
Cathodic Other (Core	Expl etc.)								
If Workover/Re-entry: Old Well Inf				Feet					
Operator:				nent circulated from:					
Well Name:			, ,	w/sx cmt.					
Original Comp. Date:			loot doparto.	W,					
	_	NHR Conv. to SWD							
Deepening Re-perf. Plug Back	Conv. to GS		Drilling Fluid Management F (Data must be collected from the						
Commingled	Permit #:		Chloride content: ppm Fluid volume: bbls						
□ Dual Completion Permit #:			Dewatering method used:						
		Location of fluid disposal if hauled offsite:							
			On and an Name						
GSW	Permit #:								
				License #:					
•	te Reached TD Completion Date or Recompletion Date			TwpS. R					
Recompletion Date			County:	Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Confidentiality Requested								
Date:								
Confidential Release Date:								
Wireline Log Received								
Geologist Report Received								
UIC Distribution								
ALT I II Approved by: Date:								

Page Two



Operator Name: Lease Name: _ _ Well #: _ County: _ INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF). **Drill Stem Tests Taken** No Loa Formation (Top), Depth and Datum Sample | Yes (Attach Additional Sheets) Name Top Datum No Samples Sent to Geological Survey Yes ☐ No Yes
 Yes
 ■
 Yes
 ■
 Yes
 ■
 Nes
 Nes Cores Taken Electric Log Run ___ Yes No List All E. Logs Run: CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Size Hole Size Casing Weight Setting Type of # Sacks Type and Percent Purpose of String Drilled Set (In O.D.) Lbs. / Ft. Depth Cement Used Additives ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives Top Bottom Perforate **Protect Casing** Plug Back TD Plug Off Zone Did you perform a hydraulic fracturing treatment on this well? Yes No (If No, skip questions 2 and 3) No Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes (If No, skip question 3) Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? (If No, fill out Page Three of the ACO-1) Yes PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated Depth (Amount and Kind of Material Used) TUBING RECORD: Size: Set At: Packer At: Liner Run: Yes No Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain) **Estimated Production** Oil Bbls Gas Mcf Water Bbls. Gas-Oil Ratio Gravity Per 24 Hours METHOD OF COMPLETION: DISPOSITION OF GAS: PRODUCTION INTERVAL: Open Hole Perf. Dually Comp. Commingled Vented Sold Used on Lease (Submit ACO-5) (Submit ACO-4) (If vented, Submit ACO-18.) Other (Specify)

JUL 1 2013

HALLIBURTON

REGULATORY DEPT SANDRIDGE ENERGY

Cementing Job Summary

The Road to Excellence Starts with Safety Sales Order #: 900512918 Ship To #: 3001458 Quote #: Sold To #: 305021 Customer: SANDRIDGE ENERGY INC EBUSINESS Customer Rep: ., Bruce API/UWI #: 15-025-21462 Well Name: Esplund SWD 3023 Well #: 4-30 City (SAP): MINNEOLA County/Parish: Clark State: Kansas Field: Legal Description: Section 30 Township 30S Range 23W Rig/Platform Name/Num: 7 Contractor: Pistol Rig Job Purpose: Cement Production Casing Job Type: Cement Production Casing Well Type: Development Well Srvc Supervisor: THOMPSON, MBU ID Emp #: 476826 Sales Person: FRENCH, JEREMY RAYLAND Job Personnel **HES Emp Name** Emp# **HES Emp Name** Exp Hrs Emp# Exp Hrs Exp Hrs Emp# **HES Emp Name** MCDANIEL, JOSH 34557 MENDOZA, VICTOR 12.5 956788 LAYNE, OLANDIS 456723 12.5 12.5 2 THOMPSON, 125 476826 **RAYLAND Heath** Equipment **HES Unit #** HES Unit # Distance-1 way HES Unit # Distance-1 way HES Unit # Distance-1 way Distance-1 way Job Hours Date On Location Operating On Location Operating Date On Location Operating Date Hours Hours Hours Hours Hours Hours 6/14/13 125 3 Total is the sum of each column separately TOTAL **Job Times** Job Time Time Zone Date Formation Name 13 - Jun - 2013 20:30 CST Formation Depth (MD) Top Bottom Called Out 02:30 CST BHST On Location 14 - Jun - 2013 Form Type 6700. ft Job Depth TVD Job Started 14 - Jun - 2013 05:46 CST Job depth MD 14 - Jun - 2013 12:04 CST Wk Ht Above Floor Job Completed Water Depth 14 - Jun - 2013 15:00 CST Perforation Depth (MD) From To Departed Loc Well Data Max Size ID Weight **Thread** Grade Top MD **Bottom** Top **Bottom** Description New / MD TVD **TVD** Used pressure in lbm/ft ft in fit ft ft psig 7.875 659 6700 7.875" Open Hole 6700. 5.5" Production 5.5 4.892 17. LTC L-80 Unknow Casing n 8.625 8.097 24. STC J-55 659. 8.625" Surface Unknow Casing n Sales/Rental/3rd Party (HES) Supplier Description Qty PLUG.CMTG.TOP PLSTC,5 1/2 13-23PPF,4.49 EA **Tools and Accessories** Qty Make Depth Size Qty Make Depth Type Size Qty Make Type Size **Type** Top Plug **Guide Shoe** Packer Bridge Plug **Bottom Plug** Float Shoe Retainer SSR plug set Float Collar Plug Container Insert Float Centralizers Stage Tool Miscellaneous Materials Surfactant Acid Type Qty Conc % Gelling Agt Conc Conc Sand Type Inhibitor Size Qty Treatment Fld Conc Conc

11 0010 1107 00

HALLIBURTON

Cementing Job Summary

	.,		1			Flui	d Data						
S	age/Plug	#: 1											
Fluid #	Stage	Гуре		Fluid N	lame		Qty	Qty uom	Mixing Density Ibm/gal	Yield ft3/sk	Mix Fluid Gal/sk	Rate bbl/min	Total Mix Fluid Gal/sk
1	Fresh V	Vater					20	bbl	8.33	.0	.0	.0	
2	SUPER F	LUSH	SUPER FLUSH 101 - SBM (12199)				50	bbl	10.	.0	.0	.0	
3	Fresh W	ater					20	bbl	8.33	.0	.0	.0	
4	Lead Ce	ment	ECONOCEM (TM) SYSTEM (45299)				470	sacks	12.	2.23	12.37		12.37
	0.2 %		HR-800, 50 LB SACK (101619742)										
	3 %		CAL-SEAL 60, 50 LB BAG (101217146)										
	6 %		BEN	TONITE, BULK (100003682)								
	0.1 %		WG-17, 50 LB SK (100003623)										
	0.125 lbn	1	POLY-E-FLAKE (101216940)										
	12.372 G	ai	FRESH WATER										
5	Tail Cem	ent	ECONOCEM (TM) SYSTEM (452992) 300 sacks 13.6 1.47 7.0								7.0		
	0.25 % SA-1015, 50 LB SACK (102077046												
	0.2 %		CFR	-3, W/O DEFOAM	MER, 50 LB	SK (100	003653)						
	6.998 Ga	1	FRE	SH WATER									
6	Displace	ment					152	bbl	8.33	.0	.0	.0	
Calculated Values Pressures				Volumes									
Displacement :		52		Shut In: Instant		Lost Re	eturns	80	Cement S	lurry	26	Pad	
Top Of Cement SU		SURF	ACE	5 Min		Cement Returns		NO	Actual Displacement		ent 15:	2 Treatn	nent
Frac Gradient			15 Min		Spacers		90	Load and Breakdown		wn	Total .	dol	
	5					R	ates						
Circulating			Mixing	4.5	Displacem		ement	4.5		Avg.	Job	6.75	
Cem	ent Left li	Pipe	Amo	ount 43.66 ft Re	ason Shoe								
Frac	Ring # 1 @	2	ID	Frac ring # 2	@		Frac Rin			D	Frac Ring	#4@	di
T	ne Inform	nation	Stat	ted Herein Is (Correct	Custom	gr steprese	- 7	Apathre				

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 30, 2013

Wanda Ledbetter SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: ACO1

API 15-025-21462-00-01 Esplund SWD 3023 4-30 NE/4 Sec.30-30S-23W Clark County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Wanda Ledbetter