



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: timothy1-16dst6

TIME ON: 8-1 21:56
TIME OFF: 8-2 06:54

Company Berexco LLC Lease & Well No. Timothy #1-16
Contractor Beredco Rig #2 Charge to Berexco LLC
Elevation 2970 KB Formation Pawnee Effective Pay -- Ft. Ticket No. S0368
Date 8-2-13 Sec. 16 Twp. 22 S Range 34 W County Finn State KANSAS
Test Approved By Ed Greives Diamond Representative Jacob McCallie

Formation Test No. 6 Interval Tested from 4346 ft. to 4369 ft. Total Depth 4369 ft.

Packer Depth 4341 ft. Size 6 3/4 in. Packer depth -- ft. Size 6 3/4 in.

Packer Depth 4346 ft. Size 6 3/4 in. Packer depth -- ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 4327 ft. Recorder Number 8471 Cap. 10,000 P.S.I.

Bottom Recorder Depth (Outside) 4348 ft. Recorder Number 5965 Cap. 5,000 P.S.I.

Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 63 Drill Collar Length 525 ft. I.D. 2 1/4 in.

Weight 9.1 Water Loss 9.2 cc. Weight Pipe Length -- ft. I.D. 2 7/8 in.

Chlorides 2400 P.P.M. Drill Pipe Length 3791 ft. I.D. 3 1/2 in.

Jars: Make STERLING Serial Number 3 Test Tool Length 34 ft. Tool Size 3 1/2-IF in.

Did Well Flow? NO Reversed Out NO Anchor Length 19 ft. Size 4 1/2-FH in.

Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WSB- Built to 1/2 in. in 30 min NOBB

2nd Open: No Blow. No Build. NOBB

Recovered 12 ft. of OSM 100%-mud w/ scum of oil

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Remarks: _____

Tool Sample: 2%-oil; 98%-mud Total _____

Time Set Packer(s) 1:05 AM ^{A.M.}/_{P.M.} Time Started Off Bottom 5:35 AM ^{A.M.}/_{P.M.} Maximum Temperature 107

Initial Hydrostatic Pressure..... (A) 2023 P.S.I.

Initial Flow Period..... Minutes 30 (B) 7 P.S.I. to (C) 21 P.S.I.

Initial Closed In Period..... Minutes 60 (D) 188 P.S.I.

Final Flow Period..... Minutes 30 (E) 23 P.S.I. to (F) 27 P.S.I.

Final Closed In Period..... Minutes 60 (G) 174 P.S.I.


Final Hydrostatic Pressure..... (H) 2021 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

Timothy #1-16
 Formation: DST #6 Pawnee 4346-4369'
 Pool: Wildcat
 Job Number: S0368

Berexco LLC
 DST #6 Pawnee 4346-4369'
 Start Test Date: 2013/08/01
 Final Test Date: 2013/08/02

Timothy #1-16



Diamond Testing

General information Report

General Information

Company Name Berexco LLC

Contact	Ed Grieves	Job Number	S0368
Well Name	Timothy #1-16	Representative	Jacob McCallie
Unique Well ID	DST #6 Pawnee 4346-4369'	Well Operator	Berexco LLC
Surface Location	SEC 16-22S-34W Finney County	Report Date	2013/08/02
Well License Number		Prepared By	Jacob McCallie
Field	Wildcat		
Well Type	Vertical		

Test Type	Drill Stem Test		
Formation	DST #6 Pawnee 4346-4369'		
Well Fluid Type	01 Oil	Start Test Time	21:56:00
		Final Test Time	06:54:00
Start Test Date	2013/08/01		
Final Test Date	2013/08/02		
Gauge Name	8471		
Gauge Serial Number			

Test Results

RECOVERED:

12' OSM 100% M (scum of oil)

TOOL SAMPLE:

2% O 98% M