

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1161000

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM

# WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
-	
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW	Amount of Surface Pipe Set and Cemented at: Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used?
OG         GSW         Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to:w/sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R East West
GSW Permit #:	County: Permit #:
Spud Date or Recompletion Date         Date Reached TD         Completion Date or Recompletion Date	

### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

# Submitted Electronically

KCC Office Use ONLY							
Letter of Confidentiality Received							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II III Approved by: Date:							

	Side Two	1161000			
Operator Name:	Lease Name:	Well #:			
Sec TwpS. R East _ West	County:				

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No	Lo		n (Top), Depth an	d Datum Top	Sample Datum
Samples Sent to Geolog	ical Survey	Yes No	INGIN	6		юр	Datum
Cores Taken Electric Log Run Electric Log Submitted E (If no, Submit Copy)	Electronically	Yes     No       Yes     No       Yes     No       Yes     No					
List All E. Logs Run:							
		CASING	RECORD Ne	w Used			
		Report all strings set-	conductor, surface, inte	ermediate, product	ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

#### ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose: —— Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					)e		Depth		
TUBING RECORD:	Siz	ze:	Set At:		Packer	r At:	Liner R	un:	No	
Date of First, Resumed I	Product	ion, SWD or ENHF	<b>λ</b> .	Producing N	1ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIC	ON OF C	BAS:			METHOD	OF COMPLE	TION:		PRODUCTION INT	ERVAL:
Vented Sold		Jsed on Lease		Open Hole	Perf.	Dually (Submit)	Comp. ACO-5)	Commingled (Submit ACO-4)		
(If vented, Sub	omit ACC	)-18.)		Other (Specify)						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Keske 25-13
Doc ID	1161000

Tops

Name	Тор	Datum
Soil	0	14
Llme	14	30
Shale	30	160
Lime & Shale	160	210
Lime	210	500
Shale	500	520
Lime	520	660
Shale	660	715
Lime	715	720
Shale	720	850
Lime	850	994
Black Shale	994	997
5' Lime	997	1000
Black Shale	1000	1002
Upper Squirrel Sand	1002	1014
Shale	1014	1038
Cap Rock	1038	1039
Shale	1039	1042
Cap Rock	1042	1043
Lower Squirrel Sand	1043	1053
Shale	1053	1140

-

1

Klein Lumber

p.1

PAGE NO 1

# THE NEW KLEIN LUMBER COMPANY 201 W. MADISON P.O. BOX 805 IOLA, KS 66749 PHOME: (620) 365-2201

CUSTOMER NO		DER NO.	REFERENCE		TERMS	S	CLERK	DATE	TIME
3447				HET LOTH	of Mont	rh se		1/29/13	4:32
	ymon oil 11 98 Souirrel Fø	ST I P		DEL.	. Date:	1/29/13 1	TERM#552	**************************************	R ¥
	osho Falls KS 66758	0		TAX	:	001 IOLAL 1	IOLA	<del>xxxxxxx</del> Ordr	269380

0100000	ORDERED	UM !		SKU	DESCRIPTION	LOCATION	UNITS	PRICE/PER	EXTENSION
SHIPPED	399	EA	PC	alto	PORTLAND CENENT		300	9.45 /EA	2,835.00
	000	LD	1.0						
					Keske 24-13	10 pages			
}					1000000100	no alla			
umail	G	17		in olis	Laymon 80 2	13/0 0140			
INCHO	ne J-	IZ		DALS	Jan 100 3.	13 10.9RS			
· neust	2-1-	13	2	1DAKS	Kuske 24-13 Kaymon 80 2- Jaymon 80 3. Cillingerton 7	13 IN ADA			
	0 2	112	1	10 000	GWWeston 7	-15 10 2000	1		
Tusk	y 3-	113	1	10 Mas	Mulleston	4-13 10,000			
heste	0 210-	13	İ	113 pks	GWWeston I GWWeston GWWeston GWWeston	512 In Dock	2		1
	••••••		ø	in aki	6 Gerleston	2-1.2 10 10	i		
: Hesk	e ll-	13	ľ	10 Mic	Del II	-13 10 Dack	40		<u>a.</u>
Lec 3	5-9	19-1	3	10 sk	o D'Glene II o. Husket	25:210 000	25		
1			13	in DR	D. nuski	g23-15/10/200	1		
VIC	- 14	-0	1	10 pk	2				
Sec 3	5 10	31-	13	ID p.	10	25			
Keske	23	1.1.	R	10 A	per la	2			
nusico		11	F	inni	0	1		1	
hesta	2 00	1-1	V	10 Al				TAXABLE	2835.00
			** Q	RDER HE ORDER			0.89	NON-TAXABLE	6.09
					** DEPOSIT AMOUNT **		3,077.39	SUBTOTAL	2835.00
1					** BALANCE DUE **		24811193	AMM HALF	
M A	BECEN	ER P	v		** PAYMENT RECEIVED	žž	6.90		
	ALCCIE							TAX AMOUNT	242.39
								Total amount	3077.39

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

# **Payless Concrete Products, Inc.**

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO CWNEET Failure of this contractor to pay those persons supplying material or services to complete this contract on result in the filing of a mechanic's lene on the property which is the subject of this contract.

GRAND TOTAL

LA/KESKE LAYMON OIL II, L.L.C. LAYMON OIL II 1998 SOUIRREL RD. 54 W TO WILLOW RD N TO 200 RD WEST TO SQUIRREL RD GO PAST NEOSHO FALLS KG 1/2 MI S SD WELLH KESKE 25-13 LOAD SIZE TIME FORMULA YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # COL AIR 09:43:08a JEL! 8.00 yd 0.00 32.00 yd 0.00 DATE LOAD # YARDS DEL, BATCH# WATER TRIM SLUMP TICKET NUMBER First-07-18-13 oday 8.00 yd 24581 34563 0.0 4,00 in Excessive Water is Detrimental to Concrete Performance PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) WARNING (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire i.i. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE televing him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driverways, outs, etc., by the delivery of this material, and that you also agee to help him remove mud from the wheels of his vehicle so that he will first lifter the public street. Further, as additional considera-tion, the undersigned agrees to indemnity and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order. SIGNED IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. H<sub>2</sub>0 Added By Request/Authorized By GAL X WEIGHMASTER CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting NOTICE: MY SIGNATURE BELOW INDI NOTICE AND SUPPLIER WILL NOT WHEN DELIVERING INSIDE CURB LINE. CATES THAT I HAVE READ THE HEALTH WARNING BE RESPONSIBLE FOR ANY DAMAGE CAUSED any sums owed. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time LOAD RECEIVED BY Material is Delivered. 100 A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Х Excess Delay Time Charged @ \$50/HR. QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 8.00 WELL (10 SACKS PER UNIT) 8.00 MIXSHAUL MIXING & HAULING 8.00 2.00 TRUCKING TRUCKING CHARGE 2.00 **RETURNED TO PLANT** LEFT JOB **FINISH UNLOADING** DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 6. TRUCK BROKE DOWN
 7. ACCIDENT
 8. CITATION JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN 9. OTHER LEFT PLANT **ARRIVED JOB** START UNLOADING TIME DUE ADDED WATER U Y 0:117 ADDITIONAL CHARGE 1 TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME DELAY TIME **ADDITIONAL CHARGE 2** 

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588


TIME

LAOOS LAYMON OIL II, L.L.C. 1998 SQUIRREL RD.

FORMULA

NEOSHO FALLS KS

LOAD SIZE



DRIVER/TRUCK

LA/KESKE LAYMON OIL II 54 W TO WILLOW RD N TO 200 RD WEST TO SQUIRREL RD GO PAST

cal.

09:50:02a	WELL	8.00 yd	32.00 yd	0.00	34	0.00	WOOCO	
DATE	To Dato	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
07-18-13	Today	. 2	16.00 yd	24582	6/yd 0.0	4.00 in	- 34564	
CAUSE BURNS. Avoid C Contact With Skin or Eye Attention. KEEP CHILDRE CONCRETE is a PERISHABLI LEAVING the PLANT. ANY TELEPHONED to the OFFICE The undersigned promises to any sums owed. All accounts not pad within 30 Not Responsible for Readtu Material is Delivered.	E COMMODITY and BECOMES the PROP DHANGES OR CANCELLATION of ORIGI BEFORE LOADING STARTS. pay all costs, including reasonable attor days of delivery will bear interest at the rate e Aggregate or Color Quality. No Claim Loss of the Cash Discount will be collect	ontact With Skin. In Case of rritation Persists, Get Medical ERTY of the PURCHASER UPON INAL INSTRUCTIONS MUST be meys' fees, incurred in collecting e of 24% per annum. Allowed Unless Made at Time	(TO BE SIGNED IF DELIVERY T Dear Customer The driver of this t you for your signature is of the op truck may possibly cause damag property if it places the material in our wish to help you in every way the driver is requesting that you s this supplier from any responsibilit to the premises and/or adjint you driverways, curbs, etc., by the del also agree to help him remove mu that he will not flifter the public str tion, the undersigned agrees to not of this ruck and this supplier for a	MGGE RELEASE O BE MADE INSIDE CURB LINE) ruck in presenting this RELEASE to inion that the size and weight of his e to the premises and/or adjacent this load where you desire it. It is that we can, but in order to do this gri this RELEASE releving him and y from any damage that may occur in property, buildings, sidewalis, ivery of this material, and that you d from the wheels of his vehicle so def. Further, as additional considera- terminity and hold harmless the driver may and all damage to the premises tay be claimed by anyone to have	WEIGHMASTER WEIGHMASTER NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED			
QUANTITY	CODE	DESCRIPTION		A State of State		UNIT PRICE	EXTENDED PRICE	
B.00 WELL WELL (10 SACKS PER UNIT) 16.00 B.00 MIX&HAUL MIXING & HAULING 16.00								
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C	YLINDER TEST TAKEN	TIME ALLOWED			
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION				
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 5. ADDED WATER		TIME DUE			
10'17	10:48					ADDITIONAL CHARGE	1	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE	2	
		1994 Channel				GRAND TOTAL		



YARDS ORDERED

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, ordways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. **NOTCE TO OWNER** Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

PLANT/TRANSACTION #