

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KC0    | C Use: |    |  |  |
|------------|--------|----|--|--|
| Effective  | Date:  |    |  |  |
| District # | #      |    |  |  |
| SGA?       | Yes    | No |  |  |

SGA?

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

| Expected Spud Date:  | Spot Description:   |
|--|---|
| month day  | year Sec Twp S. R E W   |
| OPERATOR: License#   | (0/0/0/0) foot from N / S Line of Section   |
| Name:  | foot from   E /   W Line of Continu   |
| Address 1:   | L OFOTION D L D L O   |
| Address 2:   |   |
| City: State: Zip:  |   |
| Contact Person:  | Lease Name: Well #:   |
| Phone:   |   |
| CONTRACTOR: License#   | Field Name:   |
| Name:  | is also a restalled reputation.   |
| variie.  | Target Formation(s):  |
| Well Drilled For: Well Class: Type Equip   |   |
| Oil Enh Rec Infield Mud I  | Ground Surface Elevation:feet MSI   |
| Gas Storage Pool Ext. Air Ro   | otary Water well within one-quarter mile:   |
| Disposal Wildcat Cable   | Public water supply well within one mile: Yes Ves   |
| Seismic ; # of Holes Other   | Depth to bottom of fresh water:   |
| Other:   | Depth to bottom of usable water:  |
|  | Surface Pipe by Alternate: I III  |
| If OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set:   |
| Operator:  | Length of Conductor Pipe (if any):  |
| Well Name:   | D : . IT . ID   |
| Original Completion Date: Original Total Depth   |   |
|  | Water Source for Drilling Operations:   |
| Directional, Deviated or Horizontal wellbore?  | Yes No Well Farm Pond Other:  |
| If Yes, true vertical depth:   | DWR Permit #:   |
| Bottom Hole Location:  | (Note: Apply for Permit with DWR )  |
| KCC DKT #:   |   |
|  | If Yes, proposed zone:  |
|  |   |
| The condensioned beauty officers that the drilling accompletion  | AFFIDAVIT   |
|  | and eventual plugging of this well will comply with K.S.A. 55 et. seq.  |
| It is agreed that the following minimum requirements will be n   | net:  |
| 1. Notify the appropriate district office <i>prior</i> to spudding of  | of well;  |
|  |   |
| 2. A copy of the approved notice of intent to drill shall be   |   |
| 3. The minimum amount of surface pipe as specified belo  | ow shall be set by circulating cement to the top; in all cases surface pipe shall be set  |
| <ol> <li>The minimum amount of surface pipe as specified belothrough all unconsolidated materials plus a minimum of</li> </ol>   | bw <b>shall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b> of 20 feet into the underlying formation.  |
| <ul><li>3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation.</li></ul>  | ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging;   |
| <ul><li>3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation.</li><li>5. The appropriate district office will be notified before we</li></ul>  | by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; all is either plugged or production casing is cemented in;  |
| <ol> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation of the appropriate district office will be notified before well in an ALTERNATE II COMPLETION, production pipe shapes of the production of</li></ol>  | by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.   |
| <ol> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to appropriate district office will be notified before were for an ALTERNATE II COMPLETION, production pipe should be provided by the production of the provided by the pr</li></ol> | by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to a like the appropriate district office will be notified before were for an ALTERNATE II COMPLETION, production pipe should be provided by the control of the provided before the control of the provided before the control of the provided by the provided by the provided before the provided by the</li></ol>  | by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.   |
| <ol> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to appropriate district office will be notified before were for an ALTERNATE II COMPLETION, production pipe should be provided by the production of the provided by the pr</li></ol> | by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to the surface of the appropriate of the surface of the surfac</li></ol> | by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation of the appropriate district office will be notified before were found to a complete the surface of the properties of the properties of the well as the well as the properties of the well as the well a</li></ol> | by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.   |
| 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand of the appropriate district office will be notified before were found to the surface of the appropriate district office will be notified before were for an ALTERNATE II COMPLETION, production pipe story of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the surface of the surfa        | ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  actor and the district office on plug length and placement is necessary prior to plugging; will is either plugged or production casing is cemented in; anall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:   |
| 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the operand of the well is dry hole, an agreement between the operand of         | w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification   |
| 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, and agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the        | w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;   |
| 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the operand of the well is dry hole, and the operand of the operand of the well is dry hole, and the operand of the op        | w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well of the appropriate district office will be notified before well of an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the specified of the spe        | w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  |
| 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well be notified before well of the appropriate district office will be notified before well of the specified with the specified of the specified within 30 days of the spud date of the specified of the        | w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  actor and the district office on plug length and placement is necessary prior to plugging; which is either plugged or production casing is cemented in; anall be cemented from below any usable water to surface within 120 DAYS of spud date. In all be cased as a plugged. In all cases, NOTIFY district office prior to any cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;   |
| 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the very specified below through all unconsolidated materials plus a minimum of the very specified before well appropriate district office will be notified before well to the very specified before well appropriate district office will be notified before well appropriate district office will be notified before well appropriate district office will be notified before well appropriate will be notified before well appropriate district office will be n        | Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;  |
| 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well be notified before well be notified before well of the specified before well of the specified before well of the specified of th        | Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plug to the Korn plught of the CP-4) after plugging is completed (within 60 days);  - Submit plugging report (CP-4) after plugging is completed (within 60 days);   |
| 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the very specified belot through all unconsolidated materials plus a minimum of the very specified before well appropriate district office will be notified before well to the appropriate district office will be notified before well a        | w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  actor and the district office on plug length and placement is necessary prior to plugging; all is either plugged or production casing is cemented in; anall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water. |
| 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well be notified before well of the appropriate district office will be notified before well of the specified will be notified wi        | Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plua to the Konsas Pion of Act (KSOna) is completed (within 120 days of spud date; - Submit plugging report (CP-4) after plugging is completed (within 60 days);   |



SEWARD CO. 3390' FEL

| For KCC Use ONLY |   |
|------------------|---|
| API # 15         | _ |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:    |                           |   |             |   |             |                | _ Loc  | cation of W | /ell: County:  |
|--------------|---------------------------|---|-------------|---|-------------|----------------|--------|-------------|--|
| Lease:       |                           |   |             |   |             |                |        |             | feet from N / S Line of Section  |
| Well Num     | ber:                      |   |             |   |             |                |        |             | feet from E / W Line of Section  |
| Well Number: |                           |   |             |   | _ Se        | SecTwpS. R E W |        |             |  |
|              | f Acres attr<br>:/QTR/QTR |   |             |   |             |                | - ls 5 | Section:    | Regular or Irregular   |
|              |                           |   |             |   |             |                |        |             | Irregular, locate well from nearest corner boundary.  er used: NE NW SE SW                         |
|              |                           |   | atteries, p |   | d electrica | the neare      |        | the Kans    |  |
|              |                           |   | •<br>•<br>• |   |             | :              | :      |             | LEGEND   |
| 906 ft.      |                           | 0 |             |   |             | :              |        |             | O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location |
|              |                           |   |             | 4 |             |                |        |             | EXAMPLE  |
|              |                           |   |             |   | ••••        |                |        |             | 1980' FSL  |

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

1161791 Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                        | License Number:   |  |  |  |  |
|---|------------------------|---|--|--|--|--|
| Operator Address:   |                        |   |  |  |  |  |
| Contact Person:   |                        | Phone Number:   |  |  |  |  |
| Lease Name & Well No.:  |                        |   | Pit Location (QQQQ):   |  |  |  |
| Type of Pit:  | Pit is:                |   |  |  |  |  |
| Emergency Pit Burn Pit  | Proposed               | Existing  | SecTwp R   |  |  |  |
| Settling Pit Drilling Pit If Existing, date co Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity: |                        | nstructed:  | Feet from North / South Line of Section  |  |  |  |
|   |                        |   | Feet from East / West Line of Section  |  |  |  |
|   | (bbls)                 |   | County   |  |  |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes               | No  | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)       |  |  |  |
| Is the bottom below ground level?   | Artificial Liner?      |   | How is the pit lined if a plastic liner is not used?                           |  |  |  |
| Yes No  | Yes N                  | No  |  |  |  |  |
| Pit dimensions (all but working pits):  | Length (fe             | et)   | Width (feet)N/A: Steel Pits  |  |  |  |
|   | om ground level to dee |   |  |  |  |  |
| If the pit is lined give a brief description of the li<br>material, thickness and installation procedure.                     | ner                    |   | dures for periodic maintenance and determining cluding any special monitoring. |  |  |  |
|   |                        |   |  |  |  |  |
|   |                        |   |  |  |  |  |
|   |                        |   |  |  |  |  |
| Distance to nearest water well within one-mile of   | of pit:                | Depth to shallo<br>Source of infor                      | west fresh water feet.<br>nation:  |  |  |  |
| feet Depth of water well  | feet                   | measured  | well owner electric log KDWR   |  |  |  |
| Emergency, Settling and Burn Pits ONLY:   |                        | Drilling, Work  | over and Haul-Off Pits ONLY:   |  |  |  |
| Producing Formation:  |                        | Type of material utilized in drilling/workover:         |  |  |  |  |
| Number of producing wells on lease:   |                        | Number of working pits to be utilized:                  |  |  |  |  |
| Barrels of fluid produced daily:  |                        | Abandonment   | procedure:   |  |  |  |
| Does the slope from the tank battery allow all s flow into the pit? Yes No  | pilled fluids to       | Drill pits must be closed within 365 days of spud date. |  |  |  |  |
|   |                        |   |  |  |  |  |
| Submitted Electronically  |                        |   |  |  |  |  |
|   |                        |   |  |  |  |  |
|   |                        |   |  |  |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  |                        |   |  |  |  |  |
| Date Received: Permit Num   | her·                   | Permi   | t Date: Lease Inspection: Yes No   |  |  |  |



1161791

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C  | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |  |  |
|--|--|--|--|--|
| OPERATOR: License #  | Well Location:   |  |  |  |
| Name:  | SecTwpS. R   |  |  |  |
| Address 1:   | County:  |  |  |  |
| Address 2:   | Lease Name: Well #:  |  |  |  |
| City: State: Zip:+   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of   |  |  |  |
| Contact Person:  | the lease below:   |  |  |  |
| Phone: ( ) Fax: ( )  |  |  |  |  |
| Email Address:   |  |  |  |  |
| Surface Owner Information:   |  |  |  |  |
| Name:  | sheet listing all of the information to the left for each surface owner. Surface   |  |  |  |
| Address 1:   |  |  |  |  |
| Address 2:   | county, and in the real estate property tax records of the county treasurer.   |  |  |  |
| City: State: Zip:+   |  |  |  |  |
| the KCC with a plat showing the predicted locations of lease roads, tank   | dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |  |  |  |
| Select one of the following:   |  |  |  |  |
| owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this   |  |  |  |
| task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-   | fee with this form. If the fee is not received with this form, the KSONA-1   |  |  |  |
| Submitted Electronically   | _  |  |  |  |

## R. Evan Noll

(Petroleum Landman)

P.O. Box 1351 Hays, KS 67601 Office - 785.628.8774 Gell - 785.628.8478 Fan - 785.628.8478

October 8, 2013

Woodford-O'Brate, Inc. P.O. Box 399 Garden City, KS 67846

RE: O'Brate-Gray #1-4 Well 1757' from North Line & 906' from West Line Section 4-25S-29W Gray County, Kansas

Dear Mr. O'Brate:

Prior to issuing a permit to drill, the Kansas Corporation Commission is requiring the property owner be notified. The operator for the captioned well is:

American Warrior, Inc. P.O. Box 399 Garden City, KS 67846

Contact Man: Joe Smith - (620) 271-2258 - ismith@awioil.com

I'm enclosing a copy of the intent to drill filed with the KCC, a plat showing well, lease road, pipe & electric Line & tank battery locations for the captioned well. This is all non-binding and preliminary, being shown simply to satisfy State requirement. The actual locations will be determined by the dirt man.


Lowell Foos with Lowell Foos Oilfield Tractor Works, Bazine, Kansas, will build the lease road and well site location.

If you want to be involved with the locations, contact Mr. Lowell Foos (785) 731-5612, reference the captioned well name and coordinate with him.

R. Evan Noll

Contract Landman with American Warrior, Inc.

O'Brate-Gray # 1-4 1757' from North Line & 906' from West Line Section 4.255-29W Gray Co., KS.



This 15 preliminary

2 Non-binding