

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

the same are true and correct, so help me God.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1163110

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:				API No. 15	5		
Name:				Spot Desc	ription:		
Address 1:					Sec 7	wp S.	R East West
Address 2:					Feet from	North /	South Line of Section
City:	State:	Zip:+			Feet from	East /	West Line of Section
Contact Person:				Footages	Calculated from Near	est Outside Se	ection Corner:
Phone: ()					NE NW	SE	SW
Type of Well: (Check one)	Oil Well Gas Well	OG D&A Cathodi	ic	County:			
Water Supply Well	Other:	SWD Permit #:		-			Well #:
ENHR Permit #:	Gas Sto	rage Permit #:					vveii #
Is ACO-1 filed? Yes	No If not, is well	l log attached? Yes	No				(Date)
Producing Formation(s): List A	All (If needed attach another	sheet)					(KCC District Agent's Name)
Depth to	o Top: Botto	m: T.D		•			
Depth to	o Top: Botto	m: T.D		Plugging Commenced:			
Depth to	o Top: Botto	m:T.D		Plugging Completed:			
Show depth and thickness of	all water, oil and gas forma	ations.					
Oil, Gas or Water	r Records		Casing I	Record (Surfa	ace, Conductor & Prod	uction)	
Formation	Content	Casing	Size		Setting Depth	Pulled Out	t
cement or other plugs were u	sed, state the character of	same depth placed from (bot	ttom), to (top) for each	n plug set.		
Plugging Contractor License #	#:		Name: _				
Address 1:			Address	2:			
City:				State:		Zip:	+
Phone: ()				-			
Name of Party Responsible for	or Plugging Fees:						
State of	County, _			, ss.			
	,				ployee of Operator or	05	or on above-described well,
	(Print Name)			_ <u></u> Em	pioyee of Operator of	Operato	n on above-described Well,

Submitted Electronically

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and



PO Box 93999

Voice: Fax:

STE #300

(817) 546-7282 (817) 246-3361

Southlake, TX 76092

Murfin Drlg. Co., Inc. 250 N. Water

Wichita, KS 67202

USED FOR

APPROVED

INVOICE

Invoice Number: 131687 Jun 28, 2012

Invoice Date:/ Page:



@ustomer@	WellNa	me/#or@ustomer/F	.	Paymon	emel)
Murfin	CUTOR	Sutter A #9		Net 30	Days
ത്രിക്കുട്ടിയ		Camp Location -		් වෙන්නවේ ්	මාම හෙම
KS2-03		Russell	-	Jun 28, 2012	7/28/12

Quantity	Cem .	Description	4 Will Piles	Amount
300.00	MAT	Class A Common	16,25	4,875.00
200.00	MAT	Pozmix	8.50	1,700.00
17.00	MAT	Gel	21.25	361.25
5.00	MAT	Cottonseed Hulls	31.85	159.25
517.00	SER	Handling	2.25	1,163.25
14,476.00	SER	Drayage	0.11	1,592.36
1.00	SER	Plug Abandoned Well	1,250.00	1,250.00
28.00	SER	Pump Truck Mileage	7.00	196.00
28.00	SER	Light Vehicle Mileage	4.00	112.00
1.00	CEMENTER	Glenn Ginther		
1.00	EQUIP OPER	Woody O'Neil		
1.00	EQUIP OPER	Robert Yakubovich		
1.00	EQUIP OPER	Vince Pack		
				ļ
]			
				,
00401	000000	1 anne 11 Den Atta		
LYKIVI 1	272.0013.	1 9215.01 FIA HAY		
•	•	Cubtotal		11 400 11

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE, 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF



ONLY IF PAID ON OR BEFORE Jul 23, 2012

Subtotal 11,409.11 718.77 Sales Tax 12,127.88 Total Invoice Amount Payment/Credit Applied

	S SERVICES,	LLC 05.6442
REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665		VICEPOINT:
	ALLED OUT ON LOCATION	JOB START JOB FINISH
DATE 6-28-12 10 20	1/ 0 13/ 1/2	COUNTY STATE
OLDOR NEW (Circle one)	Ks. 3 w 1 45 4W	Rooks KANSTS
CONTRACTOR CO TOOLS	OWNER	,
TYPE OF JOBPING ABANDONED WELL		
HOLE SIZE T.D. CASING SIZE 5 1/2 DEPTH	CEMENT AMOUNT ORDERED 50	25x 40 490 Gec
TUBING SIZE 278 DEPTH 3480		
DRILL PIPE DEPTH	500 wij's	
TOOL DEPTH PRES. MAX MINIMUM	COMMON 200 5a	@16 ²⁵ 4975100
MEAS, LINE SHOB JOINT	POZMIX 200 5X	@ <i>8</i>
CEMENT LEFT IN CSG.	GEL 17 SA	@ 2125 36/, 25
PERFS. DISPLACEMENT	CHLORIDE	
EQUIPMENT	Hall's 5 Ex	_@ <u> </u>
PUMPTRUCK CEMENTER GLEWN GI		
# 417 HELPER WOODY Q.		@
BULK TRUCK		
# 410 DRIVER CAREET Y		@
# 482 24 DRIVER VINCE P. G.S.	HANDLING 517 Total SX	@2,25 1/63,25
	MILEAGE 78 6 TON MILE	e 01 19 1592, 30
REMARKS:	14476 RS 25	TOTAL 9851.//
- 026 miles 0 2166 0 - 100 miles		
2% Turing@ 340b Spot 150 SX Cament	98517 ¹¹	
W/300#Hulls Scot 105 SX W/100#HUIS. 27/8-	SERV	VICE
W/300#Hulls Scot 105 SX W/100#HUIS. 27/8-	SERV DEPTH OF JOB 3400'	
1300#Hulls Spot 105 SX W/100#Hulls, 27/8- 1050 Mixed 135 XX W/100# Hulls, Hulled 27/8, 1000 000 000 000 000 000 000 000 0000 0000	SERV DEPTH OF JOB 3466 PUMPTRUCK CHARGE	/250,00
1 1050 Mixed 135 xx w/100#Hulls, 27/8" (3 1050 Mixed 135 xx w/100#Hulls, Hulls, 100 mixed 135 xx w/100#Hulls, Hulls, Hulls, 100 mixed 1	SERV DEPTH OF JOB 3466 PUMPTRUCK CHARGE EXTRA FOOTAGE	/2.50,°°
1300 Hulls Spot 105 SX W/100 #HULLS. 27/8 - (B 1050 Mixed 135 XX W/100 #HULLS.) Bulled 12/8, 1680 Book State of the forman of the following	SERV DEPTH OF JOB 346 PUMPTRUCK CHARGE EXTRA FOOTAGE MILBAGE A Hy MT	/250,00 @ @2.00 96,00
1300 Hulls Spot 105 SX W/100 #HULLS. 27/8 - (B 1050 MIXED 135 XX W/100 #HULLS.) Bulled 17/8, 168 \$600 \$600 \$600 \$600 \$600 \$600 \$600 \$6	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILBAGE HY MT WMANIFOLD	1250.°° @ 196,00 @ 196,00
1300*Hulls Spot 105 SX W/100*HULLS. 27/8- @ 1050 Mixed 135 XX W/100#E HULLS. Hulled 27/8, 1680 Belled Cement Falling Down Hole Decide To CAP-OFF LATER BYS MIXED 30 SX @ 200# + Shut- @ 200#, 1441K'S	SERV DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE HY ME WMANIFOLD 38	1250,00 @ 196,00 @ 196,00 @ 112,00
1300 Hulls Spot 105 SX W/100 #HULLS. 27/8 - (B 1050 MIXED 135 XX W/100 #HULLS.) Bulled 17/8, 168 \$600 \$600 \$600 \$600 \$600 \$600 \$600 \$6	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILBAGE HY MT WMANIFOLD	1250,00 @ 196,00 @ 196,00 @ 112,00
1300*Hulls Spot 105 SX W/100*HULLS. 27/8- @ 1050 Mixed 135 XX W/100#E HULLS. Hulled 27/8, 1680 Belled Cement Falling Down Hole Decide To CAP-OFF LATER BYS MIXED 30 SX @ 200# + Shut- @ 200#, 1441K'S	SERV DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE HY ME WMANIFOLD 38	1250,00 @ 1250,00 @ 200 146,00 @ 4,00 112,00
W 300# Hulls Spot 105 SX W/100# HULLS. 27/8- @ 1050 Mixed 135 XX W/100# HULLS. Bulled 17/8, 1000 SX Cement @ Mixed ANOTHER 80 SX Cement @ COOLOR 2000 Cement Falling Down Hole Decide To CAP-OFF LATER BYB MIXED 30 SX @ 200# + Shut- @ 200#, CHARGE TO: MUREIN DRILLING Co.	SERV DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE AV MT MANIFOLD 8 15'56.00	1250,00 @ 200 146,00 @ 4.00 112,00 O TOTAL 558,00
W 300*Hulls Spot 105 SX W 100#HULLS, 27/8- @ 1050, Mixed 135 XX W 100#HULLS, Bulled 17/8, 1000 SX Cement @ 2000 Coment Falling Down Hole Decide To CAP-OFF Later BYB MIXED 30 SX @ 200# Shurt CHARGE TO: MUREIN DRILLING CO.	SERV DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE AV MT MANIFOLD 8 15'56.00	1250.00 @ 2.00 146,00 @ 4.10 112.00 TOTAL 1558.00
W 300*Hulls Spot 105 SX W 100#HULLS, 27/8- @ 1050, Mixed 135 XX W 100#HULLS, Bulled 17/8, 1000 SX Cement @ 2000 Coment Falling Down Hole Decide To CAP-OFF Later BYB MIXED 30 SX @ 200# Shurt CHARGE TO: MUREIN DRILLING CO.	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE AV MT MANIFOLD 8 15 S6.00 15 S6.00 THE PROPERTY PLUG & FLORE	1250.00 @ 2.00 146,00 @ 4.00 112.00 TOTAL 558.00 AT EQUIPMENT
W 300* Hulls Spot 105 SX W 100# HULLS, 27/8- @ 1050 Mixed 135 SX W 100# HULLS, Bulled 17/8, 1 @ 200 SX Cement @ 200 Dec 200 Cement Falling Down Hole pecide To cap-off Later By8 Mixed 30 SX @ 200# + Shut- @ 200#. CHARGE TO: MUREIN DRIlling Co. STREET	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE AV MT MANIFOLD 8 15 S6.00 15 S6.00 THE PROPERTY PLUG & FLORE	1250.00 @ 2.00 146,00 @ 112.00 TOTAL 558.00 AT EQUIPMENT
W 300* Hulls Spot 105 SX W 100 # HULLS, 27/8- @ 1050 Mixed 135 SX W 100 # HULLS, Hulled 17/8, 1 @ 200 & W 100 # HULLS, Hulled 17/8, 1 & 200 & W 100 &	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE AV MT MANIFOLD 8 15 S6.00 15 S6.00 THE PROPERTY PLUG & FLORE	1250.00 @ 2.00 146,00 @ 4.00 112.00 TOTAL 558.00 AT EQUIPMENT
W 300* Hulls Sept 105 SX W 100 # HULLS, 27/8 - @ 1050 Mixed 135 SX W 100 # HULLS, Bulled 17/8, 100 # W 100 # HULLS, Bulled 17/8, 100 # W 100 # HULLS, Bulled 17/8 ANOTHER 80 SX Cement Falling Down Hole Decide To Cap-off 10 tea By8 Mixed 30 SX @ 200 # Shut-C 200 # Shut-C 200 # STREET	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE AV MT MANIFOLD 8 15 S6.00 15 S6.00 THE PROPERTY PLUG & FLORE	1250.00 @ 200 146,00 @ 112.00 TOTAL 55800 AT EQUIPMENT
W 300* Hulls Sept 105 SX W 100# Hulls, 27/8- @ 1050 Mixed 135 SX W 100# Hulls, Hulls, Hulled 17/8, 100 Barbard SX Cement Hulls, Hulled 17/8, 100 Barbard SX Cement Hole Decide To Cap-off 10 tea By8 Mixed 30 SX @ 200# + Shut-O 200#. CHARGE TO: MUREIN DRIlling Co. STREET	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE AV MT MANIFOLD 8 15 S6.00 15 S6.00 THE PROPERTY PLUG & FLORE	1250.00 @ 200 146,00 @ 112.00 TOTAL 55800 AT EQUIPMENT D @
W 200*Hulls Sept 105 SX W 100#Hulls, 27/8— @ 1050 Mixed 135 SX W 100#Hulls, Hulled 17/8, W 200 SX Comment of Mixed ANOTHER O SX Comment of Mixed ANOTHER O SX Comment of Mixed 20 SX C	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE AV MT MANIFOLD 8 15 S6.00 15 S6.00 THE PROPERTY PLUG & FLORE	1250.00 @ 200 146,00 @ 112.00 TOTAL 55800 AT EQUIPMENT
W 200*Hulls Sept 105 SX W 100#Hulls, 27/8— @ 1050 Mixed 135 SX W 100#Hulls, Hulled 17/8, W 200 SX Comment of Mixed ANOTHER O SX Comment of Mixed ANOTHER O SX Comment of Mixed 20 SX C	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE HY MT WMANIFOLD 38 15 S 8.00 15 S 8.00	/2.50,00 @ 2.00 96,00 @ 4,10 1/2,00 O TOTAL
W 200*Hulls Sept 105 SX W 100#Hulls, 27/8— @ 1050 Mixed 135 SX W 100#Hulls, Hulled 17/8, W 200 SX Comment of Mixed ANOTHER O SX Comment of Mixed ANOTHER O SX Comment of Mixed 20 SX C	SERV DEPTH OF JOB 346 PUMPTRUCK CHARGE EXTRA FOOTAGE MILBAGE HY MT WMANIFOLD 15 SR. 15 SR. SALES TAX (If Any) 7/	1250.00 @ 2.00 196,00 @ 112.00 TOTAL 558.00 AT EQUIPMENT
To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE HY MT WMANIFOLD 15 SQ. 00 SALES TAX (If Any) TOTAL CHARGES 1/40	1250,00 @ 200 96,00 @ 4,00 112,00 TOTAL
To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENBRAL TERMS AND CONDITIONS" listed on the reverse side.	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE HY MT WMANIFOLD 15 SQ. 00 SALES TAX (If Any) TOTAL CHARGES 1/40	1250,00 @ 200 96,00 @ 4,00 112,00 TOTAL
To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.	DEPTH OF JOB 3400' PUMPTRUCK CHARGE EXTRA FOOTAGE MILEAGE HY MT WMANIFOLD 15 SQ. 00 SALES TAX (If Any) TOTAL CHARGES 1/40	1250,00 0 200 196,00 0 112,00 0 112,00 0 112,00 0 12,00 0 12

.

ne no nome, els e majoristicos e especies de como en en en en en en en en en especies de la como especie.

المستحد المستان فيقرو والأنج