



KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

1163229

Form ACO-1

June 2009

**Form Must Be Typed**  
**Form must be Signed**  
**All blanks must be Filled**

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- ☐ New Well ☐ Re-Entry ☐ Workover
- ☐ Oil ☐ WSW ☐ SWD ☐ SIOW
- ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW
- ☐ OG ☐ GSW ☐ Temp. Abd.
- ☐ CM (Coal Bed Methane)
- ☐ Cathodic ☐ Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD
- ☐ Conv. to GSW
- ☐ Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_
- ☐ Commingled Permit #: \_\_\_\_\_
- ☐ Dual Completion Permit #: \_\_\_\_\_
- ☐ SWD Permit #: \_\_\_\_\_
- ☐ ENHR Permit #: \_\_\_\_\_
- ☐ GSW Permit #: \_\_\_\_\_

Spud Date or  
Recompletion Date

Date Reached TD

Completion Date or  
Recompletion Date

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ ☐ East ☐ West

\_\_\_\_\_ Feet from ☐ North / ☐ South Line of Section

\_\_\_\_\_ Feet from ☐ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☐ SE ☐ SW

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used? ☐ Yes ☐ No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ ☐ East ☐ West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

**KCC Office Use ONLY**

- ☐ Letter of Confidentiality Received
- Date: \_\_\_\_\_
- ☐ Confidential Release Date: \_\_\_\_\_
- ☐ Wireline Log Received
- ☐ Geologist Report Received
- ☐ UIC Distribution
- ALT ☐ I ☐ II ☐ III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

1163229

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ ☐ East ☐ West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <span style="float: right;"><input type="checkbox"/> Yes <input type="checkbox"/> No</span> <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <span style="float: right;"><input type="checkbox"/> Yes <input type="checkbox"/> No</span>  Cores Taken <span style="float: right;"><input type="checkbox"/> Yes <input type="checkbox"/> No</span> Electric Log Run <span style="float: right;"><input type="checkbox"/> Yes <input type="checkbox"/> No</span> Electric Log Submitted Electronically <span style="float: right;"><input type="checkbox"/> Yes <input type="checkbox"/> No</span> <i>(If no, Submit Copy)</i>  List All E. Logs Run:	<div style="display: flex; justify-content: space-between;"> <span><input type="checkbox"/> Log</span> <span>Formation (Top), Depth and Datum</span> <span><input type="checkbox"/> Sample</span> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <span>Name</span> <span>Top</span> <span>Datum</span> </div>
--	--

CASING RECORD <span style="float: right;"><input type="checkbox"/> New <input type="checkbox"/> Used</span> Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
____ Perforate				
____ Protect Casing				
____ Plug Back TD				
____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: <span style="float: right;"><input type="checkbox"/> Yes <input type="checkbox"/> No</span>
Date of First, Resumed Production, SWD or ENHR.			Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <i>(Submit ACO-5)</i> <input type="checkbox"/> Commingled <i>(Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	--	---

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Keske 29-13
Doc ID	1163229

#### Tops

Name	Top	Datum
soil	0	12
Shale	12	150
Lime	150	160
Shale	160	205
Lime	205	475
Shale	475	480
Lime& Shale	480	660
Shale	660	820
Shale & Lime	820	910
Lime	910	990
Shale	990	992
Upper Squirrel Sand	992	997
Shale	997	1033
Cap Rock	1033	1034
Shale	1034	1036
Cap Rock	1036	1037
Lower Squirrel Sand	1037	1044
Shale	1044	1380
Mississippi Lime	1380	1390
1st Break	1390	1395
Lime	1395	1406
2nd Break	1406	1412
Lime	1412	1460

## THE NEW KLEIN LUMBER COMPANY

281 W. MADISON

P.O. BOX 885

IOLA, KS 66749

PHONE: (620) 365-2281

PAGE NO 1

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
3447				NET 18TH OF MONTH	SE	1/29/13	4:32

LAYMON OIL II  
1998 SQUIRREL RD

NEOSHO FALLS KS 66758

S  
H  
I  
P  
T  
O

DEL. DATE: 1/29/13 TERM#552

DOCH 269380

\*\*\*\*\*

\* ORDER \*

\*\*\*\*\*

TAX : 001 IOLA IOLA

ORDR 269380

SHIPPED	ORDERED	UM	SKU	DESCRIPTION	LOCATION	UNITS	PRICE/PER	EXTENSION
	300	EA	PC	PORTLAND CEMENT		300	9.45 /EA	2,835.00
				Keske 24-13 10 pks				
				Raymon 80 24-13 10 pks				
				Raymon 80 3-13 10 pks				
				GW Weston 2-13 10 pks				
				GW Weston 4-13 10 pks				
				GW Weston 5-13 10 pks				
				GW Weston 16-13 10 pks				
				GW Weston 25-13 10 pks				
				GW Weston 26-13 10 pks				
				GW Weston 27-13 10 pks				
				GW Weston 28-13 10 pks				
				GW Weston 29-13 10 pks				
				GW Weston 30-13 10 pks				
				GW Weston 31-13 10 pks				
				GW Weston 32-13 10 pks				
				GW Weston 33-13 10 pks				
				GW Weston 34-13 10 pks				
				GW Weston 35-13 10 pks				
				GW Weston 36-13 10 pks				
				GW Weston 37-13 10 pks				
				GW Weston 38-13 10 pks				
				GW Weston 39-13 10 pks				
				GW Weston 40-13 10 pks				
				GW Weston 41-13 10 pks				
				GW Weston 42-13 10 pks				
				GW Weston 43-13 10 pks				
				GW Weston 44-13 10 pks				
				GW Weston 45-13 10 pks				
				GW Weston 46-13 10 pks				
				GW Weston 47-13 10 pks				
				GW Weston 48-13 10 pks				
				GW Weston 49-13 10 pks				
				GW Weston 50-13 10 pks				
				GW Weston 51-13 10 pks				
				GW Weston 52-13 10 pks				
				GW Weston 53-13 10 pks				
				GW Weston 54-13 10 pks				
				GW Weston 55-13 10 pks				
				GW Weston 56-13 10 pks				
				GW Weston 57-13 10 pks				
				GW Weston 58-13 10 pks				
				GW Weston 59-13 10 pks				
				GW Weston 60-13 10 pks				
				GW Weston 61-13 10 pks				
				GW Weston 62-13 10 pks				
				GW Weston 63-13 10 pks				
				GW Weston 64-13 10 pks				
				GW Weston 65-13 10 pks				
				GW Weston 66-13 10 pks				
				GW Weston 67-13 10 pks				
				GW Weston 68-13 10 pks				
				GW Weston 69-13 10 pks				
				GW Weston 70-13 10 pks				
				GW Weston 71-13 10 pks				
				GW Weston 72-13 10 pks				
				GW Weston 73-13 10 pks				
				GW Weston 74-13 10 pks				
				GW Weston 75-13 10 pks				
				GW Weston 76-13 10 pks				
				GW Weston 77-13 10 pks				
				GW Weston 78-13 10 pks				
				GW Weston 79-13 10 pks				
				GW Weston 80-13 10 pks				
				GW Weston 81-13 10 pks				
				GW Weston 82-13 10 pks				
				GW Weston 83-13 10 pks				
				GW Weston 84-13 10 pks				
				GW Weston 85-13 10 pks				
				GW Weston 86-13 10 pks				
				GW Weston 87-13 10 pks				
				GW Weston 88-13 10 pks				
				GW Weston 89-13 10 pks				
				GW Weston 90-13 10 pks				
				GW Weston 91-13 10 pks				
				GW Weston 92-13 10 pks				
				GW Weston 93-13 10 pks				
				GW Weston 94-13 10 pks				
				GW Weston 95-13 10 pks				
				GW Weston 96-13 10 pks				
				GW Weston 97-13 10 pks				
				GW Weston 98-13 10 pks				
				GW Weston 99-13 10 pks				
				GW Weston 100-13 10 pks				

\*\* ORDER \*\* ORDER \*\* ORDER \*\* ORDER \*\* ORDER \*\* ORDER \*

\*\* DEPOSIT AMOUNT \*\*

\*\* BALANCE DUE \*\*

\*\* PAYMENT RECEIVED \*\*

TAXABLE 2835.00

0.00 NON-TAXABLE 0.00

3,077.39 SUBTOTAL 2835.00

0.00

TAX AMOUNT 242.39

TOTAL AMOUNT 3077.39

RECEIVED BY



802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



## CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

## NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

LA005

LAYMON OIL II, L.L.C.  
1998 SQUIRREL RD.

NEOSHO FALLS KS  
66758

LA/KESKE

LAYMON OIL II

54 W TO WILLOW RD N TO 200 RD  
WEST TO SQUIRREL RD GO PAST  
1/2 MI S SD  
WELL# KESKE 29-13

SHIP TO:

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
03:13:13p	WELL	15.00 yd	17.00 yd	0.00	MA 32	0.00	WOODCO
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
09-25-13	o Date today	1 1	15.00 yd 15.00 yd	25186	0/yd 0.0	4.00 in	35100

## WARNING

### IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

## PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED  
X

## Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
15.00	WELL	WELL (10 SACKS PER UNIT)	15.00	
15.00	MIX&HAUL	MIXING & HAULING	15.00	
2.00	TRUCKING	TRUCKING CHARGE	2.00	

*Mike*

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
		4:40	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
3:42	4:10			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME
				ADDITIONAL CHARGE 1
				ADDITIONAL CHARGE 2
				GRAND TOTAL ▶



302 N. Industrial Rd.  
P.O. Box 664  
Tola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



## CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

## NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

LA005

LAYMON OIL II, L.L.C.  
1998 SQUIRREL RD.

NEDSHO FALLS KS  
66758

LA/KESKE

LAYMON OIL II  
54 W TO WILLOW RD N TO 200 RD  
WEST TO SQUIRREL RD GO PAST  
1/2 MI S RD  
WELL# KESKE 29-13

SHIP TO

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
24:47p	WELL	2.00 yd	17.00 yd	0.00	MA 32	0.00	W0000
DATE	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
05-13	2	17.00 yd	25187	6/yd	4.00 in	35103	

## WARNING

### IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

## PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

## Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
2.00	WELL	WELL (10 SACKS PER UNIT)	17.00	
2.00	MIX&HAUL	MIXING & HAULING	17.00	

TURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
		4:10	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
7:12	4:10			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME
				ADDITIONAL CHARGE 1
				ADDITIONAL CHARGE 2
				GRAND TOTAL