

Kansas Corporation Commission Oil & Gas Conservation Division

1163246

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Onv. to ENHR	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
GGW Fellill #.	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY										
Letter of Confidentiality Received										
Date:										
Confidential Release Date:										
Wireline Log Received										
Geologist Report Received										
UIC Distribution										
ALT I II III Approved by: Date:										

Side Two



Operator Name:			Lease Nam	ie:			Well #:		
Sec Twp	S. R	East West	County:						
time tool open and clos	sed, flowing and shut- s if gas to surface tes	base of formations per in pressures, whether s t, along with final chart well site report.	shut-in pressure	reached s	tatic level,	hydrostatic pres	ssures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S	theets)	Yes No	[Log	Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geole	•	Yes No	1	Name			Тор	I	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	Yes No Yes No Yes No								
List All E. Logs Run:									
		CASING Report all strings set-	RECORD		Used	on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	5	Setting Depth	Type of Cement	# Sacks Used	, ,,	and Percent dditives
	263	331 (3.3.)	2001711		<u> </u>		0000		
		ADDITIONA	L OFMENTING /	00115575	DECORD				
Purpose:	Depth		CEMENTING / SQUEEZE RECORD						
Perforate	Top Bottom	Type of Cement	# Sacks Use	s Used Type and Percent Additives					
Protect Casing Plug Back TD									
Plug Off Zone									
	PERFORATIO	N RECORD - Bridge Plu	as Set/Tyne		Acid Frag	ture Shot Ceme	nt Squeeze Record	Н	
Shots Per Foot	Specify Fo	ootage of Each Interval Pe	rforated			nount and Kind of N		u	Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Line	r Run:	Yes N	0		
Date of First, Resumed I	Production, SWD or ENH	R. Producing Me	thod:	Gas Li	ft C	ther <i>(Explain)</i>			
Estimated Production Per 24 Hours	Oil B	bls. Gas	Mcf	Water	Bl	ols.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		METHOD OF COI	MPLETION:			PRODUCTIO	ON INTER	VAL:
Vented Sold	Used on Lease		Dually Comp		nmingled				
(If vented, Sub	mit ACO-18.)	Other (Specify)	(80	bmit ACO-5)	(SUDI	nit ACO-4) —			

Form	ACO1 - Well Completion					
Operator	Laymon Oil II, LLC					
Well Name	Laymon 80 4-13					
Doc ID	1163246					

Tops

Name	Тор	Datum			
Soil	0	14			
Lime	14	20			
Shale	20	80			
Lime	80	240			
Shale	240	250			
Lime & Shale	250	460			
Lime	460	600			
Shale	600	760			
Shale & Lime	760	910			
Shale	910	913			
Lime & Shale	913	942			
Shale	942	945			
5' Lime	945	950			
Shale	950	952			
Upper Squirrel Sand	952	962			
Shale	962	995			
Cap Rock	995	996			
Shale	996	999			
Cap Rock	999	1000			
Shale	1000	1003			
Lower Squirrel Sand	1003	1010			
Shale	1010	1060			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correwater contents for strength or mix indicated. We do not assume responsibility for STEINGT TO OWNER.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

THEOSHO FALLS KS

LA/LAYM BO LAYMON OIL II, LLC. 54 W TO QUAIL RD N 2.5 MI W SD

ENTER IN AT TANKS

		LOAD SIZE	YARDS ORDERED			4-13	
	THE RESIDENCE OF THE PARTY OF T		O O I IDENED		DRIVER/TRUCK		PLANT/TRANSACTION #
01:35:20p WELL	L.	15.00 yd	15.00 yd	% CAL 0.00	MA 32	% AIR 0.00	
To I	Date	LOAD#	YARDS DEL.	BATCH#	WATER TRIM 4	SLUMP	TICKET NUMBER
09-27-13 toda	ARNING		15.00 yd	25229	G/yd 0.0	4.00 in	35130

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Intiation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

LAYMON DIL II- L.L.C.

1998 SQUIRREL RD.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STATS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear inferest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. CODE

QUANTITY

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if I places the material in its load water you desire it. It is our was to help you were you get a where you desire it. It is our was to help you were you get a whole you have been and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property. Dutlotings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove much from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undesigned agrees to indomnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of cellivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

				UNIT PRICE	EXTENDED PRIC
5.00	WELL	WELL (10 SACKS PF)	R INITA		

MIX&HAUL MIXING & HAULING TRUCKING TRUCKING CHARGE

DESCRIPTION

15.00 15.00 2.00

ETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED	
LEFT PLANT	ARRIVED JOB	START UNLOADING	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN ADDED WATER	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	TIME DUE	
OTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		DELAY TIME	AL
						G

X

ADDITIONAL CHARGE 1 ADDITIONAL CHARGE 2

GRAND TOTAL

THE NEW KLEIN LUMBER COMPANY 201 W. MADISON P.O. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201

PAGE NO 1

CUSTOMER NO. JOB NO. PURCHASE ORDER !	NO. REFERENCE	TERMS	CLERK	DATE	TIME
3447		HET 10TH OF MONTH	SE	1/29/13	4:32
S C LAYMON OIL II C 1998 SQUIRREL RD	8 H I P	DEL. DATE: 1/29	9/13 TERM#552	DOCH 20 ******** # ORDER	
NEOSHO FALLS KS 66758	, T	TAX : 001	IOLAL IOLA	######################################	269380

						8	IHX :	ANDI IUSEME .	LUCH	ORDR 269380
		ORDERED	; UM		SKU	DESCRIPTION	LOCATION	UNITS	PRICEIPER	EXTENSION
A	SHIPPED	390		PC	SRU	PORTLAND CEMENT		300	9.45 ÆA	2,835.00
	Kesk	ne 5 2 3- 2 2 21- 35-11	12333	3	IDAKS IDAKS IDAKS IDAKS IDAK	Kuske 24-13 Kaymon 80 2-13 Thorymon 80 3-1 GWWeston 3- GWWeston 6 GWWeston 6 DGleve 16 O. Wieske 10	310,040 310,040 1310,040 1-1310,040 5-1310,0ach 1310,0ach 25-1310,0ach	GI GI GI GI K K K K K K K	eshe 28-1- Lileston Weston Wileston eshe 29- ymon 80	6-13 101 7-13-10 18-13 10.
-		900		** (ORDER HE ORDER	R ## ORDER ## ORDER ## ORDER	** OFDER *		TAXABLE	2835.00 6.00
!						** DEPOSIT AMOUNT ** ** BALANCE DUE **		0.88 3,077.39	NON-TAXABLE SUBTOTAL	2835.08
<u>M</u>		RECEN	VED B	ŀΥ		** PAYMENT RECEIVED ***	i e	0.90	TAX AMOUNT TOTAL AMOUNT	242.39 3077.39