CORRECTION #1

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1164645

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:			
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Section			
Name:	feet from E / W Line of Section			
ddress 1:	Is SECTION: Regular Irregular?			
ddress 2:	(Note: Locate well on the Section Plat on reverse side)			
City:	County:			
Contact Person:	Lease Name: Well #:			
hone:	Field Name:			
CONTRACTOR: License#	Is this a Prorated / Spaced Field?			
lame:	Target Formation(s):			
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):			
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS			
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:			
Disposal Wildcat Cable	Public water supply well within one mile:			
Seismic ;# of Holes Other	Depth to bottom of fresh water:			
Other:	Depth to bottom of usable water:			
If OWWO: old well information as follows:	Surface Pipe by Alternate: II III			
	Length of Surface Pipe Planned to be set:			
Operator:	Designated Tetal Design			
Well Name:	Projected Total Depth: Formation at Total Depth:			
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:			
irectional, Deviated or Horizontal wellbore?				
Yes, true vertical depth:	DWR Permit #:			
ottom Hole Location:	(Note: Apply for Permit with DWR)			
CC DKT #:				
	If Yes, proposed zone:			
ΔΙ	FIDAVIT			
he undersigned hereby affirms that the drilling, completion and eventual p				
is agreed that the following minimum requirements will be met:	nagging of this well will comply with N.C.A. 55 ct. 564.			
1. Notify the appropriate district office prior to spudding of well;	ch drilling rig:			
, , , , , , , , , , , , , , , , , , , ,	0 0 .			
 A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be se</i> 	et by circulating cement to the top; in all cases surface pipe shall be set			
 A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the	he underlying formation.			
 A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the di 	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i>			
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus 	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in;			
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district office. 	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date.			
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluted. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order in the set of the	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in;			
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluted. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order in the set of the surface of the set of the surface of the set of the set of the surface of the set of the surface of the	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing			
 A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the set	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing			
 A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the set	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing			
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well as a propriate district office will be notified before well appropriate district office will be notified before well as a propriate district office will be notified before well as a propriate district office will be notified before well as a propriate district office will be notified before well as a propriate district office will be notified before well as a propriate district office will be notified before well as a propriate district office will be notified before well as a propriate district office w	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing			
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well appropriate district office wil	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.			
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the display of the appropriate district office will be notified before well is either plught. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be appropriated. Ibmitted Electronically For KCC Use ONLY	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to:			
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be second of the spudic of the	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second structure of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the surface of the surface of the second of the second of the surface of the	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second structure of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the second structure of the well is either plus of the second structure of the well is either plus of the second structure of the well shall be completed within 30 days of the spud date or the well shall be second structure of the well shall be second of the second structure of the well shall be second of the second structure of the well shall be second of the sec	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second structure of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order amust be completed within 30 days of the spudidate or the well shall be seen that the second structure of the s	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second structure of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the second structure of the well is either plus of the second structure of the well is either plus of the second structure of the well shall be cementary of the second structure of the well shall be completed within 30 days of the spud date or the well shall be second structure of the well shall be completed. Ibmitted Electronically For KCC Use ONLY API # 15	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second structure of the well is dry hole, an agreement between the operator and the displant of the well is dry hole, an agreement between the operator and the displant of the well is either plus of the specific of the specific or plus is either plus of the specific or pursuant to Appendix "B" - Eastern Kansas surface casing order amust be completed within 30 days of the spud date or the well shall be seen the specific or the well shall be seen the specific or the well shall be seen the specific or the specific or the well shall be seen the specific or the sp	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);			

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							_ Lo	cation of V	Well: Count	ty:				
Lease:										feet	t from	N /	S Line	of Section
Well Numb	er:									feet	t from	E /	W Line	of Section
Field:				Se		Twp				E	W			
														_
							15 -	Section:	Regula	ar or	Irregular			
QTR/QTR/	QTR/QTR	of acreag	e:				-							
							If S	Section is	Irregular, I	locate well	from ne	earest co	rner boun	dary.
							Se	ction corn	er used:	NE	NW	SE S	SW	
							PLAT							
	SŁ	now locatio	on of the v	vell. Show t	ootage to			unit bour	ndary line. S	Show the pr	edicted l	ocations (of	
					_				sas Surface					
	70000 700	ao, tami				ay attach a				<i>y</i> •		(2002).	
			341	5 ft.		.,		,						
		:	:	:		: :	1	:						
		:						:			. = 0.			
		:	:	:		:		:			LEGI	באט		
			:		•••••		••••••••		•	0	Well I	ocation		
		:	:	:				:		$\tilde{\Box}$		Battery L	ocation	
		:	:	:				:				ne Locat		
					•••••				•		-	ic Line L		
		:						:						
		:	:	:				:			Lease	Road L	ocation	
					•••••				•					
		:						:	_					
		:						:		EXAMPLE			:	
		:	:	<u> </u>	_	; ;	:	:					:	
			:	1	6			:					·	
			:	:		:		:		:			:	
1515 ft	•••••		(C)		•••••				•					
		:	: 0	:				:			:		:	
		:	:	:		:		:		:	:		:	
					•••••						O-T		:	1980' FSL
			:	:				:		:			:	
		:	:	:		: :		:		•		•••••	:	
					••••		•••••		•	:				
	1		•			. :			1	: 1	:		:	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division 1164645

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit	Pit is: Proposed If Existing, date co	Existing	SecTwp R			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	epest point:	(feet) No Pit			
material, thickness and installation procedure.		3 %	cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	КСС	OFFICE USE OI	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection:			

CORRECTION #1 KANSAS CORPORATION COMMISSION

1164645

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City: State: Zip:+					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
owner(s) of the land upon which the subject well is or will be lo	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.				
Submitted Electronically					

Summary of Changes

Lease Name and Number: Coberly C 2

API/Permit #: 15-063-22147-00-00

Doc ID: 1164645

Correction Number: 1

Approved By: Rick Hestermann 10/23/2013

Field Name	Previous Value	New Value
KCC Only - Approved By	Rick Hestermann 10/07/2013	Rick Hestermann 10/23/2013
KCC Only - Approved Date	10/07/2013	10/23/2013
KCC Only - Date Received	10/04/2013	10/23/2013
KCC Only - Lease Inspection	Yes	No
Lease Name	Coberly	Coberly C
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 61423	//kcc/detail/operatorE ditDetail.cfm?docID=11 64645