

Kansas Corporation Commission Oil & Gas Conservation Division

1165906

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

Side Two



Operator Name:			Lease	Name:			Well #:		
Sec Twp	S. R	East West	County	/:					
INSTRUCTIONS: Show time tool open and close recovery, and flow rates ine Logs surveyed. Atta	ed, flowing and shut- if gas to surface tes	in pressures, whether t, along with final char	shut-in pres	sure reach	ed static level,	hydrostatic press	sures, bottom h	ole temper	ature, fluid
Orill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		Log	Formation	n (Top), Depth an	d Datum	☐ Sa	ımple
Samples Sent to Geolog	•	☐ Yes ☐ No		Name			Тор	Da	atum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)		Yes No Yes No							
List All E. Logs Run:									
		CASING Report all strings se	G RECORD	New		on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Wei	ight	Setting Depth	Type of Cement	# Sacks Used		d Percent ditives
	Dillied	Set (III O.D.)	LDS.	/11.	Бериі	Cement	Osed	Auc	illives
		ADDITIONA	AL CEMENTI	NG / SQUE	EZE RECORD				
Purpose: —— Perforate —— Protect Casing —— Plug Back TD	Depth Top Bottom	Type of Cement	# Sacks	s Used		Type and F	Percent Additives		
Plug Off Zone									
Shots Per Foot	PERFORATIO Specify Fo	N RECORD - Bridge Plu potage of Each Interval Po	ugs Set/Type erforated			cture, Shot, Cement nount and Kind of Ma		d	Depth
TUBING RECORD:	Size:	Set At:	Packer A	At:	Liner Run:	Yes No			
Date of First, Resumed Pr	roduction, SWD or ENH	R. Producing Me	ethod:	ng G	as Lift	ther (Explain)			
Estimated Production Per 24 Hours	Oil B	bls. Gas	Mcf	Water	Bk	ols. (Gas-Oil Ratio		Gravity
DISPOSITION	N OF GAS:		METHOD OF				PRODUCTIO	ON INTERVA	L:
Vented Sold	Used on Lease	Open Hole	Perf.	U Dually C		nmingled mit ACO-4)			
(If vented, Subm	nit ACO-18.)	Other (Specify)							

Form	ACO1 - Well Completion
Operator	HJ, Inc.
Well Name	WINFREY A 1-12
Doc ID	1165906

All Electric Logs Run

Micro Log	
Array Log	
Bore Hole	
Spectral Density	

ALLIED OIL & GAS SERVICES, LLC

Federal Tax 1.D.# 20-5975804

REMITTO	P.O. BOX 31
	RUSSELL, KANSAS 67665

SERVICE POINT. Ciberalks TWP. RANGE CALLED OUT ON LOCATION JOB START // OO COUNTY JOB FINISH DATE 4-16-13 Winfry Al-12 STATE LOCATION VEC Plain KS Meade OLD OR NEW (Circle one) CONTRACTOR OWNER TYPE OF JOB SUFFACE T.D. 1476 CEMENT DEPTH 1475 CASING SIZE AMOUNT ORDERED Lead = Class A 3%CC TUBING SIZE DEPTH 290 Sodium Metasilicate 2% gyp soul 14# 6/050 DRILL PIPE DEPTH Jal= Class C 2%pcc TOOL DEPTH PRES. MAX MINIMUM COMMON @ 17.90 7607.50 MEAS. LINE SHOE JOINT 42 POZMIX @ CEMENT LEFT IN CSG 67 barrels GEL PERFS. CHLORIDE @ 64.00 1216.00 DISPLACEMENT ASC 0 @ 24.40 EQUIPMENT Class Solium Met ilicate @ 30 @ **PUMP TRUCK** CEMENTER Lenny Baeza, May Ball Flo Soa HELPER BAGE Garica # 530-484 BULK TRUCK @ # 550 DRIVER @ **BULK TRUCK** @ DRIVER 630 HANDLING MILEAGE . Prayage TOTAL 19574.4. REMARKS: 95 barrels Surface SERVICE 1001-2000 ARGE \$ DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE @ 27500 225,00 MANIFOLD @ 4.40 light Vehecle @ CHARGE TO: H/J Inc TOTAL 285/.75 STREET STATE_ ZIP CITY_____ PLUG & FLOAT EQUIPMENT Guide Shoe @ 460.98 460.98 @ 446.94 446.94 HFU Float @ 74.68 374.40 entralizer To: Allied Oil & Gas Services, LLC. Cement Gasket @ 889.26_ You are hereby requested to rent cementing equipment @ 131.04 and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was 1972.62 done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL SALES TAX (If Any) TERMS AND CONDITIONS" listed on the reverse side. TOTAL CHARGES \$ 24, 398.82 IF PAID IN 30 DAYS DISCOUNT -PRINTED NAME. Net=\$18,299.12 SIGNATURE

ALLIED OIL & GAS SERVICES, LLC 052174 Federal Tax I.D.# 20-5975804

RUSSELL, KANSAS 67665	SER	VICE POINT: LIBERAL KS
DATES/1/12 SEC. Z BYBS RANGE /W C	ALLED OUT ON LOCATION	JOB START JOB FINISH
LEASE WIN FREY A WELL # 1-12 LOCATION M FAN	E LAKE TO MI	MEASE KS
PORNEW (Circle one) 9 2 N 1/4	white	
CONTRACTOR TOMOST DALS TYPE OF JOB PTA	OWNER SAME	
HOLE SIZE 7% T.D.	CEMENT	
CASING SIZE FIX DEPTH	AMOUNT ORDERED 176	5 SK
TUBING SIZE DEPTH	60/40 47	GEL
DRILL PIPE 4/2 XH DEPTH 550		
PRES. MAX SOO PSI MINIMUM D	COMMON 102 SKA	1790 157580
PRES. MAX SOO [/S] MINIMUM [/ MEAS. LINE SHOE JOINT	COMMON 102 SK M POZMIX 68 SK	935 (35 80
CEMENT LEFT IN CSG.	GEL 65K	- a 23 44 15 140
PERFS.	CHLORIDE_	9 70 7
DISPLACEMENT 16. BBL	ASC	
EQUIPMENT	-	
2.1	2	_@
PUMPTRUCK CEMENTER HILLIAN		_@
#530- Y84 HELPER C. PACITY (BAEZA		
BULK TRUCK		
# 457- 231 DRIVER / ESTARDA	(************************************	
BULK TRUCK		
# DRIVER	HANDLING_/76	245 436 28
	MILEAGE 2/1,37x	26 692 51
REMARKS:		TOTAL 3748 4
-1/1/1/	SERV	ICE
Thank you		1500
Thank you!	DEPTH OF JOB	1550'
Thank 1/00.	DEPTH OF JOB PUMP TRUCK CHARGE	1550' 1250 =
Thank 1/00?	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE	1550' 1250 =
Thank You.	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD	1550' 1250 =
Thank You.	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE3	1550' 250 = 712 269 50
Thank You.	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD	1550' 250 = 71
CHARGE TO: HU INC.	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD	1550' 250 = 71
CHARGE TO: HU TIC. STREET_	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD	1550' 250" -@175 26950 -@440 15955
amp more	DEPTH OF JOB	1550' 250 = @71= 269 50 @440 759 == @
STREET	DEPTH OF JOB	/550' /250 @ @ 779
STREET	DEPTH OF JOB	/550' /250 @ @ 779
CITYSTATEZIP	DEPTH OF JOB	/550' /250 @ @ 772
CITYSTATEZIP To: Allied Oil & Gas Services, LLC.	DEPTH OF JOB	/550' /250 @ @ 772
CITYSTATEZIP To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment	DEPTH OF JOB	/550' /250 @ @ 772
CITYSTATEZIP To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or	DEPTH OF JOB	/550' /250 = 0
To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was	DEPTH OF JOB	/550' /250 = 0
To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	DEPTH OF JOB	/550 / 250 = 0
To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL"	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE 35 m; MANIFOLD (T UEL 7m; 35 m) PLUG & FLOA	/550 / /250 @ @ 772
To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	DEPTH OF JOB	/550 / 250 = 0
To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.	DEPTH OF JOB	/550 / 250 @ @ 772
To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL"	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE 35 m; MANIFOLD (T UEL 7n; 35 m) PLUG & FLOA PLUG & FLOA SALES TAX (If Any) TOTAL CHARGES 5 9	/550 / 250 @ 72
To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE 35 m; MANIFOLD (T UEL 7n; 35 m) PLUG & FLOA PLUG & FLOA SALES TAX (If Any) TOTAL CHARGES 5 9	/550 / 250 @ @ 772