

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #	!			
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:							
month day year	Sec Twp S. R E							
DPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section							
lame:	feet from E / W Line of Section							
ddress 1:	Is SECTION: Regular Irregular?							
ddress 2:	(Note: Locate well on the Section Plat on reverse side)							
Sity:	County:							
Contact Person:	Lease Name: Well #:							
hone:	Field Name:							
CONTRACTOR: License#	Is this a Prorated / Spaced Field?							
lame:	Target Formation(s):							
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):							
	Ground Surface Elevation:feet M							
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:							
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:							
Disposal Wildcat Cable Seismic ;# of Holes Other	Depth to bottom of fresh water:							
Seismic ;# of HolesOther	Depth to bottom of usable water:							
Outot.	Surface Pipe by Alternate: I III							
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:							
Operator:	Length of Conductor Pipe (if any):							
Well Name:	Projected Total Depth:							
Original Completion Date: Original Total Depth:	Formation at Total Depth:							
	Water Source for Drilling Operations:							
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:							
f Yes, true vertical depth:	DWR Permit #:							
Bottom Hole Location:	(Note: Apply for Permit with DWR)							
(CC DKT #:	Will Cores be taken?							
	If Yes, proposed zone:							
ΔFF								
	DAVIT							
he undersigned hereby affirms that the drilling, completion and eventual plug	DAVIT							
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:	DAVIT							
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.							
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. drilling rig;							
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.							
the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill approve to the approved notice of intent to drill approve to the approved notice of intent to drill approve to the approved notice of intent to drill approve to the approved notice of intent to drill approve to the approved notice of intent to drill approve to the approve to the approved notice of the approved notice of the approved notice of the ap	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging;							
the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill approve	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;							
the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the state of	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date.							
he undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved on each of	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing							
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the state of	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> d or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. i3,891-C, which applies to the KCC District 3 area, alternate II cementing							
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the state of	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing							
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office prior as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the surface of the surface of the shall be provided in the surface of the surface of the shall be provided in the surface of	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing							
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the standard intensity of the appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the shall be p	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.							
the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the standard stan	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.							
the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be published Electronically **For KCC Use ONLY**	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.							
he undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge of the shall be cemented. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;							
he undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office prior as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure the complete of the well shall be provided by the spud by the spud by the spud by the shall be provided by the spud by the shall be provided by the spud by th	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;							
he undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be published. Ibmitted Electronically For KCC Use ONLY API # 15	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;							
he undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided the completed within 30 days of the spud date or the well shall be producted before the well shall be provided the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the sha	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;							
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office prior as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for grand to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be published Electronically For KCC Use ONLY API # 15 - Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);							
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the set be through all unconsolidated materials plus a minimum of 20 feet into the set be through all unconsolidated materials plus a minimum of 20 feet into the set be through all unconsolidated materials plus a minimum of 20 feet into the set be unconsolidated materials plus a minimum of 20 feet into the set be unconsolidated materials plus a minimum of 20 feet into the set be unconsolidated materials plus a minimum of 20 feet into the set be unconsolidated before well is either plugged. If the well is district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure with the set of th	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;							



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:						_ Lo	cation of W	/ell: Cour	nty:				
_ease:									fe	et from	N /	S Line	of Section
Well Number:									fe	et from	E /	W Line	of Section
ield:						_ Se	C	Twp	;	S. R		_ E _	W
Number of Acres at QTR/QTR/QT						13 1	Section:	Regu	lar or	Irregular			
						If S	Section is	Irregular	, locate we	ell from ne	earest co	rner boun	dary.
							ction corne	_	NE	NW		SW	-
	Ohann la sad	on of the	مال المعا	fantass	the reserve	PLAT	a make to a m	down the	Chan the	ana alie (- el)		. r	
	Show location			_				-					
lease ro	ads, tank b	atteries, pi	peiines an						e Owner IN	lotice Act	(House Bi	II 2032).	
				100 111	ay allacir t	76	plat if desi 35 ft .	rou.					
	:	:	:		:	:	:						
		:								LEGE	END		
	· · · · · · · · · · · · · · · · · · ·	:	: 			·	:	007	"				
	:	:	:		:		:	- 867	ft. <u>O</u>		ocation		
	:	:	:		:	:	:			_	Battery L		
•••••	• • • • • • • • • • • • • • • • • • • •	•••••		•••••		•••••				•	ne Locati		
	:	:	:		:	:	:			Electr			
	:	:	:		:	:	:			Lease	Road Lo	ocation	
•••••				•••••		•••••							
		:				:							
	:	:	:		:	:	:		EXAMPL	E :		:	
	:	:			:	:	:			:			
	:	:	1	I	:	:	:		•••••				
	:	:	:		:	:	:		:			:	
	;	:	:		:	:	:		:			:	
	:	:	:		:	:	:		•••••				
		•				•	•		:			:	1980' FSL
	i	:	:		:	:	:		:	Y		:	1000 1 02
	:		:		:		:		•••••				
									÷				
	:	:	:		:	:	•		:			:	
	:	:	:		:	:	:	'	SEWARD CO.	3390' FEL			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:			Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):					
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty				
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.				
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of working pits to be utilized: Abandonment procedure: Drill pits must be closed within 365 days of spud date.					
KCC OFFICE USE ONLY							
			Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No				



1166860

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)						
OPERATOR: License #	Well Location:						
Name:	SecTwpS. R East						
Address 1:	County:						
Address 2:	Lease Name: Well #:						
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o						
Contact Person:	the lease below:						
Phone: () Fax: ()							
Email Address:							
Surface Owner Information:							
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.						
Address 1:							
Address 2:							
City:							
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.						
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this						
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1						
Submitted Electronically							




Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com

36w



010136k

Murfin Drilling Company, Inc.

Sec.

Twp.

Rawlins County, KS

COUNTY

1" = 1000' SCALE: _ Oct. 31st, 2013 DATE STAKED: Ben R. MEASURED BY:

Drew H.

AUTHORIZED BY: Shauna G.

DRAWN BY:

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.


Walter #5-1 LEASE NAME

765' FNL - 867' FEL

LOCATION SPOT

Directions: From Mc Donald Ks, at the intersection of Hwy 36 & Rawlins Ave. - Now go 6.3 miles North on Rawlins Ave. - Now go 3 miles East on V Rd - Now go 5 miles North on Rd 6 - Now go 1 mile East on AA Rd – Now go 3 miles North on Rd 7 to the SE corner of section 1-1s-36w - Now go 0.1 mile West on trail -Now go 0.7 mile North on trail to Y in trail – Now go 0.2 mile North on trail – Now go 905' East through pasture into staked

Final ingress must be verified with land owner or Operator.






Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



010136k

Murfin Drilling Company, Inc. Walter #5-1

LEASE NAME

Rawlins County, KS

COUNTY

1 1s 36w

Sec. Twp. Rng.

765' FNL - 867' FEL

Localito (SFO)

 SCALE:
 1" = 1000'

 DATE STAKED:
 Oct. 31st, 2013

 MEASURED BY:
 Ben R.

 DRAWN BY:
 Drew H.

 AUTHORIZED BY:
 Shauna G.

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

Directions: From Mc Donald Ks, at the intersection of Hwy 36 & Rawlins Ave. – Now go 6.3 miles North on Rawlins Ave. – Now go 3 miles East on V Rd – Now go 5 miles North on Rd 6 – Now go 1 mile East on AA Rd – Now go 3 miles North on Rd 7 to the SE corner of section 1-1s-36w – Now go 0.1 mile West on trail – Now go 0.7 mile North on trail to Y in trail – Now go 0.2 mile North on trail – Now go 905' East through pasture into staked location.

Final ingress must be verified with land owner or Operator.

