

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1167170

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM

### WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15	
Name:		Spot Description:	
Address 1:			t 🗌 West
Address 2:		Feet from North / South Line of	of Section
City: State: Zi	ip:+	Feet from East / West Line c	of Section
Contact Person:		Footages Calculated from Nearest Outside Section Corner:	
Phone: ()			
CONTRACTOR: License #		County:	
Name:		Lease Name: Well #:	
Wellsite Geologist:		Field Name:	
Purchaser:		Producing Formation:	
		Ŭ	
Designate Type of Completion:		Elevation: Ground: Kelly Bushing:	
New Well Re-Entry	Workover	Total Depth: Plug Back Total Depth:	
	SIOW	Amount of Surface Pipe Set and Cemented at:	Feet
Gas D&A ENHR	SIGW	Multiple Stage Cementing Collar Used? Yes No	
GSW GSW	Temp. Abd.	If yes, show depth set:	Feet
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from:	
Cathodic Other (Core, Expl., etc.):		feet depth to:w/	sx cmt
If Workover/Re-entry: Old Well Info as follows:			
Operator:		Drilling Fluid Management Plan	
Well Name:		(Data must be collected from the Reserve Pit)	
Original Comp. Date: Original T	otal Depth:	Chloride content: ppm Fluid volume:	bbls
Deepening Re-perf. Conv. to	ENHR Conv. to SWD	Dewatering method used:	
Conv. to	o GSW		
Plug Back: Plu	g Back Total Depth	Location of fluid disposal if hauled offsite:	
Commingled Permit #:		Operator Name:	
Dual Completion Permit #:		Lease Name: License #:	
SWD Permit #:			_
ENHR Permit #:		Quarter Sec TwpS. R Eas	
GSW Permit #:		County: Permit #:	
Spud Date or Date Reached TD Recompletion Date	Completion Date or Recompletion Date		

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY						
Letter of Confidentiality Received						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

	Side Two	1167170
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	n (Top), Depth an		Sample
Samples Sent to Geolog	ical Survey	Yes No	Nan	ie		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted E (If no, Submit Copy)	Electronically	<pre>Yes □ No Yes □ No Yes □ No</pre>					
List All E. Logs Run:							
		CASIN	G RECORD	ew Used			
		Report all strings se	et-conductor, surface, int	ermediate, product	ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

#### ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					e			ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Siz	e:	Set At:		Packer	At:	Liner R	un:	No	
Date of First, Resumed P	Producti	on, SWD or ENH	<b>λ</b> .	Producing N	_	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION	N OF G	BAS:			METHOD	OF COMPLE	TION:		PRODUCTION INTE	RVAL:
Vented Sold		Jsed on Lease		Open Hole	Perf.	Uually (Submit A		Commingled (Submit ACO-4)		
(If vented, Subn	nit ACO	-18.)		Other (Specify	)					

Lease Name: Yohon	Spud Date: 7-20-2013	Surface Pipe Size: 7"	Depth: 40'	TD:989
Operator: Ron-Bob Oil	Well #12	Bit Diameter: 5 7/8"		
Footage taken	Sample type			
0_3	soil			
3_47	shale			
47_95	lime			
	shale			
122_186	lime			
186_195	shale			
195_284	lime			
284_296	shale			
296_320	lime			
320_370	shale			
370_404	lime			
404_435	soft lime			
435_460	lime			
460_466	shale			
466_474	lime			
474_481	shale			
481_531	lime			
531_674	shale			
674_716	lime			-
716_781	shale			
781_810	lime			
810_814	shale			_
814_821	lime			
821_838	shale			
838_858	lime			
858_860	shale			
860_864	lime			
864_866	oil show			
866_884	gray sand/shale			
884_895	oil sand free oil			
895_922	shale			
922_931	oil sand			
931_939	broken oil sand			
939_989	shale			
	989 TD			
	909 TD			
10 I				

Hurricane Services, Inc. 3613 A Y Road Madison, KS 66860 Office # 620-437-2661 Brad Cell # 620-437-6765



Ticket Number_	100285	
Location	Madison	
Foreman	Brad Butter	

**Cement Service ticket** 

Date	Customer #	Well Name & Number	Sec./Township/Range	County
7-22-13		Yohan #12	21-255-16E	Woodson
Customer		Mailing Address	City State	Zip
Ron-	-Bob Oil			

Job Type: Lo,	ngsTriling		Truck #	Driver
	Ý		201	Kelly
Hole Size: 5718'	Casing Size:	Displacement: 5.6 Bbla	202	Kelly Jerry Charlin
Hole Size: 57%' Hole Depth: 988	Casing Weight:	Displacement PSI: 500	106	Charlie
Bridge Plug:	Tubing: 27/8"	Cement Left in Casing: 0-	107	James
Packer:	PBTD: 980-			
Quantity Or Units	Description of	Servcies or Product	Pump charge	790.00
40	Mileage		\$3.25/Mile	/30.00
				- M
104 SACKS	Quick SET CEMENT		17.90	1,861,60
200 Ibs,	Gel Flush		, 30	60.00
32	Hrs. WATEr Truck		84.00	294.00
31/2	Hrs WATE Truck		84.00	294,00
40 miles	Truck #290		1.50	60.00
	Wireline Services		50.00	NE
6.5 Tons	Bulk Truck / Minimum che	15°C	\$1.15/Mile	250.00
2	Plugs 27/8" Top Rubber		25.00	50.00
			Subtotal	3789.60
		7.152	Sales Tax	140.97
			Estimated Tota	3930.57

Remarks: Ris usTo 278" Tubing, Break circulation with 5 Bbls. WATEr, Pumped 10.Bbl. Gel WASHOUT Rump + Lines. Circulated GeLarous 1 To condition ut do 2.7-Hole Mixed 104516. QuickSet cement. Release 2-Top Rubber Plugs - Displaced Plugs with 5 1/2 Bbls Pumphis at. 500 PSI Final 2ATer. Bumped Plugs To clase 1000 PSI Tublig in with 1000 PSI 5Bbl. CEMENT FETUNS with Sturn Good

" Thank You"

Called

(Rev. 1-2011)

Customer Signature