

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:				
Effective Date:					
District #					
SGA?	Yes No				

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1167922

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
DPERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
IK OMMA(O) and small information and fill	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No f Yes, true vertical depth:	WellFarm PondOther:
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR)
	Will Cores be taken? Yes N If Yes, proposed zone:
	11 166, proposed 2016.
AFF	DAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	ging of this well will comply with K.S.A. 55 et. seq.
	ging of this well will comply with K.S.A. 55 et. seq.
	ging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	drilling rig;
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions of the surface of the surf	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in;
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in;
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. 	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be sibmitted Electronically For KCC Use ONLY API # 15	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ### shall be set to the appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ###################################	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be ### IDDMITTED TO THE WELL OF THE WELL	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ### IDENTIFY OF THE O	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ### IDENTIFY OF THE OFFICE OF THE OFFICE OF THE OFFICE OF THE OFFICE	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:				
ease:	feet from N / S Line of Section				
Nell Number:	feet from E / W Line of Section				
Field:	SecTwp S. R 🗌 E 🔲 W				
Number of Acres attributable to well:					
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT				
lease roads, tank batteries, pipelines and electrical lines, as	rest lease or unit boundary line. Show the predicted locations of s required by the Kansas Surface Owner Notice Act (House Bill 2032). The a separate plat if desired.				
	LEGEND				
	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location				
36	2116EftAMPLE				
	1980' FSL				
	SEWARD CO. 3390' FEL				

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section County			
	(bbls)					
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	Yes N	No .				
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)N/A: Steel Pits			
	om ground level to dee					
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner	Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment	procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: Permit Num	her·	Permi	t Date: Lease Inspection: Yes No			



1167922

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).


Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

Source Energy MidCon, LLC

J. Foulston 36-32-25-32H






Source Energy MidCon, LLC Unit Proposal (NAD27)




Proposed Source 660 +/- acre unit



PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted I lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

J. FOULSTON 36-32-25-32H BUTLER COUNTY, KANSAS

lotting the proposed location of the well, you must show:

he manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surroun sections, etc.

he distance of the proposed drilling location from the south / north and east / west outside section lines.

Spot Information

Latitude 37.832947 Longitude -97.049535

Section Sec-36 Twp-25 S Rng-3 E

Quarter Calls SE SW SW NE

County Butler

KCC District 2

SGA Yes(TBL3)

Hutch Salt No
Elevation 1287 ft

Water Well Information

WWC5 Records: Five Closest Wells & All Public Water Supplies Within a Mile

Dist *	Dist **	Dist ***	Type	Status	Depth	Water Lvl	Owner	WWC5
538 ft	550ft	537ft	Domestic	CONSTRUCTED	41 ft	30 ft	Tingle, Floyd	PDF
3452 ft		3456ft	Domestic	CONSTRUCTED	105 ft	45 ft	Chenny, Art	PDF
4342 ft		4333ft	Domestic	CONSTRUCTED	100 ft	30 ft	Gerdes, Allen D	PDF

^{*} This distance is calculated using geographic tools and a PLSS data layer.

KGS Map Viewer - Oil and Gas Wells and Fields


Section 36-25S-3E (Opens in separate window)

Available Fields Quarter Calls

ALLEN-ROBISON W2, W2NE

^{**} This distance is calculated using the pythagorean theorem and assuming that the section is exactly 5280 feet square. Also, if the water well is within a mile of the well spot, but is in a neighboring section, then this distance is not calculated.

^{***} This distance is calculated using UTM coordinates.



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

November 12, 2013

Elizabeth Habermehl Source Energy MidCon LLC 1805 SHEA CENTER DR., STE 100 HIGHLANDS RANCH, CO 80129

Re: Drilling Pit Application
J. FOULSTON 36-32-25-32H
NE/4 Sec.36-25S-03E
Butler County, Kansas

Dear Elizabeth Habermehl:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.