

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1168596

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15
Name:		Spot Description:
Address 1:		
		Feet from North / South Line of Section
City: St	ate: Zip:+	Feet from Cast / West Line of Section
	·	Footages Calculated from Nearest Outside Section Corner:
Phone: ()		
		County:
		Lease Name: Well #:
		Field Name:
-		
		Producing Formation:
Designate Type of Completion:		Elevation: Ground: Kelly Bushing:
New Well Re-	-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW	SWD SIOW	Amount of Surface Pipe Set and Cemented at: Feet
Gas D&A	ENHR SIGW	Multiple Stage Cementing Collar Used?
OG	GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from:
Cathodic Other (Core	e, Expl., etc.):	feet depth to:w/sx cmt.
If Workover/Re-entry: Old Well Inf	fo as follows:	
Operator:		Drilling Fluid Management Plan
Well Name:		Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date:	Original Total Depth:	
Deepening Re-perf.		Chloride content: ppm Fluid volume: bbls
	Conv. to GSW	Dewatering method used:
Plug Back:	Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled	Permit #:	Operator Name:
Dual Completion	Permit #:	
SWD	Permit #:	Lease Name: License #:
ENHR	Permit #:	Quarter Sec TwpS. R East West
GSW	Permit #:	County: Permit #:
Spud Date or Date Rea Recompletion Date	ached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Letter of Confidentiality Received								
Date:								
Confidential Release Date:								
Wireline Log Received								
Geologist Report Received								
UIC Distribution								
ALT I II Approved by: Date:								

	Side Two	1168596			
Operator Name:	Lease Name:	Well #:			
Sec TwpS. R East West	County:				

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Yes No		og Formatio	n (Top), Depth and	d Datum	Sample	
		Yes No	Nam	ie		Тор	Datum	
		☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No						
List All E. Logs Run:								
				ew Used				
		Report all strings se	t-conductor, surface, int	ermediate, producti	on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	


ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose: —— Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated)e		Depth		
TUBING RECORD: Size: Set At:			t: Packer At: Liner Run:				No			
Date of First, Resumed Production, SWD or ENHF			λ .	Producing N	1ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
						1				
DISPOSITION OF GAS:			METHOD OF COMPLE		TION:		PRODUCTION INT	ERVAL:		
Vented Sold Used on Lease		Open Hole Perf. Dually ((Submit Ad				Commingled (Submit ACO-4)				
(If vented, Submit ACO-18.)			Other (Specify)							

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

LEIS OIL SERVICES



1410 150th Rd. • Yates Center, Kansas 66783 • (620) 212-0752



Operator License #: 9267	API #: 15-003-25802-00-00				
Operator: JRC Oil Company, Inc.	Lease: Daniel				
Address: PO Box 426 Garnett, KS 66032	Well #: DD-10				
Phone: (785) 448-8112	Spud Date: 4/4/13 Completed: 4/5/13				
Contractor License: 32079	Location: SE/SW/NW/NW of 4-21S-21E				
T.D.: 688 T.D. of Pipe: 685	1155 Feet From North				
Surface Pipe Size: 7" Depth: 20'	570 Feet From West				
Kind of Well: Oil	County: Anderson				

LOG

Thickness	Strata	From	То	Thickness	Strata	From	То
5	Soil	0	5	9	Broken Sand	619	628
8	Clay	5	13	60	Shale	628	688
10	Shale	13	23				
23	Lime	23	46				
56	Shale	46	102				
7	Lime	102	109				
20	Shale	109	129				
6	Lime	129	135		/		
7	Shale	135	142				
36	Lime	142	178		- 1	5	
3	Shale	178	181				
3	Black Shale	181	184				
29	Lime	184	213				
3	Black Shale	213	216				
11	Lime	216	227				
173	Shale	227	400		T.D.		688
2	Lime	400	402		T.D. of Pipe		685
8	Shale	402	410	20			
15	Lime	410	425				
52	Shale	425	477				
6	Lime	477	483)
13	Shale	483	496				
3	Lime	496	499				
31	Shale	499	530				
8	Lime	530	538				
20	Shale	538	558				*****
3	Lime	558	561		2		
46	Shale	561	607				
12	Oil Sand	607	619				

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

• Payless Concrete Products, Inc.

)-10 80 SX

CONDITIONS

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's riske The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct waler contents for strength or mix indicated. We do not assume responsibility for water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property

which is the subject of this contract.

GRAND TOTAL

JR002									
JRC OIL COMPANY, INC. JRC OIL CO., INC/P. D. BOX 426									
25558	NE WILSON RD		-169; N	169 N to 1400 E TO TEE N 1 MI					
				TO 150	ØE2MITO.	WILSON			
		GARNETT KS		N I MI	WEST TO RIG				
	法法律法律	66032-9622		GARNET	T.KS 66032-0	426			
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	The second second	PLANT/TRANSACTION #		
	· · · · · · · · · · · · · · · · · · ·			% CAL	JT	% AIR			
11:37:22a	And the second sec	8.00 yd	8.00 yd	ØØØ	35	0.00	ANDCO		
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER		
	o Date	4	35.00 yd	54 21 1					
04-06-13	Today	4	35.00 yd	23855	G/yd 0.0	4.00 in	33951		
	WARNING			MAGE RELEASE		is Detrimental to Concr			
IRRITA	TING TO THE SKIN A nt. Wear Rubber Boots and Gloves. P	ND EYES		O BE MADE INSIDE CURB LINE)	H ₂ 0 A	ded By Request/Author	zed By		
CAUSE BURNS. Avoid C	Contact With Eyes and Prolonged Co	ontact With Skin. In Case of	truck may possibly cause damage	ruck in presenting this RELEASE to inion that the size and weight of his e to the premises and/or adjacent	GAL >	(
Contact With Skin or Eye Attention. KEEP CHILDR	es, Flush Thoroughly With Water, If Ir EN AWAY.	ritation Persists, Get Medical	property if it places the material in our wish to help you in every way	this load where you desire it. It is that we can, but in order to do this	WEIGHMASTER		A Carlo Sant Sant Sant		
CONCRETE is a PERISHABL	E COMMODITY and BECOMES the PROP	ERTY of the PURCHASER UPON	the driver is requesting that you si this supplier from any responsibility	that we can, but in order to do this gn this RELEASE relieving him and y from any damage that may occur	2	- 10 Mg 12 F			
LEAVING the PLANT. ANY	CHANGES OR CANCELLATION of ORIG E BEFORE LOADING STARTS.	INAL INSTRUCTIONS MUST be	driveways, curbs, etc., by the deli	nt property, buildings, sidewalks, very of this material, and that you d from the wheels of his vehicle so					
The undersigned promises t any sums owed.	to pay all costs, including reasonable attor	neys' fees, incurred in collecting	that he will not litter the public stre	et. Further, as additional considera- emnify and hold harmless the driver	NOTICE: MY SIGNATURE BE	LOW INDICATES THAT I HAVE R	EAD THE HEALTH WARNING		
All accounts not paid within 3	0 days of delivery will bear interest at the rate		of this truck and this supplier for a	ny and all damage to the premises	NOTICE AND SUPPLIER W WHEN DELIVERING INSIDE C	LOW INDICATES THAT I HAVE R ILL NOT BE RESPONSIBLE FOUND UND LINE.	OR ANY DAMAGE CAUSED		
Not Responsible for Reactiv Material is Delivered.	ve Aggregate or Color Quality. No Claim	Allowed Unless Made at Time	arisin out of delivery of this order. SIGNED		LOAD RECEIVED BY:	- Art			
A \$25 Service Charge and Excess Delay Time Charged (Loss of the Cash Discount will be collec	ted on all Returned Checks.	X		x Mis	TO ALS			
QUANTITY	CODE	DESCRIPTION		Charles and the second		UNIT PRICE			
GORATTI	CODE	DESCRIPTION			2. (A. 1997)	UNITPRICE	EXTENDED PRICE		
S 8.00	WELC	WELL (10 SI	OCKS PER UNI	n an	35.00	55.00	440.00		
2.00	TRUCKING	TRUCKING C	ARAF		9.00	55.00	110.00		
8.00	MIXCHAUL	MIXING & HA	ALL THE		35.00	25,00	200.00		
			Constant de 5 2 hay		when a stress	En us a William	CRAD & RAR		
				Contraction of the second		1			
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C	YLINDER TEST TAKEN	TIME ALLOWED	ubTotal \$	750.00		
1134	111		1. JOB NOT READY 2. SLOW POUR OR PUMP	6. TRUCK BROKE DOWN 7. ACCIDENT		ax % 7.800	58.50		
IN			3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	8. CITATION		otal \$	808.50		
LEFT PLANT	ARRIVED JOB	START UNLOADING	5. ADDED WATER	o. omen	TIME DUE	rder t	7852 40		
IN ST	12-52	for a second	and the second second	and the second states of the	1.3 1995 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997	ADDITIONAL CHARGE	survive the test to be a function of		
11:5	TOTAL AT 105		E						
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2			
610)	H			· · · · ·					