

For KCC	Use:			
Effective Date:				
District #				
SGA?	Yes No			

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R 🔲 E 🔲 W
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
W 110 111 15 W 1101 T 5 1	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes No
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ;# of Holes Other	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
<u> </u>	-
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No
	If Yes, proposed zone:
AFI	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
A. Matificials assume state district affice conferred and different con-	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Submitted Electronically 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Submitted Electronically 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be Submitted Electronically For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed Electronically For KCC Use ONLY API # 15 - Conductor pipe required feet Minimum surface pipe required feet per ALT I II	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

If well will not be drilled or permit has expired (See: authorized expiration date)	
please check the box below and return to the address below.	

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


Operator: Lease: Well Number: Field:				Location of Well: County:		
					feet from N / S Line of Section	on
				feet from E / W Line of Section		
				Sec	Twp S. R	
Number of A	Acres attributable to	well:		Is Section:	Deguler or Urreguler	
QTR/QTR/C	QTR/QTR of acreage	e:		is Section.	Regular or Irregular	
				Section corr	is Irregular, locate well from nearest corner boundary. rner used: NE NW SE SW	
ı		atteries, pipelines and ele	ge to the nearest i	quired by the Kan	undary line. Show the predicted locations of nsas Surface Owner Notice Act (House Bill 2032). esired.	
Γ	:	: :	: :	:		
	:			•	LEGEND	
	: : : : : : : : : : : : : : : : : : : :	:	:	······		
	:		: :	:	O Well Location	
					Tank Battery Location	
					Pipeline Location	
				•	Electric Line Location	
	:	: :	:	:	Lease Road Location	
	: :	· · · · · · · · · · · · · · · · · · ·		········ :	·-	
	<u> </u>	<u>: </u>	<u> </u>	<u> </u>	EXAMPLE :	
		13				
				:	: : :	
					-	
				:		
	: : : :	:	:	· · · · · · · · · · · · · · · · · · ·		01
	: :	: :	: :	:	1980' FS	эL
				:		
		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	-	
2470 ft.						
.410 II.+			: :	:	SEWARD CO. 3390' FEI	

330 ft.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit	Pit is:		Sec. Twp R East West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Feet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No Artificial Liner? Yes No		0	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to deep	pest point:	(feet) No Pit	
If the pit is lined give a brief description of the line material, thickness and installation procedure.	itei		dures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of work	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	pe closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No	



1169066

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R 🔲 East 🗌 West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	sheet listing all of the information to the left for each surface owner. Surface		
Address 1:			
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be le CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically	_		

KANSAS SURFACE OWNER NOTIFICATION ACT



SCALE = 1 : 12,000

LANE COUNTY, KANSAS



Pro-Stake LLC


Oil Field & Construction Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499

11405



PLAT NO.

burt@pro-stakellc.kscoxmail.com

Ritchie Exploration, Inc.

OPERATOR

#1 Hammeke Unit

LEASE NAME

Lane County, KS 13 18s 28w
COUNTY Sec. Twp. Rag.

021828

335' FSL - 2470' FWL

SCALE: 1" = 1000'

DATE: Dec. 3rd, 2013

MEASURED BY: Ben R.

DRAWN BY: Luke R.

AUTHORIZED BY: Justin C.


AUTHORIZED BY: JUSUII C.

This drawing does not constitute a monumented survey

or a land survey plat.
This drawing is for construction purposes only.

GR. ELEVATION: 2717.3

Directions: From the center of Dighton, Ks at the intersection of Hwy 96 & Hwy 23 – Now go 5 miles East on Hwy 96, which is approx. 70' South of the SW corner of section 13-18s-28w – Now go 0.5 mile East on Hwy 96 to ingress stake N-NW into – Now go approx. 440' N-NW through wheat stubble into staked location. **Final ingress must be verified with land owner or Operator.**



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

NOTICE

Nearest Lease or Unit Boundary Line

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.