

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division 1169082

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:	SecTwpS. R 🔲 East 🗌 West				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:				
☐ Oil ☐ WSW ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane) ☐ Cathodic ☐ Other (Core, Expl., etc.): ☐ If Workover/Re-entry: Old Well Info as follows: Operator: ☐ Well Name: ☐ Well Name:	Producing Formation: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt.				
Original Comp. Date: Original Total Depth:					
□ Deepening □ Re-perf. □ Conv. to ENHR □ Conv. to SWD □ Plug Back □ Conv. to GSW □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Commingled Permit #: Dual Completion Permit #: SWD Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite:				
☐ ENHR Permit #: ☐ GSW Permit #:	Operator Name:				
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec. TwpS. R East West County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II Approved by: Date:						

Page Two



Operator Name:			L	ease Name: _			Well #:	
Sec Twp	S. R	East We	est C	County:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres	sures, whether sh	ut-in pressur	e reached stati	c level, hydrosta	tic pressures, bott		rval tested, time tool erature, fluid recovery,
Final Radioactivity Lo files must be submitted					ogs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes	No	L	_	on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	Yes	No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes Yes	No No					
List All E. Logs Run:								
		(CASING REC	ORD Ne	ew Used			
		· ·		ıctor, surface, inte	ermediate, producti	1		I
Purpose of String	Size Hole Drilled	Size Casin Set (In O.D		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADD	ITIONAL CEN	MENTING / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cem	ent #	Sacks Used		Type and P	ercent Additives	
Perforate Protect Casing	100 20111111							
Plug Back TD Plug Off Zone								
1 lag on zono								
Did you perform a hydrau	ulic fracturing treatment	on this well?			Yes	No (If No, ski	o questions 2 ar	nd 3)
Does the volume of the to		•				_ ` ` '	p question 3)	
Was the hydraulic fractur	ing treatment information	on submitted to the c	hemical disclo	sure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)
Shots Per Foot		ION RECORD - Bri Footage of Each Int				cture, Shot, Cement		d Depth
	, ,				,		,	·
TUBING RECORD:	Size:	Set At:	Pa	acker At:	Liner Run:			
						Yes No		
Date of First, Resumed	Production, SWD or Ef		cing Method: owing	Pumping	Gas Lift C	other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. G	as Mcf	Wate	er Bi	ols. G	as-Oil Ratio	Gravity
DIODOCITI	ON OF CAS:		, 4 CT - 1		TION:		PROPUSTIC	ON INTERVAL.
Vented Solo	ON OF GAS: Used on Lease	Open Ho		IOD OF COMPLE \Box		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)	Other (S	necify)	(Submit		mit ACO-4)		



REMIT TO

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346

GADDIS 34-VRI

816.00

1.00

368.00

Date

368.00

MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 Fax 620/431-0012

Invoice # 263839 INVOICE ______

Invoice Date: 11/11/2013 Terms: 0/0/30,n/30 Page

VEENKER RESOURCES, INC. P.O. BOX 14339

CASING FOOTAGE

MIN. BULK DELIVERY

495

548

Signed

44811 OKLAHOMA CITY, OK 73113 SW 4-23-21 11-08-2013 (405)751-1414 KS

Qty Unit Price Part Number Description Total 99.00 19.7500 1955.25 1126 OIL WELL CEMENT .2200 PREMIUM GEL / BENTONITE 100.00 22.00 1118B 227.70 KOL SEAL (50# BAG) 495.00 .4600 1110A Hours Unit Price Total Description 3.00 90.00 270.00 370 80 BBL VACUUM TRUCK (CEMENT) 1085.00 1.00 1085.00 495 CEMENT PUMP 45.00 4.20 189.00 495 EQUIPMENT MILEAGE (ONE WAY) .00 .00

_______ 4285.63 .00 Tax: 168.68 AR 2204.95 Freight: Parts: .00 Total: 4285.63 .00 Misc: Labor:

.00 Change: .00 .00 Supplies:

OTTAWA, KS 785/242-4044 GILLETTE, WY 307/686-4914 CUSHING, OK THAYER, KS EUREKA, KS 620/583-7664 PONCA CITY, OK 580/762-2303 OAKLEY, KS EL DORADO, KS BARTLESVILLE, OK 918/225-2650 785/672-8822 620/839-5269 316/322-7022



26383c

LOCATION O4Howa FOREMAN Fred Made

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT CEMENT

11-8-13 9579 Gaddis 34 VRI Swy 23 21 AN CUSTOMER Veen Kar Resources Inc MAILING ADDRESS P.O. Box 14339 TRUCK# DRIVER TRUCK# DRIVER 712 For Mad 495 Har Res	DATE	CUSTOMER#	WELL NAM	AE & NUME	BER	SECTION	TOWNSHIP	RANGE	COUNTY
TRUCK* DRIVER TRUCK* DRIVER MAILING ADDRESS P.O. Box 14339 CITY STATE ZIP CODE OKlahoma Gity O/L 73/13 JOB TYPE LANGSLY MA HOLE SIZE STE HOLE DEPTH 830' CASING SIZE & WEIGHT 276 EUF CASING DEPTH 8/6"D DRILL PIPE TUBING OTHER SLURRY WEIGHT SLURRY VOL WATER GAI/SK CEMENT LEFT IN CASING 2/2 Plug DISPLACEMENT 4.74BB (DISPLACEMENT PSI MIX PSI RATE 58 PM. REMARKS: May of a vew safety matter Establish civiculation Mixx Pump 100# Gel Tush Mix Pump SKS DWC Cement 5# Kal Seal SK. Cament to Surface Flush pump 4 lines clean. Displace 3/2" Rubber plug to casing To Pressure to ROOM PSI. Rubber plug to casing To Pressure to Surface. PSI. Rubber plug to casing To Pressure to Surface. PSI. Rubber plug to casing To Pressure to Surface. PSI. Rubber plug to casing To Pressure to Surface. PSI. Rubber plug to casing To Pressure to Surface. PSI. Rubber plug to Surface.	11.5.13	9579	Coddie	#3u	VOT	Sus V	1 3 3		
TRUCK# DRIVER TRUCK# DRIVER TO STATE TO	CHISTOMED				V	₩	مدح		7710
P.O. Box 14339 CITY STATE ZIPCODE OKLANOMA City O/L 73/13 JOBTYPE LONGSTYN, HOLE SIZE STE HOLE DEPTH 830' CASING SIZE & WEIGHT 2/F. EUE CASING DEPTH 8/60' DRILL PIPE TUBING OTHER SLURRY WEIGHT SLURRY VOL WATER GAINS. PISPLACEMENT 4, 74BB LOISPLACEMENT PSI MIX PSI RATE 5BPM IDOPH Gel Flush MIX & Pumb SKS DWC Poment 5th North Pump NOW SKS DWC Poment 5th North Pomp NOW SKS DWC Poment 5th North Pomp Now Sks DWC Poment 5th North Pomp No Sks DWC Poment 5th North Poment 10th North Pomp No Sks DWC Poment 10th North Poment 10th N	V	en ker R	e sources J	In c		TRUCK#	DRIVER	TRUCK#	DRIVER
CITY STATE ZIP CODE 370 Jas Ric JOHN O/L 73/13 JOB TYPE Langshia Hole size 574 Hole DEPTH 830' CASING SIZE & WEIGHT 276 EUF CASING DEPTH 8/60' DRILL PIPE TUBING OTHER SLURRY WEIGHT SLURRY VOL WATER gal/sk CEMENT LEFT IN CASING 2/2" Plug DISPLACEMENT 4.74BB/DISPLACEMENT PSI MIX PSI RATE 5BPM JOD# Gel Flush Mift & Pumb SKS DWC (Pemans 5# No. 100# Gel Flush Mix Pump Surface Flush pump 4 lines clean. Dis Place 3/2" Rubbar plug to casing To Pressure to 800# PSI. Rolease pressure to Sat Flood Value. Shut in Costy	MAILING ADDRI	ESS]	7/2	ForMad		
OKLahoma City O/L 73/13 JOB TYPE Long Style HOLE SIZE STE HOLE DEPTH 830' CASING SIZE & WEIGHT 27/16 EVE CASING DEPTH 8/6" DRILL PIPE TUBING SLURRY WEIGHT SLURRY VOL WATER GANSK CEMENT LEFT IN CASING 2/2" Plug DISPLACEMENT 4.7 + BB (DISPLACEMENT PSI MIX PSI RATE 58/11) REMARKS: Mold of yew safety matter Establish civculation Mix Pump 100# Gel Flush Mix Pumb SKS DWC (Pement 5# Kal Seal 5K. Cament to Surface Flush pump 4 lines (Jean. Displace 2/2" Rubbar plug to casing To Pressure to FOOM PSI. Rolloose pressure to Sat flood Value, Shut in Costy	P.O.	Box 147	339			495			
JOB TYPE Langstria, HOLE SIZE STE HOLE DEPTH 830' CASING SIZE & WEIGHT 21/6 EUF CASING DEPTH 8/60 DRILL PIPE TUBING OTHER SLURRY WEIGHT SLURRY VOL WATER GANGE CEMENT LEFT IN CASING 2/6 Plug DISPLACEMENT 4, 7488 (DISPLACEMENT PSI MIX PSI RATE 58PM REMARKS: 140 ONE WE SAFETY MAKETING ESTABLISH CIVCULATION MIXT PUMP 100# Gal Flush Will y Pump SKS DWC Comens 5# Kal Seal SK. Comens to Surface Flush pump 4 lines clean. Displace 2/2" Rubbar plug to casing To Pressure to FOOT PSI. Rolease pressure to Sat Floot Value. Shut in Casing	CITY		STATE ZIP	CODE		<i>3</i> 70			
CASING DEPTH 8/60 DRILL PIPE TUBING OTHER SLURRY WEIGHT SLURRY VOL WATER GAI/SK CEMENT LEFT IN CASING 2/2 Plug DISPLACEMENT 4.7488 (DISPLACEMENT PSI MIX PSI RATE 58 PM REMARKS: 1/20 1/20 1/20 Mix Pump 100# Gel Flugh Mix Pump SKS DWC Coment 5 to Kal Seal SK. Coment to Surface Flugh pump 1 lines clean. Displace 2/2" Rubbar plug to casing To Pressure to FOOT PSI. Rolease pressure to Sat Floot Value. Shut in Costy	Oklaho					548	MIXHOO		
SLURRY WEIGHT SLURRY VOL WATER Gal/sk CEMENT LEFT In CASING 2/2 Plug DISPLACEMENT 4.74BBCDISPLACEMENT PSI MIX PSI RATE 5BPM REMARKS: Afor left of year Safety Marting Establish civculation Mixt Pump 100# Gel Flush Miff y Pump SKS DWC Cement 5# Kal Seal / sk. Coment to Surface Flush pump y lines clean. Displace 2/2" Rubbar plug to casing To Pressure to 800# PSI. Rolpase pressure to Sat Flood Value. Shut in Coshy			HOLE SIZES	7/5	HOLE DEPTH	630,	Casing Size & W	/EIGHT 27/5	EUE
DISPLACEMENT 4.74BBODISPLACEMENT PSI MIX PSI RATE 5BPM. REMARKS: If o let 0 yew safety matting Establish cival attend Mixt Pump 100# Gel Flush. Miff y Pump SKS DWC Cement 5# Kal Seal JsK. Cament to Surface. Flush pump y lines clean. Displace 21/2" Rubbar plug to casing To Pressure to FOOR PSI. Rolease pressure to Sat Flood Value. Shut in Casing									
DISPLACEMENT 4.74BBODISPLACEMENT PSI MIX PSI RATE 5BPM. REMARKS: If o let 0 yew safety matting Establish cival attend Mixt Pump 100# Gel Flush. Miff y Pump SKS DWC Cement 5# Kal Seal JsK. Cament to Surface. Flush pump y lines clean. Displace 21/2" Rubbar plug to casing To Pressure to FOOR PSI. Rolease pressure to Sat Flood Value. Shut in Casing	SLURRY WEIGH	łT	SLURRY VOL		WATER gal/s	k	CEMENT LEFT In	CASING 2/2"	Plug
100# Gel Flush. Mill & Dumb SKS DWC Comens 5# Kal Seal J sk. Comens to Surface. Flush pump & lines clean. Displace 25" Rubber plug to casing To. Pressure to 800# PSI. Rolease pressure to set flood Value. Shut in Cashy.	DISPLACEMENT	T <u>4,7488</u>	DISPLACEMENT PS	<u> </u>	MIX PSI		RATE 58 PM	<u>n</u>	
Kal Seal I sk. Coment to Surface. Flush pump & lines clean. Displace 21/2" Rubbar plus to casing To Pressure to 800. PSI. Release pressure to set flood Value. Shut in Costy.	REMARKS:	to led over	u safetu	macth	ne Es	fablish o	iveulation	on Mixx	. Pump
Kal Seal I sk. Coment to Surface. Flush pump & lines clean. Displace 21/2" Rubbar plus to casing To Pressure to 800. PSI. Release pressure to set flood Value. Shut in Costy.					77 .			- 7	
PSI. Release pressure to set flood Value. Shut in Costy	Kal S	eal / 5K.	Coment					lines clea	ш.
PSI. Roloose pressure to set flood Value. Shut in Costy	Disp	ace 24	" Rubba	- olu	s to c	asinc -	to Pres	sure to	800-8
Mc Gown Drilly June Haber	PSI.	Roleas	S DVE SSUV	e to	Jak.	floor Vo	due. Sh	ux.h Ca	sky
Mc Gown Drilling June Made						<u> </u>			J'
Mc Gown Drilly June Haber					· · · · · · · · · · · · · · · · · · ·				
N/c Gown Drilly function							70	21.0	,
	NIC	Gown D	rill by				June !	- Carrie	

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODU	CT	UNIT PRICE	TOTAL
5401	<u> </u>	PUMP CHARGE	495		108500
5406	45mi	MILEAGE	495		1890
5403	816	Ton Miles		·	N/c
5407	Minimum	Ton Miles	548		36800
55DC	3 hrs	80 BBL Vac Truck	370		270 %
1/2/2	99345	BWC Comenx		• ; -	1955 ²³
11183	100#	Promium al			ವವಿಜ್ಞ
11104	495*	Kal Scal			אס לבל
			~		
			7.65%		16865
evin 9797 AUTHORIZTION	Dale on rat	lu - title	·	ESTIMATED TOTAL DATE	4285

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form