

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	SecTwpS. RBEW
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ity: State: Zip: +	County
ontact Person:hone:	Lease Name: Well #:
none.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OvvvvO. Old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?  Yes \ Y	
Bottom Hole Location:	DWK Pelilii #
KCC DKT #:	(Note: Apply 1617 Chille Wild DVV.
	Will Cores be taken? Yes No
	ii ies, proposed zone.
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	al plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on	each drilling rig;
	set by circulating coment to the top; in all cases surface nine shall be set
3. The minimum amount of surface pipe as specified below shall be	
<ol><li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li></ol>	o the underlying formation.
<ul><li>3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int</li><li>4. If the well is dry hole, an agreement between the operator and the</li></ul>	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>
<ul> <li>3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int</li> <li>4. If the well is dry hole, an agreement between the operator and the</li> <li>5. The appropriate district office will be notified before well is either p</li> </ul>	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem</li> </ol>	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date.
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemor pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is a specific to the SCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> solugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.</li> </ol>	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> solugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.</li> </ol>	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.</li> </ol>	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either period. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be mitted Electronically  For KCC Use ONLY	o the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either period. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be mitted Electronically  For KCC Use ONLY  API # 15 -	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period of the specific property of the spe	o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period of the specific property of the spe	o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet interpretation.  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either precision.  6. If an ALTERNATE II COMPLETION, production pipe shall be come. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  7. When the shall be completed within 30 days of the spud date or the well shall be completed.  8. When the shall be completed within 30 days of the spud date or the well shall be completed.  9. When the shall be completed within 30 days of the spud date or the well shall be completed.  9. When the shall be completed within 30 days of the spud date or the well shall be completed.  9. When the shall be completed within 30 days of the spud date or the well shall be completed.  9. When the shall be completed within 30 days of the spud date or the well shall be completed.  9. When the shall be completed within 30 days of the spud date or the well shall be completed.  9. When the shall be completed within 30 days of the spud date or the well shall be completed.	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cem. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  **Jubmitted Electronically**  For KCC Use ONLY  API # 15	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either personant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  **Description**  **Des	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

\_ Agent: .



For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	:						_ Loc	cation of W	/ell: Coun	ty:				
_ease:										fe	eet from	N /	S Line	of Section
Nell Num	nber:									fe	eet from	E /	W Line	of Section
Field:							_ Se	c	Twp		S. R		E	W
	of Acres atti						15 1	Section:	Regul	lar or	Irregular			
								Section is ction corne	_		ell from ne			dary.
	S	how location	on of the w	ell. Show	footage to	the neare	PLAT est lease or	unit hound	dary line S	Show the	predicted l	ocations o	of	
				ipelines an	_				-					
							a separate 200 ft.						ŕ	
		:	:	:		: /		:	1320	) ft				
				:		: '	<u>v</u>	•	1020	, 16.	LEGI	END		
					•••••					0	Well I	ocation		
			:	:		:	:			$\vdash$		Battery L	ocation	
		:	:	:		:	:	:		<u> </u>		ne Locat		
											Electr			
		•	:	:		:	:							
		:	:	:		:	:	:			<b>Lease</b>	Road Lo	ocation	
		:	:	:		:	:	:						
							:			EXAMPL	E :		:	
		:	:	: .		:	:	:	1				:	
				1	9	:				•••••			•	
		:	:	:		:	:	:			:		:	
		:	:	:		:	:	:						
			:	:		:	:			•••••			•	
		:	:	:		:	:	: 			::		:	
		:	:	:		:	•	:			<b>?</b>			1980' FSL
		:	:	:		:	:	:			·		•	
		:	:	:		:	:	:		:			:	
		:	:	:		:	:	:						
		:	:	:		:	:	:	ا ا	25W4 DD 60	:;		:	
					I				1 8	SEWARD CO.	3390' FEI	_		

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)		SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County			
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.			
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  Yes No  Submitted Electronically		Type of materia  Number of work  Abandonment p  Drill pits must b	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  de closed within 365 days of spud date.			
	KCC	OFFICE USE O	NLY			
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No			



1169084

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R East				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City:					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this				
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1				
Submitted Electronically					

CIVIL ENGINEERS • SURVEYORS 901 N. 8th Street, Suite 100 Kansas City, KS 66101 \* p. (913) 371-5300 \* f. (913) 371-2677 BHC RHODES is a trademark of Brungardt Honomichl & Company, P.A.

CLARK County, Kansas 200' FNL & 1320' FEL Section 19 Township 30S Range 23W 6th P.M.



KANSAS LIC. NO. \_\_\_\_\_\_778

1601508.1160

279365.1060

	12	7		$\neg$
		,	8	9
14	13	18 ανα **	17  Y1-16 TAYLOR 1 256 \$471	16
		Espluind 3023 1-19	TAYLOR1  TAYLOR  TAYLO	120
23	24 ~ 30S 24W	19 30S 23W ESPUL	TMLOR1 20 g <sup>5710</sup> D 1-19	21
	MILENCAMP1 S520	A ESP.	PLUNDCD&E3-19 5550  UNDCD&E4-19 5550  PITMAN 1 5557 5527	
26	25	ESPLU VKSPLU	3023 1-19 SWD  UND FARMS 3023 1-30H  PITTIAN 1  ESPLUID FARMS 5-29  ESPLUID FARMS 5-29  ESPLUID FARMS 3-29  6691  SOUTH OF THE STAND FARMS 1-29  SOUTH OF THE STAND FARMS 1-29  BOUZUDEN BROTHERS 1-29  ESPLUID FARMS 1-29  BOUZUDEN BROTHERS 1-29  X	28
☐ GAS WELL	NO (Yells MELENCAMP 1-25 X		ESPLUNO FARMS 8-20 \$5997	
OIL WELL  WELL START  SandRidge U	nt Unes	31	32	33

# **Esplund 3023 1-19**

## **Lease Information Sheet**

# **Lease Description:**


NE/4 and W/2 SE/4 of Section 19-30S-23W Clark County, KS

## **Unit Description:**

NE/4 of 19-30S-23W, pooled into Esplund Farms 3023 1-30H unit All of Section 19-30S-23W and All of Section 30-30S-23W

## **Surface Owner:**

Esplund Family Limited Partnership A Kansas limited partnership 461 CR 14 Minneola, KS 67865



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

November 22, 2013

Wanda Ledbetter SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Esplund 3020 1-19 NE/4 Sec.19-30S-23W Clark County, Kansas

#### Dear Wanda Ledbetter:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.