



**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Conv. to GSW
- Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date      Date Reached TD      Completion Date or Recompletion Date

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



1169819

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

|   |   |
|---|---|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No<br><i>(Attach Additional Sheets)</i><br><br>Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No<br><br>Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No<br>Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No<br>Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No<br><i>(If no, Submit Copy)</i><br><br>List All E. Logs Run: _____ | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample<br><br>Name Top Datum |
|---|---|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used  |                   |                           |                   |               |                |              |                            |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. |                   |                           |                   |               |                |              |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
|   |                   |                           |                   |               |                |              |                            |
|   |                   |                           |                   |               |                |              |                            |
|   |                   |                           |                   |               |                |              |                            |

| ADDITIONAL CEMENTING / SQUEEZE RECORD  |                  |                |              |                            |
|--|------------------|----------------|--------------|----------------------------|
| Purpose:   | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| _____ Perforate<br>_____ Protect Casing<br>_____ Plug Back TD<br>_____ Plug Off Zone |                  |                |              |                            |
|  |                  |                |              |                            |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record<br><i>(Amount and Kind of Material Used)</i> | Depth |
|----------------|---|--|-------|
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |

TUBING RECORD:      Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR. \_\_\_\_\_ Producing Method:  
 Flowing  Pumping  Gas Lift  Other *(Explain)* \_\_\_\_\_

|                                   |           |         |             |               |         |
|-----------------------------------|-----------|---------|-------------|---------------|---------|
| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |
|-----------------------------------|-----------|---------|-------------|---------------|---------|

|   |  |  |
|---|--|--|
| DISPOSITION OF GAS:<br><input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease<br><i>(If vented, Submit ACO-18.)</i> | METHOD OF COMPLETION:<br><input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled<br><i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____<br><i>(Submit ACO-4)</i> | PRODUCTION INTERVAL:<br>_____<br>_____ |
|---|--|--|



**CONSOLIDATED**  
Oil Well Services, LLC

261493

TICKET NUMBER 42349  
LOCATION Dttgwg  
FOREMAN Alan Maden

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT**  
**CEMENT**

| DATE   | CUSTOMER #              | WELL NAME & NUMBER | SECTION                       | TOWNSHIP         | RANGE   | COUNTY |
|--|-------------------------|--------------------|-------------------------------|------------------|---------|--------|
| 8-16-13  | 4015                    | Burrig P-2         | NE 26                         | 17               | 21      | Mi     |
| CUSTOMER<br>JTC Oil  |                         |                    | TRUCK #                       |                  |         |        |
| MAILING ADDRESS<br>35688 Plum Creek  |                         |                    | 516                           | Driver<br>Al Mad | TRUCK # | DRIVER |
| CITY<br>Osawatomie   |                         |                    | 368                           | Ar Mad           |         |        |
| STATE<br>KS  |                         |                    | 625                           | Ke Det           |         |        |
| ZIP CODE<br>66004  |                         |                    | 548                           | Mik Hog          |         |        |
| JOB TYPE<br>long string  | HOLE SIZE<br>6          | HOLE DEPTH<br>700  | CASING SIZE & WEIGHT<br>2 7/8 |                  |         |        |
| CASING DEPTH<br>624  | DRILL PIPE              | TUBING             | OTHER                         |                  |         |        |
| SLURRY WEIGHT  | SLURRY VOL              | WATER gal/sk       | CEMENT LEFT in CASING<br>yes  |                  |         |        |
| DISPLACEMENT<br>3.6  | DISPLACEMENT PSI<br>800 | MIX PSI<br>200     | RATE<br>4 bpm                 |                  |         |        |
| REMARKS: Held meeting, hooked to casing. Established rate. Mixed & pumped 100# gel followed by 73 sk OWC plus 1/2" flo seal per GACK. Circulated cement. Flushed pump. Pumped plug to casing TD. Well held 800 PSI. Set float. Closed valve. |                         |                    |                               |                  |         |        |

JTC

*Alan Maden*

| ACCOUNT CODE | QUANTITY or UNITS | DESCRIPTION of SERVICES or PRODUCT | UNIT PRICE | TOTAL           |
|--------------|-------------------|------------------------------------|------------|-----------------|
| 5401         | 1                 | PUMP CHARGE                        | 368        | 1085.00         |
| 5406         | 1                 | MILEAGE                            | 368        |                 |
| 5402         | 624               | Casing footage                     | 368        |                 |
| 5407         | 1/2 min           | ton miles                          | 548        | 184.00          |
| 5502C        | 1 1/2             | 80 gal                             | 675        | 135.00          |
| 1126         | 73                | OWC                                |            | 1441.75         |
| 1118B        | 100 #             | gel                                |            | 22.00           |
| 1107         | 1.8 #             | flaseal                            |            | 44.46           |
| 4402         | 1                 | 2 1/2 plug                         |            | 29.00           |
|              |                   |                                    |            | SALES TAX       |
|              |                   |                                    |            | 113.79          |
|              |                   |                                    |            | ESTIMATED TOTAL |
|              |                   |                                    |            | 3055.50         |

completed

Ravin 3737

AUTHORIZATION *Bin Buck*

TITLE

DATE

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

Operator License # 32834  
 Operator JTC Oil, Inc.  
 Address PO BOX 24386  
 City STANLEY, KS 66283  
 Contractor JTC Oil, Inc.  
 Contractor License # 32834  
 T.D. 700  
 T.D. of pipe 674  
 Surface pipe size 7"  
 Surface pipe depth 20'  
 Well Type Production

API # 15-121-29552-00-00  
 Lease Name Burris  
 Well # P-2  
 Spud Date 8/8/2013  
 Cement Date 8/16/2013  
 Location Sec 26 T 17 R 21  
 845 feet from S line  
 580 feet from E line  
 County Miami

Driller's Log

| Thickness | Strata            | From | To  |
|-----------|-------------------|------|-----|
| 3         | Dirt              | 0    | 3   |
| 2         | Wood              | 3    | 5   |
| 5         | Lime              | 5    | 10  |
| 90        | Shale             | 10   | 100 |
| 16        | Lime              | 100  | 116 |
| 22        | Shale             | 116  | 138 |
| 9         | Lime              | 138  | 147 |
| 21        | Shale             | 147  | 168 |
| 2         | Lime              | 168  | 170 |
| 1         | Shale             | 170  | 171 |
| 4         | Red Shale         | 171  | 175 |
| 13        | Shale             | 175  | 188 |
| 17        | Lime              | 188  | 205 |
| 7         | Shale             | 205  | 212 |
| 33        | Lime              | 212  | 245 |
| 5         | Shale             | 245  | 250 |
| 22        | Lime              | 250  | 272 |
| 5         | Shale             | 272  | 277 |
| 13        | Lime              | 277  | 290 |
| 5         | Shale             | 290  | 295 |
| 5         | Mix               | 295  | 300 |
| 18        | Shale             | 300  | 318 |
| 8         | Sandy Shale       | 318  | 326 |
| 67        | Shale             | 326  | 393 |
| 8         | Sandy Shale       | 393  | 401 |
| 29        | Shale             | 401  | 430 |
| 1         | Good Sand         | 430  | 431 |
| 2         | Good              | 431  | 433 |
| 2         | Good              | 433  | 435 |
| 2         | Little            | 435  | 437 |
| 1         | Little            | 437  | 438 |
| 2         | Fair              | 438  | 440 |
| 2         | Shale/Little Sand | 440  | 442 |
| 16        | Lime              | 442  | 458 |

|    |                     |     |     |            |
|----|---------------------|-----|-----|------------|
| 26 | Shale               | 458 | 484 |            |
| 26 | Lime                | 484 | 510 |            |
| 11 | Shale               | 510 | 521 |            |
| 3  | Lime                | 521 | 524 |            |
| 12 | Shale               | 524 | 536 |            |
| 5  | Lime                | 536 | 541 |            |
| 17 | Shale               | 541 | 558 |            |
| 7  | Lime Mix            | 558 | 565 |            |
| 3  | Lime Oil            | 565 | 568 |            |
| 7  | Shale               | 568 | 575 |            |
| 1  | Fair Sand           | 575 | 576 |            |
| 2  | Laminated Fair Sand | 576 | 578 |            |
| 2  | Fair Sand           | 578 | 580 |            |
| 2  | Fair Sand           | 580 | 582 |            |
| 2  | Fair Sand           | 582 | 584 |            |
| 2  | Lots of Shale       | 584 | 586 | Little Oil |
| 65 | Shale               | 586 | 651 |            |
| 1  | Little Oil          | 651 | 652 |            |
| 16 | Shale               | 652 | 668 |            |
| 30 | Sandy Shale         | 668 | 698 |            |
| 2  |                     | 698 | 700 |            |