

Confidentiality Requested:

☐ Yes ☐ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1167959

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
Oil WSW SWD SIOW	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: w/ sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. Twp. S. R. East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b d.	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitte						ogs must be ema	alled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Perforate Protect Casing	Top Dottom								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-			skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, i	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.			mmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

Form	ACO1 - Well Completion
Operator	OXY USA Inc.
Well Name	HYLBOM A 5
Doc ID	1167959

All Electric Logs Run

DUAL SPACED NEUTRON SPECTRAL DENSITY
MICROLOG
ARRAY COMPENSATED TRUE RESISTIVITY
BOREHOLE COMPENSATED SONIC ARRAY

Form	ACO1 - Well Completion
Operator	OXY USA Inc.
Well Name	HYLBOM A 5
Doc ID	1167959

Tops

Name	Тор	Datum
HEEBNER	3773	
TORONTO	3787	
LANSING	3821	
KANSAS CITY	4229	
MARMATON	4343	
CHEROKEE	4476	
ATOKA	4610	
MORROW	4702	
ST. GENEVIEVE	4829	
ST. LOUIS	4849	

ALLIED OIL & GAS SERVICES, LLC 052309

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

DATE 7-20-1

CONTRACTOR

LEASE/S/Bom/AWELL# OLD OR NEW (Circle one) TWP.

SEKAICE LODAL:	POINT:	SERVICE
----------------	--------	---------

		SER'	VICE POINT:	
5				al 21
RANGE 344/	CALLED OUT	ON LOCATION	JOB START 1230	JOB FINISH
LOCATION GOOD	of Do KS - L	lest on 50	COUNTY Finney	STATE /<5
to Country	inc IMI Nor	14 , S (B) St, N	11/12	1.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
1 2 1,2021142		•	_	
Na Paul	OWNER	Osy USA		
	CEMENT			
TH 1640 B		RDERED 1805		-2%CC_
TH	70 <k_c< td=""><td>lass C-Nead</td><td><u> </u></td><td></td></k_c<>	lass C-Nead	<u> </u>	
TH ////of				
<u>TH </u>	— Parthes Common	170 5	L @ 24/40	4.148.02
E JOINT	POZMIX		@	· · · · · · · · · · · · · · · · · · ·
	GEL _		@	
		3.5k		
^	ASC		@	
			@	
			_ <u>_</u>	
sto V			@	
<u> 1-70 </u>	Burney II		_ @	
ick G			@	
			@ @	
.v.e	— HANDLING	173, 44	3@2.58	429,09
	MILEAGE _	.720	1 2.40	1050, 93
			TOTAL	. <u>15,819. 75</u>
		SERV	ICE	
	DEPTH OF	JOB <i>/75</i> 0 <i>-£</i> }-		
		CK CHARGE		1250,=
		OTAGE	@	20r 05
· · · · · · · · · · · · · · · · · · ·	MILEAGE /	(7. 7 <u>0</u>	
	— MANIFOLE	14 50m		220.50
	Edd . Eines	Hrs 6HA	2 @ <u>1/40. 5</u>	2,640,
			IATOT	<u>4,495.º</u>
ZJP		PLUG & FLOA	T EOHDME	N/T
	801004	PLUG & FLOA TION/DEPT. ムビ ELUFAC	I EQUITIVE! C&P = DASE	സം സംബസമാല്
	LEASEM	ELL/FAG.	- 1317 - 1311	- 10
		I WSM #		
	TASK	<u>0103-</u>	@ELEMEI	1150±3.
	PROJECT	170878	CAREXTOPE	C-Circle one

TYPE OF JOB P771
HOLE SIZE 179/K TD
CASING SIZE 岩彩 24 DEPTH 1640 序
THRING SIZE DEPTH
DRILL PIPE 41/2 16.6 DEPTH 1770-64
TOOL DEPTH
PRES. MAX MINIMUM
MEAS. LINE SHOE JOINT
CEMENT LEFT IN CSG.
PERFS.
DISPLACEMENT
EQUIPMENT
DUMENTALICK CENTER // /
PUMPTRUCK CEMENTER Stady 44 #531-541 HELPER Starberto V
#531-54) HELPER Menberto V
BULK TRUCK
#562-901 DRIVER Decedrick G
BULK TRUCK
DRIVER
REMARKS:
MANAANI (Aure 1
A STATE OF THE STA
CHARGE TO: Oxy USA
STREET
CITYSTATEZIP
To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.
PRINTED NAME
SIGNATURE

AP LOCATION/DEPT.	61560f 902G	эиои дөз⊑
LEASE/WELL/FAG	@ - 11Y1£	303-16-5
MAXIMO I WSM #	<u> </u>	2020
TASK DIO		113925.5.
FROJECT # 11 108 1	S_CABEXTOPEX	- Circle one
EPO PRA surremanuerum en servicio		PORTED CI
PRINTED HAME	14.3.	water and the second of the se
SIGNATURE:	Patthes Services When Hely	ava latest for last
, carry,	TOTAL	
	•	

SALES TAX (If Any)
TOTAL CHARGES 10, 314, 96
DISCOUNT IF PAID IN 30 DAYS Net - 6, 39 5. 28

ALLIED OIL & GAS SERVICES, LLC 052307

Federal Tax I.D.# 20-5975804

REMITTO P.O. BOX 31 RUSSELL, KANSAS 67665 SERVICE POINT:

	Lieuros &J
DATE 7-16-13 SEC. TWP. RANGE C	ALLED OUT ON LOCATION JOB START JOB FINISH
, , , , , , , , , , , , , , , , , , , ,	COUNTY STATE,
OLD OR NEW (Circle one) County hine. 1N	, Stast Nines
CONTRACTOR Asker 501	OWNED (). IASA
TYPE OF JOB Suday	OWNER Osy USA
HOLE SIZE /2 ½/ T.D.	CEMENT
CASING SIZE X SEX 2 1 DEPTH 1/2 4	AMOUNT ORDERED, 350 Sk. AMI) -220C.
TUBING SIZE DEPTH	44 Flosente 1248 sk Prem Plus
DRILL PIPE DEPTH	Judi Ze Flasial
TOOL DEPTH	,
PRES. MAX MINIMUM	COMMON@
MEAS. LINE SHOE JOINT 1/1, 25.	POZMIX@
CEMENT LEFT IN CSG. 1/1,25	GEL @@
PERFS.	CHLORIDE 18514 @ 64.00 1.152.00
DISPLACEMENT 1771.4,	ASC @
EQUIPMENT	AMDC 350 sk @ 31. = 10.850 = 7
	7105601 1496B @ 2,430 59785
PUMPTRUCK CEMENTER BUCKER	5451 @
# SMISHI HELPER Hederto V.	@
BULK TRUCK	@
#363-856 DRIVER Decedricks.	@
BULK TRUCK	
# DRIVER	HANDLING 648 613 @ 2.78 1607.07
	MILEAGE
REMARKS:	TOTAL <u>21,502. *</u>
AF LOCATION/DEPT. 46 Cap DOZIDNON DOZID	SERVICE
LEASEWELLIFAC Ly/bom // 5	Market Control of the
	2
The state of the s	DEPTH OF JOB 1640 F+
TASK 0702 ELEMENT 3023	PUMPTRUCK CHARGE 22/3, 73
PROJECT # 11/08/8 GAPEX/OPEX-Circle one	PUMPTRUCK CHARGE 22/3, 73 EXTRA FOOTAGE @
TASK 0702 ELEMENT 3023	PUMP TRUCK CHARGE 22/3, 73 EXTRA FOOTAGE @ 7.00 3.8.8 30
TASK 0102 ELEMENT 3023 PROJECT # 11/0 87 8 CAPEX/OPEX-Circle one SPOTBPA Grid Do Dipo PRINTED NAME Geo- Billy SIGNATURE: 2004 2016	PUMPTRUCK CHARGE 22/3, 73 EXTRA FOOTAGE @ MILEAGE Heavy 50/100 7.12 388, 30 MANIFOLD Heavy 1/100 @ 275.20 275, 90
PROJECT # 11/0 878 CAPEX FOREX - Circle one SPOTEPA CIRCLE OF DESCRIPTION OF THE PRINTED NAME Capex By Dy	PUMPTRUCK CHARGE 22/3, 3 EXTRA FOOTAGE @ MILEAGE Heavy 50 @ 275. 388. 30 MANIFOLD Heavy 50 @ 4/50 220. 9
TASK 0102 ELEMENT 3023 PROJECT # 11/0878 CAPEX I OPEX - Gircle one SPO7BPA Grid Des Dips PRINTED NAME SIGNATURE: Tomosty and been 5-increased been 150-01-150.	PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE Have 5000 7.7 388.50 MANIFOLD Head 11 @ 275. 387.5 9 Light Mileagy 5000 @ 4.59 220.59
TASK 0102 ELEMENT 3023 PROJECT # 11/0 87 8 CAPEX/OPEX-Circle one SPOTBPA Grid Do Dipo PRINTED NAME Geo- Billy SIGNATURE: 2004 2016	PUMP TRUCK CHARGE 22/3, 73 EXTRA FOOTAGE @ MILEAGE Hayer 50/10 @ 7/10 388, 30 MANIFOLD Atlant 1/11 @ 275. 32 275. 32 Light Mileogy 50/10 @ 4/52 220. 32
TASK 0102 ELEMENT 3023 PROJECT # 11 / 0 87 8 CAPEX I OPEX - Gircle one SPO7 BPA Grid Do Type PRINTED NAME PRINTED NAME SIGNATURE: Tomosty and been 5-increased and provided been 180 ships Tomosty and provided been 5-increased and provided been 180 ships Tomosty and provided b	PUMP TRUCK CHARGE 22/3, 73 EXTRA FOOTAGE @ MILEAGE Hayer 50/10 @ 7/10 388, 30 MANIFOLD Atlant 1/11 @ 275. 32 275. 32 Light Mileogy 50/10 @ 4/52 220. 32
PROJECT # 11/0 87 8 CAPEX/OPEX - Circle one SPO7 BPA Circle Dec Type PRINTED NAME SIGNATURE: Lamber and books Services and designatives been received. CHARGE TO: () Year (SA) STREET	PUMP TRUCK CHARGE 22/3, 73 EXTRA FOOTAGE @ MILEAGE Hayer 50/10 @ 7/10 388, 30 MANIFOLD Atlant 1/11 @ 275. 32 275. 32 Light Mileogy 50/10 @ 4/52 220. 32
TASK 0102 ELEMENT 3023 PROJECT # 11/0 878 CAPEX I OPEX - Circle one SPOTBPA Circle Des Dips PRINTED NAME Gene 5 Block of Sender Made of Sende	PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE Have 5000 7.7 388.50 MANIFOLD Head 11 @ 275. 387.5 9 Light Mileagy 5000 @ 4.59 220.59
PROJECT N. 11/0878 CAPEX/OPEX - Circle one SPO78PA Circle Dec Type PRINTED NAME SIGNATURE: I will find book Services Madeinforthers been received. CHARGE TO: STREET ELEMENT 3023 PRINTED OF TO STREET STREET	PUMP TRUCK CHARGE 22/3, 73 EXTRA FOOTAGE @ MILEAGE Heaver 50 0 7.12 388.30 MANIFOLD Heaver 1/2 275.32 275.32 Light Milesex 50 0 0 4, 72 220.32 TOTAL 3097,05
PROJECT # 11/0 87 8 CAPEX/OPEX - Circle one SPO7 BPA Circle Dec Type PRINTED NAME SIGNATURE: Lamber and books Services and designatives been received. CHARGE TO: () Year (SA) STREET	PUMP TRUCK CHARGE 22/3, 73 EXTRA FOOTAGE @ MILEAGE Heaver 50 0 7.10 388.30 MANIFOLD Head 1/1 0 275.30 275.90 Light Milesex 50 0 0 4, 50 220.80 TOTAL 3097,05
PROJECT # 11/0 87 8 CAPEX/OPEX - Circle one SPO7 BPA Circle Dec Type PRINTED NAME SIGNATURE: Lamber and books Services and designatives been received. CHARGE TO: () Year (SA) STREET	PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE Have 50 0 7.7 388.30 MANIFOLD Head 11 275.3 215.3 Light Mileocy 50 6 4.52 220.5 PLUG & FLOAT EQUIPMENT
TASK 0102 ELEMENT 3023 PROJECT # 11 / 0 87 8 CAPEX I OPEX - Circle one SPOT BPA Circle Des Dips PRINTED NAME Cage 13 / 10 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE Heavy 50/10 7/2 388.30 MANIFOLD Heavy 1/11 @ 275.30 275.30 Light Mileagy 50/10 @ 4.52 220.30 TOTAL 3097.05 PLUG & FLOAT EQUIPMENT AFU Tose of 150 @ 4/10 93 4/10 94 AFU Tose of 150 @ 4/10 93 4/10 94 AFU Tose of 150 @ 4/10 93 4/10 94 AFU Tose of 150 @ 4/10 93 1048.31
TASK 0102 ELEMENT 3023 PROJECT # 11 / 0 87 8 CAPEX I OPEX - Circle one SPOT BPA Circle Des Dips PRINTED NAME Cease 35 UNSUPPORTED D PRINTED NAME Cease 55 Unsupported become second of the company of	PUMP TRUCK CHARGE 2213, 32 EXTRA FOOTAGE @ 7.12 388, 30 MANIFOLD Allead 11 @ 275. 32 And Marifold Allead 11 @ 275. 32 And Marifold Allead 11 @ 275. 32 TOTAL 3.591, 05 PLUG & FLOAT EQUIPMENT FLUG & FLOAT EQUIPMENT
TASK 0102 ELEMENT 3023 PROJECT # 11 / 0 87 8 CAPEX I OPEX - Circle one SPOTBPA Circle Des Dips PRINTED NAME Co. 2 By July SIGNATURE: 1 STATE STATE ZIP To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment	PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE Heavy 50/10 7/2 388.30 MANIFOLD Heavy 1/11 @ 275.30 275.30 Light Mileagy 50/10 @ 4.52 220.30 TOTAL 3097.05 PLUG & FLOAT EQUIPMENT AFU Tose of 150 @ 4/10 93 4/10 94 AFU Tose of 150 @ 4/10 93 4/10 94 AFU Tose of 150 @ 4/10 93 4/10 94 AFU Tose of 150 @ 4/10 93 1048.31
PROJECT # 11 / 0 87 8 _ CAPEX / OPEX - Circle one SPOTBPA Circle Des Dippe PRINTED NAME SIGNATURE: SIGNATURE: CHARGE TO: STREET CITY STATE ZIP To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or	PUMP TRUCK CHARGE 2213, 73 EXTRA FOOTAGE @ 7.12 383, 30 MANIFOLD Liked 11
PROJECT # 11 / 0 87 8 _ CAPEX / OPEX - Circle one SPOTBPA Circle best Dipal PRINTED NAME	PUMP TRUCK CHARGE 2213, 32 EXTRA FOOTAGE @ 7.12 388, 30 MANIFOLD Allead 11 @ 275. 32 And Marifold Allead 11 @ 275. 32 And Marifold Allead 11 @ 275. 32 TOTAL 3.591, 05 PLUG & FLOAT EQUIPMENT FLUG & FLOAT EQUIPMENT
PROJECT # 11 / 0 87 8 CAPEX / OPEX - Circle one SPOTBPA Circle by Digital Street of Street on St	PUMP TRUCK CHARGE 2213, 73 EXTRA FOOTAGE @ 7.12 383, 30 MANIFOLD Liked 11
TASK 0107 ELEMENT 3023 PROJECT # 11 10 878 CAPEX I OPEX - Gircle one SPO7BPA Gircle Des Type PRINTED NAME SIGNATURE: SIGNATURE: To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL	PUMP TRUCK CHARGE 2213, 73 EXTRA FOOTAGE @ 7.12 383, 30 MANIFOLD Literal 11
TO: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE Have 5000 7.7 388.30 MANIFOLD Literal 11 275.32 215.32 Light Mileour 5000 6 4.52 220.52 PLUG & FLOAT EQUIPMENT FLUG & FLOAT EQUIPMENT
TO: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.	PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE Haver 5010 9 7/19 38.3 90 MANIFOLD Literal 1/11 9 275. 9 215. 9 Light Milesex 5010 9 4/19 220. 9 TOTAL 3097,05 PLUG & FLOAT EQUIPMENT PLUG & FLOAT EQUIPMENT FLUG & FLOAT EQUI
TASK 0702 ELEMENT 3023 PROJECT W 11 / 0 878 CAPEX I OPEX - Gircle one SPOTBPA Circle Dea Type PRINTED NAME SIGNATURE: To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL	PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE Haver 5010 9 7/19 38.3 90 MANIFOLD Literal 1/11 9 275. 9 215. 9 Light Milesex 5010 9 4/19 220. 9 TOTAL 3097,05 PLUG & FLOAT EQUIPMENT PLUG & FLOAT EQUIPMENT FLUG & FLOAT EQUI
TASK 0702 ELEMENT 3023 PROJECT # 11 / 0 87 8 CAPEX / OPEX - Circle one SPOTBPA Circle best high PRINTED NAME Co. B. JUNSUPPORTED D. PRINTED NAME Co. B. JUNSUPPORTED D. SIGNATURE: J. JUNSUPPORTED D. STREET	PUMP TRUCK CHARGE 213, 73 EXTRA FOOTAGE
TASK 0702 ELEMENT 3023 PROJECT # 11 / 0 87 8 CAPEX / OPEX - Circle one SPOTBPA Circle best high PRINTED NAME Co. B. JUNSUPPORTED D. PRINTED NAME Co. B. JUNSUPPORTED D. SIGNATURE: J. JUNSUPPORTED D. STREET	PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE Have 5000 7.7 388.30 MANIFOLD Literal 11 275.32 215.32 Light Mileour 5000 6 4.52 220.52 PLUG & FLOAT EQUIPMENT FLUG & FLOAT EQUIPMENT

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

November 12, 2013

LAURA BETH HICKERT OXY USA Inc. 5 E GREENWAY PLZ PO BOX 27570 HOUSTON, TX 77227-7570

Re: ACO1 API 15-055-22229-01-00 HYLBOM A 5 SW/4 Sec.30-23S-34W Finney County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, LAURA BETH HICKERT