

For KCC Use:				
Effective Date:				
District #				
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	,
OPERATOR: License#	(Q/Q/Q/Q) foot from N / S Line of Section
Vame:	feet from F / W Line of Section
ddress 1:	1 0F0T10N
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State: Zip: +	·
Contact Person:	County:
hone:	
ONTRACTOR: License#	Field Name:
ame:	is the arrelated, epassarrela.
uno.	14.got 1 0
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes \[\]
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? [Yes f Yes, true vertical depth:	weii Tailii Folid Stilei.
ries, true vertical deptil.	
•	DVVR Permit #.
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes
Sottom Hole Location: CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes 1 If Yes, proposed zone:
Sottom Hole Location:	Will Cores be taken? Yes Neft Permit with DWR Service Apply for Permit wit
Sottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N If Yes, proposed zone:
Sottom Hole Location:	Will Cores be taken? Yes Nerrit with DWR Yes Nerri with DWR Yes Nerrit with DWR Yes Nerrit with DWR Yes Ne
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent to drill shall be posted o	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent to drill shall be posted o	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent in the proved shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and its constants.	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and is 5. The appropriate district office will be notified before well is either	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention of the int	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging;
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of the intent in the properties of the intent in the properties of the intent in the properties of the intent intent in the properties of the intent intent intent in the properties of the intent intent intent in the properties of the intent in	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date.
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention o	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. In each drilling rig; The plugged or production casing is cemented in; The plugged o
inche undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and in the surface propriate district office will be notified before well is either in ALTERNATE II COMPLETION, production pipe shall be concerned by the surface casing of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. In each drilling rig; The plugged or production casing is cemented in; The plugged o
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be conformed by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be conformed by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be conformed by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The right of the right o
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and some strength of the spurious filters of the spurious filters are the corresponding to the properties of the spurious filters are the surface casing of the spund date or the well submitted Electronically For KCC Use ONLY	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. The right of t
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the complete of the spund date or the well is a completed within 30 days of the spund date or the well is a completed Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; or mented from below any usable water to surface within 120 DAYS of spud date. From the district office or plugging to the KCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
ccc description of the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the intention of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet the well is dry hole, an agreement between the operator and the surface of the intention of the surface will be notified before well is either the appropriate district office will be notified before well is either the surface of the surface casing of the spud date or the well surface. It is not all the surface of the surface of the surface casing of the spud date or the well surface. It is not all the surface of the surfac	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; interest of the modern below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and its 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well submitted Electronically For KCC Use ONLY	(Note: Apply for Permit with DWR) Will Cores be taken?
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the standard of the prior of the specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and the specified before well is either the specified before the specified before the specified before the specified before the specified befo	(Note: Apply for Permit with DWR) Will Cores be taken? Yes 1 Yes If Yes, proposed zone: Yes 1 Will Cores be taken? Yes 1 Will Cores be taken? Yes 1 Will Yes, proposed zone: Yes 1 Will Yes Yes 1 Will Yes 1 Wes 1 Wes
Bottom Hole Location: CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and in the surface district office will be notified before well is either in the surface district office will be notified before well is either in the surface of the surface casing of the spud date or the well is submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	(Note: Apply for Permit with DWR) Will Cores be taken?

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: _

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
ease:	feet from N / S Line of Section
Nell Number:	feet from E / W Line of Section
Field:	SecTwp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	is section. inequial of inequial
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	PLAT
Show location of the well. Show footage to the	e nearest lease or unit boundary line. Show the predicted locations of
	nes, as required by the Kansas Surface Owner Notice Act (House Bill 2032).
You may	attach a separate plat if desired. 190 ft.
	190 11.
	:
	LEGEND
	O Well Location
	Tank Battery Location
	· · · · · · · · · · · · · · · · · · ·
	: : : Pipeline Location
	Lease Road Location
	· · · ·
	: : :
	EVANDITE :
	EXAMPLE :
7	
	1980' FSL
	: : :
	: SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Pit dimensions (all but working pits):Length (feet)		Width (feet) N/A: Steel Pits	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.	
KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No	



1171316


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	9		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name: When filing a Form T-1 involving multiple surface owners, attach			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			



PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL'

Kansas Corporation Commission, Conservation Division Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202

API NUMBER 15-	Kearny			
OPERATOR LINN Operating, Inc.	LOCATION OF WELL: COUNTY Kearny 190 N feet from south/porth line of section			
LEASE O. V. Martin	130 E feet from south/north line of section feet from east / west line of section			
WELL NUMBER 4 ATU-187				
FIELD Hugoton-Panoma	SECTION $\frac{7}{}$ TWP $\frac{26}{}$ (S) RG $\frac{38W}{}$ E/W			
NUMBER OF ACRES ATTRIBUTABLE TO WELL 640 QTR/QTR/QTR OF ACREAGE NE NE NE NE	IS SECTION X REGULAR OF IRREGULAR IF SECTION IS IRREGULAR, LOCATE WELL FROM NEAREST CORNER BOUNDARY. (check line below) Section corner used: NE NW SE SW			
(Show the location of the well and shade attr	ibutable acreage for prorated or spaced wells).			
	boundary line; and show footage to the nearest			
common source supply well).				
	W .			
	•			
	su attaines map			
	uma a _			
	May			
	•			
	• 1			
	EXAMPLE .			
	1980			
	. 10			
	. . 3390'			
	.			
	• •			
	. . .			
	.			
	seward co.			
The undersigned hereby certifies as Re	equiatory Compliance Advisor (title) for			
LINN Operating, Inc.				
<u> </u>	(Co.), a duly authorized agent, that all			
information shown hereon is true and correct	to the best of my knowledge and belief, that all			
acreage claimed attributable to the well name	med herein is held by production from that well			
and hereby make application for an allowable to be assigned to the well upon the filing of				
this form and the State test, whichever is later.				
Sions	sture Shaw Ptierrey			
Signe	active 2010 to 1000 to			
Subscribed and sworn to before me on this	3rd day of December , 19 2013			
minimum y way totor				
MINDY POTOR				
My Commission expires (12/94) Notary Public, State of Texas (12/94) FORM CG-8 (12/94)				
Marie Contract Contra				

