

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC Use: | |
|-----------------|--|
| Effective Date: | |
| District # | |
| SGA? Yes No | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1171369

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

| | month day | year | Spot Description: |
|--|---|---|--|
| | monun day | year | Sec Twp S. R E |
| DPERATOR: License# | | | feet from N / S Line of Se |
| lame: | | | feet from E / W Line of Se |
| .ddress 1: | | | Is SECTION: Regular Irregular? |
| | | | (Note: Locate well on the Section Plat on reverse side) |
| | State: Zip: _ | | County: |
| Contact Person: | | | Lease Name: Well #: |
| hone: | | | Field Name: |
| ONTRACTOR: License# | | | Is this a Prorated / Spaced Field? |
| ame: | | | Target Formation(s): |
| | | | Nearest Lease or unit boundary line (in footage): |
| Well Drilled For: | Well Class: Ty | pe Equipment: | Ground Surface Elevation:feet |
| Oil Enh R | tec Infield | Mud Rotary | Water well within one-quarter mile: |
| Gas Storag | ^ | Air Rotary | |
| Dispos | | Cable | |
| Seismic ;# o | | | Depth to bottom of tresh water: |
| Other: | | | Depth to bottom of usable water: |
| If OWWO: old well | information as follows: | | Surface Pipe by Alternate: I III |
| | | | Length of Surface Pipe Planned to be set: |
| - | | | Length of Conductor Pipe (if any): |
| | | | Projected Total Depth: |
| Original Completion Da | te: Original Tot | tal Depth: | Formation at Total Depth: |
| inactional Devicted on Ho | simontalallhanaO | □ Voo □ No | Water Source for Drilling Operations: |
| Directional, Deviated or Hor | izontai welibore? | Yes No | Well Farm Pond Other: |
| | | | DWR Permit #: |
| | | | (Note: Apply for Permit with DWR) |
| | | | Will Cores be taken? |
| | | | If Yes, proposed zone: |
| | | AF | FIDAVIT |
| | | | ugging of this well will comply with K.S.A. 55 et. seq. |
| he undersigned hereby a | affirms that the drilling, com | pletion and eventual pl | agging of this well will comply with K.S.A. 33 et. seq. |
| | affirms that the drilling, coming minimum requirements | | agging of this well will comply with N.S.A. 33 et. seq. |
| t is agreed that the follow | ing minimum requirements | will be met: | agging of this well will comply with K.S.A. 35 et. seq. |
| is agreed that the follow | | will be met: udding of well; | |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou | ing minimum requirements ate district office <i>prior</i> to spurved notice of intent to drill sunt of surface pipe as specification. | will be met: udding of well; shall be posted on each | n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set |
| is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso | ing minimum requirements ate district office <i>prior</i> to spowed notice of intent to drill sount of surface pipe as specificated materials plus a mir | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into th | n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. |
| agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hole | ing minimum requirements ate district office <i>prior</i> to spowed notice of intent to drill sunt of surface pipe as specificated materials plus a mire, an agreement between the | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the operator and the dis | n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging ; |
| is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hole The appropriate dis | ing minimum requirements ate district office <i>prior</i> to spot ved notice of intent to drill so unt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either plugg | n drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; |
| agreed that the follows Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hole The appropriate dis If an ALTERNATE II | ing minimum requirements ate district office <i>prior</i> to spot ved notice of intent to drill so unt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be I COMPLETION, production | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente | n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging ; |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry holis 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appe | ing minimum requirements ate district office <i>prior</i> to spot ved notice of intent to drill so unt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order # | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appe | ing minimum requirements ate district office <i>prior</i> to spot ved notice of intent to drill so unt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order # | by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. Trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| agreed that the follows Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hole The appropriate dis If an ALTERNATE II Or pursuant to Apper | ing minimum requirements ate district office <i>prior</i> to spot ved notice of intent to drill so unt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order # | by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. Trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| agreed that the follows Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hole The appropriate dis If an ALTERNATE II Or pursuant to Appropriate dis | ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order # | by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. Trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appromust be completed | ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order # | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appomust be completed | ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order # | In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appromust be completed Ubmitted Electron For KCC Use ONLY | ing minimum requirements ate district office <i>prior</i> to sproved notice of intent to drill such to surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud | will be met: udding of well; shall be posted on eact fied below shall be set nimum of 20 feet into th the operator and the dis efore well is either pluge n pipe shall be cemente surface casing order # date or the well shall be | In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate dis must be completed Ibmitted Electron For KCC Use ONLY API # 15 - | ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spudinically | will be met: udding of well; shall be posted on eact fied below shall be set nimum of 20 feet into th ne operator and the dis efore well is either pluge n pipe shall be cemente surface casing order # date or the well shall be | In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to a completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required — | ing minimum requirements ate district office <i>prior</i> to spowed notice of intent to drill sunt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spudinically | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either plugge n pipe shall be cemente surface casing order # date or the well shall be | In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry holi 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required — | ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spudinically | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either plugge n pipe shall be cemente surface casing order # date or the well shall be | In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate | ing minimum requirements ate district office <i>prior</i> to spowed notice of intent to drill sunt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spudinically | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into th the operator and the dis efore well is either pluga to pipe shall be cemente surface casing order # date or the well shall be the set per ALT. I I II | replace of the completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to Ecompleted UDMITTED ELECTRON For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe req Approved by: | ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a minder, an agreement between the surface will be notified be all COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud inically | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into th the operator and the dis efore well is either pluga to pipe shall be cemente surface casing order # date or the well shall be the set per ALT. I I II | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed UDMITTED Electron For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe req Approved by: This authorization expires | ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a minder, an agreement between the surface will be notified be all COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud inically | will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into th ne operator and the dis efore well is either plugg n pipe shall be cemente surface casing order # date or the well shall be efeet eet per ALT. I I II | replace of the completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two

1171369

| For KCC Use ONLY | |
|------------------|---|
| API # 15 | - |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | Sec Twp S. R |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

3221 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | |
|--|---|---|---|
| Operator Address: | | | |
| Contact Person: | | Phone Number: | |
| Lease Name & Well No.: | | Pit Location (QQQQ): | |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A | Pit is: Proposed If Existing, date con Pit capacity: Trea? Yes | Existing nstructed: (bbls) | SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l |
| Is the bottom below ground level? | Artificial Liner? | No | (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? |
| Pit dimensions (all but working pits): Depth fro | Length (fee | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | ner | | dures for periodic maintenance and determining acluding any special monitoring. |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallo Source of infor | west fresh water feet. nation: |
| feet Depth of water well | feet | measured | well owner electric log KDWR |
| Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to | | Type of materia Number of work Abandonment p Drill pits must b | over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: per closed within 365 days of spud date. |
| · | | | |
| | KCC | OFFICE USE O | NLY Liner Steel Pit RFAC RFAS |
| Date Received: Permit Num | ber: | Permi | t Date: Lease Inspection: Yes No |



1171369

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | |
|--|--|--|
| OPERATOR: License # | Well Location: | |
| Name: | SecTwpS. R East West | |
| Address 1: | County: | |
| Address 2: | Lease Name: Well #: | |
| City: State: Zip:+ | the lease helpw: | |
| Contact Person: | | |
| Phone: () Fax: () | | |
| Email Address: | | |
| Surface Owner Information: | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | |
| Address 2: | county, and in the real estate property tax records of the county treasurer. | |
| City: State: Zip:+ | | |
| the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: \[\] I certify that, pursuant to the Kansas Surface Owner Notice A | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form | |
| | peing filed is a Form C-1 or Form CB-1, the plat(s) required by this | |
| | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form. | |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned. | |
| Submitted Electronically | | |

| For KCC Use ONLY |
|------------------|
| API # 15 |

Operator: JOHN C MEARS

Lease: MEARS LEASE A
Well Number: 107

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

1,869

Location of Well: County: WOODSON

feet from

SEWARD CO. 3390' FEL

| Field: BUFFALO-VILAS | Sec. 34 Twp. 26 S. R. 16 X E W |
|--|---|
| Number of Acres attributable to well: | Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |
| Show location of the well. Show footage to the nearest le lease roads, tank batteries, pipelines and electrical lines, as req | LAT lease or unit boundary line. Show the predicted locations of quired by the Kansas Surface Owner Notice Act (House Bill 2032). leparate plat if desired. |
| | LEGEND |
| | O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location |
| 34/7 | 1869/H EXAMPLE |
| | |
| | 980' F |

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease made tank hatteries pinelines and electrical lines

NOTE: In all cases locate the spot of the proposed drilling locaton.