Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

### **KANSAS CORPORATION COMMISSION**

**OIL & GAS CONSERVATION DIVISION** 

1171863

March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

Form CP-4

#### WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ( )	NE NW SE SW
Type of Well: (Check one)  Oil Well  Gas Well  OG  D&A  Cathodic    Water Supply Well  Other:  SWD Permit #:  SWD Permit #:  SWD Permit #:    ENHR Permit #:  Gas Storage Permit #:  Gas Storage Permit #:  No    Is ACO-1 filed?  Yes  No  If not, is well log attached?  Yes  No    Producing Formation(s): List All (If needed attach another sheet)	County: Well #: Lease Name: Well #: Date Well Completed: The plugging proposal was approved on: (Date) by: (KCC District Agent's Name) Plugging Commenced: Plugging Completed:

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)				
Formation	Content	Casing	Pulled Out			

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #:		Name:	
Address 1:		Address 2:	
City:		State:	Zip: +
Phone: ( )			
Name of Party Responsible for Plugging	g Fees:		
State of	County,	, SS.	
	(Print Name)		or or Operator on above-described well
haing first duly sugars an eath source. The	at I have knowledge of the feater	totomonto, and mottors harain contained, and the la	a of the choice described well is so filed on

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

#### Submitted Electronically

## QUALITY WELL SERVICE, INC. Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Heath's Cell 620-727-3410 Office / Fax 620-672-3663

SPORT A MARK

**Rich's Cell 620-727-3409** Brady's Cell 620-727-6964

A STATE OF A

01313	Sec.	Twp.	Range		County	State	On Location	Finish	
Date 312P	112	61	L	10	RO	KS	9:30 A.M	100014	
Lease Ellis Well No. 5-75 Location						lip Ks W	+2 127 6	d	
Contractor Duke Duke Duke Pl				Owner	145 V4 E	SINTS			
Type Job 85/8 Sun FAG			You are here	ell Service, Inc.	cementing equipmen	t and furnish			
Hole Size 1214		T.D.	649		cementer an	d helper to assist own	ner or contractor to de	o work as listed.	
<u>Csg. 85/8 2</u>	34	Depth	698.93	3	Charge To	lincent O.	Corp.		
Tbg. Size	_	Depth			Street				
Tool	_	Depth	10		City State				
Cement Left in Csg.		Shoe Jo	pint 47.15		The above wa	s done to satisfaction an	d supervision of owner	agent or contractor.	
Meas Line		Displace	• <u>33.9</u>	551	Cement Amo	ount Ordered	mac 3% (C	A"CT.	
	EQUIPM	IENT			1255 (	Ommon 210 60	L 3% ( 1/4	G.	
Pumptrk No.	g		Mike		Common	125			
Bulktrk No.	-+		CHAO		Poz Mix	15			
Bulktrk No.	9		TOOL	1	Gel.	5	-		
Pickup No.				_	Calcium	G			
JOB SE	RVICES	& REMA	RKS		Hulls				
Rat Hole					Salt				
Mouse Hole					Flowseal (00				
Centralizers					Kol-Seal				
Baskets					Mud CLR 48				
D/V or Port Collar					CFL-117 or CD110 CAF 38				
Run 15 215	85	18 2	31 (35		Sand				
SEF 64B					Handling	754			
					Mileage	50			
Hogk pto cog	1 62	Eale	CIZC		351		ENT		
w/ Rig '					Guide Shoe				
					Gentralizer	ITA BOFFI	E Plate		
Mix rome	11	54	mac		Baalests	ITA WOOD	5 Plus		
3%066 19	CF.				AFU Inserts		5		
Mix & Pome	12:	551 1	smoney		Float Shoe				
21, GEL 34. CL 1/4" CF.				Latch Down					
SHUT DOWN									
RELEASE PLUD					LNV	50			
U.Sp 38,9 B56 tutal				Pumptrk Cha	irge Surface				
500" Close in VALJE				Mileage 🗧	50				
and Cize	the	JOS	\$		al		Tax		
CILC CAT. TO P.T.				Y EK	2.55	Discount			
X Signature Mithe Hadken					, C	VIAIN	Total Charge		
-f	5.1	Gth	No MALLE	CIM	Y-	- df.		Taylor Printing, Inc.	

# QUALITY WELL SERVICE, INC. Federal Tax I.D. # 481187368

### Home Office 324 Simpson St., Pratt, KS 67124

Heath's Cell 620-727-3410 Office / Fax 620-672-3663

A MARE AN A MARE A MARE AN ANALY AN ANALY AN ANALY

### **Rich's Cell 620-727-3409** Brady's Cell 620-727-6964

5865

A when a second se

Sec.	Twp.	Range		County	State	On Location	Finish	
Date 8-22-13 15	29	22	Fc	srd	<i>K.S.</i>	12:00,000	2:30 pm	
Lease Ellis Well No. 3-15 Location					n Buckling Burget Vy 5 1/4 W South			
Contractor Duke				Owner VI				
Type Job PTA			To Quality We You are here	ell Service, Inc. by requested to rent	cementina equipmen	t and furnish		
Hole Size 7%	T.D.	5324		cementer an	d helper to assist own	ner or contractor to d	o work as listed.	
Csg. 8 1/2	Depth	646'		Charge To Uin	CENT			
Tbg. Size	Depth			Street				
Tool	Depth			City State				
Cement Left in Csg.	Shoe Jo	pint		The above wa	as done to satisfaction ar	nd supervision of owner	agent or contractor.	
Meas Line	Displac	e		1.1	ount Ordered 172	2 5K5 60/0	40 490	
	IENT			14 C.F				
Pumptrk 6 No.				Common	05			
Bulktrk 5 No. Geor	_			Poz. Mix	65			
Bulktrk No.				Gel.	2			
Pickup No.				Całcium				
JOB SERVICES	& REMA	RKS		Hulls				
Rat Hole 30 sx	7.5			Salt				
Mouse Hole 20 SV				Flowseal 4.2.5				
Centralizers				Kol-Seal				
Baskets				Mud CLR 48				
D/V or Port Collar	/			CFL-117 or CD110 CAF 38				
1st plug 1500	5	0 5ts 60	14049	Sand				
		(		Handling 176				
202 690'	5	o sts lat	1/40 42	Mileage 50				
				FLOAT EQUIPMENT				
3ml 60	20	o 5×560	1404					
				Centralizer				
Hat 30 SKS			Baskets					
		3		AFU Inserts				
Mouce 20 Ste	* 1			Float Shoe				
			Latch Down	/				
			85	18 Dry hale	Plug			
				0				
				Pumptrk Charge PTA				
				Mileage 50				
		d 8				Tax		
× mil + AA				_		Discount		
X Signature Mile Hackey						Total Charge	Taylor Printing Inc.	