# 

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:   |
|------------|--------|
| Effective  | Date:  |
| District # |        |
| SGA?       | Yes No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

| month day year   | Spot Description:  |
|--|--|
|  | Sec Twp S. R L E L V   |
| PPERATOR: License#   | feet from N / S Line of Section  |
| ame:   | feet from E / W Line of Section  |
| ddress 1:  | Is SECTION: Regular Irregular?   |
| ddress 2:  | (Note: Locate well on the Section Plat on reverse side)  |
| ty: State: Zip: +  | County:  |
| ontact Person:   | Lease Name: Well #:  |
| hone:  | Field Name:  |
| CONTRACTOR: License#   | Is this a Prorated / Spaced Field?   |
| ame:   | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage):  |
| Oil Enh Rec Infield Mud Rotary   | Ground Surface Elevation:feet MS   |
| Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:  |
| Disposal Wildcat Cable   | Public water supply well within one mile:  |
| Seismic;# of Holes Other   | Depth to bottom of fresh water:  |
| Other:   | Depth to bottom of usable water:   |
|  | Surface Pipe by Alternate: I III   |
| If OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set:  |
| Operator:  | Length of Conductor Pipe (if any):   |
| Well Name:   | Projected Total Depth:   |
| Original Completion Date: Original Total Depth:  | Formation at Total Depth:  |
|  | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore?  | Well Farm Pond Other:  |
| f Yes, true vertical depth:  | DVVR Permit #  |
| Bottom Hole Location:  | (11010111ppi) 10. 1 0111111 11111  |
| (CC DKT #:   | Will Cores be taken? Yes N   |
|  | If Yes, proposed zone:   |
| ΔΕ   | FIDAVIT  |
| he undersigned hereby affirms that the drilling, completion and eventual pl  |  |
| t is agreed that the following minimum requirements will be met:   | 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4  |
| Notify the appropriate district office <i>prior</i> to spudding of well;   |  |
|  | h drilling rig:  |
| 2 A copy of the approved notice of intent to drill <b>shall be</b> posted on each  |  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set</li> </ol>   |  |
|  | by circulating cement to the top; in all cases surface pipe shall be set   |
| <ul><li>3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li><li>4. If the well is dry hole, an agreement between the operator and the dis</li></ul>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ;  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugger</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;   |
| <ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>  | by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.   |
| <ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.</li> <li>If the well is dry hole, an agreement between the operator and the disentation of the set.</li> <li>The appropriate district office will be notified before well is either pluge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;   |
| <ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.</li> <li>If the well is dry hole, an agreement between the operator and the disentation of the set.</li> <li>The appropriate district office will be notified before well is either pluge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either pluge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>   | by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either pluge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>   | the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.   |
| <ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either pluge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>   | the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.   |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  | the conclusting cement to the top; in all cases surface pipe shall be set be underlying formation.  It is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification   |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15  | the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.   |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15   | the circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It in the control of the control of the circulation of the circu |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through the set of th  | the circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is different to the top; in all cases surface pipe shall be set the underlying formation.  It is different to plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through the set of th  | the circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;  |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15  | Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Cartify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is necessary prior to workover or re-entry;  Strict office on plug length and placement is necessary prior to plugging;  Remember to:  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);   |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disest. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be completed.  **Description**  ** | Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  |

Agent:

Spud date: \_

| For KCC Use ONLY |   |
|------------------|---|
| API # 15         | _ |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R 🗌 E 🔲 W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 2805 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1172613

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                        |   | License Number:  |
|---|------------------------|---|--|
| Operator Address:   |                        |   |  |
| Contact Person:   |                        |   | Phone Number:  |
| Lease Name & Well No.:  |                        |   | Pit Location (QQQQ):   |
| Type of Pit:  | Pit is:                |   |  |
| Emergency Pit Burn Pit  | Proposed Existing      |   | SecTwp R   |
| Settling Pit Drilling Pit If Existing, date constru   |                        | nstructed:  | Feet from North / South Line of Section  |
| Workover Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)                                      | Pit capacity:          |   | Feet from East / West Line of Section  |
|   |                        | (bbls)  | County   |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes               | No  | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)       |
| Is the bottom below ground level?   | Artificial Liner?      |   | How is the pit lined if a plastic liner is not used?                           |
| Yes No  | Yes N                  | No  |  |
| Pit dimensions (all but working pits):  | Length (fe             | et)   | Width (feet)N/A: Steel Pits  |
|   | om ground level to dee |   |  |
| If the pit is lined give a brief description of the li<br>material, thickness and installation procedure. | ner                    |   | dures for periodic maintenance and determining cluding any special monitoring. |
|   |                        |   |  |
|   |                        |   |  |
|   |                        |   |  |
| Distance to nearest water well within one-mile of pit:  |                        | Depth to shallo<br>Source of infor                      | west fresh water feet. nation:   |
| feet Depth of water wellfeet  |                        | measured  | well owner electric log KDWR   |
| Emergency, Settling and Burn Pits ONLY:   |                        | Drilling, Work  | over and Haul-Off Pits ONLY:   |
| Producing Formation:  |                        | Type of materia   | l utilized in drilling/workover:   |
| Number of producing wells on lease:   |                        | Number of working pits to be utilized:                  |  |
| Barrels of fluid produced daily:  |                        | Abandonment   | procedure:   |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No                |                        | Drill pits must be closed within 365 days of spud date. |  |
|   |                        |   |  |
| Submitted Electronically  |                        |   |  |
|   |                        |   |  |
|   |                        |   |  |
|   | ксс                    | OFFICE USE O  | NLY Liner Steel Pit RFAC RFAS  |
| Date Received: Permit Num   | her·                   | Permi   | t Date: Lease Inspection: Yes No   |

CORRECTION #1 1172613


KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

# **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C   | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |
|---|--|
| OPERATOR: License #   | Well Location:   |
| Name:   | SecTwpS. R 🔲 East 🗌 West   |
| Address 1:  | County:  |
| Address 2:  | Lease Name: Well #:  |
| City:   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of   |
| Contact Person:   | the lease below:   |
| Phone: ( ) Fax: ( )   |  |
| Email Address:  |  |
| Surface Owner Information:  |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional   |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the  |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.   |
| City:   |  |
| the KCC with a plat showing the predicted locations of lease roads, tank  | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |
| Select one of the following:  |  |
| owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the<br>ner(s). To mitigate the additional cost of the KCC performing this   |
| task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-  | fee with this form. If the fee is not received with this form, the KSONA-1   |
| Submitted Electronically  |  |



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

December 13, 2013

Brad Leach Utah Oil LLC 2394 UTAH RD RANTOUL, KS 66079

Re: Drilling Pit Application API 15-059-26493-00-00 Larry Spratt KO-5 NW/4 Sec.29-17S-21E Franklin County, Kansas

### Dear Brad Leach:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

# **Summary of Changes**

Lease Name and Number: Larry Spratt KO-5

API/Permit #: 15-059-26493-00-00

Doc ID: 1172613

Correction Number: 1

Approved By: Rick Hestermann 12/13/2013

| Field Name  | Previous Value   | New Value  |
|---|--|--|
| ElevationPDF  | 978 Estimated  | 908 Estimated  |
| Feet to Nearest Water<br>Well Within One-Mile of<br>Pit | 5184   | 4026   |
| Ground Surface<br>Elevation                             | 978  | 908  |
| KCC Only - Approved<br>By                               | Rick Hestermann<br>08/09/2013  | Rick Hestermann<br>12/13/2013  |
| KCC Only - Approved Date                                | 08/09/2013   | 12/13/2013   |
| KCC Only - Date<br>Received                             | 08/07/2013   | 12/12/2013   |
| KCC Only - Regular<br>Section Quarter Calls             | NW NW SW NW  | SW SE SE NW  |
| LocationInfoLink  | https://solar.kgs.ku.edu/<br>kcc/detail/locationInform<br>ation.cfm?section=29&t | https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=29&t |
| Number of Feet East or<br>West From Section Line        | 5125   | 3135   |
| Number of Feet East or West From Section Line           | 5125   | 3135   |

# Summary of changes for correction 1 continued

| Field Name                                      | Previous Value  | New Value   |
|---|---|---|
| Number of Feet North or South From Section Line | 3810  | 2805  |
| Number of Feet North or South From Section Line | 3810  | 2805  |
| Quarter Call 2                                  | SW  | SE  |
| Quarter Call 2                                  | SW  | SE  |
| Quarter Call 3                                  | NW  | SE  |
| Quarter Call 3                                  | NW  | SE  |
| Quarter Call 4 -<br>Smallest                    | NW  | SW  |
| Quarter Call 4 -<br>Smallest                    | NW  | SW  |
| Save Link                                       | //kcc/detail/operatorE<br>ditDetail.cfm?docID=11<br>54550 | //kcc/detail/operatorE<br>ditDetail.cfm?docID=11<br>72613 |

# **Summary of Attachments**

Lease Name and Number: Larry Spratt KO-5

API: 15-059-26493-00-00

Doc ID: 1172613

Correction Number: 1

Approved By: Rick Hestermann 12/13/2013

**Attachment Name** 

Fluid