

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:		
Effective Date: _		
District #		
SGA? Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1172658

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
,	SecTwpS. R
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ty:	County:
ontact Person:hone:	Lease Name: Well #:
none.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
Ovvvvo. old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	
Bottom Hole Location:	DWK Permit #.
KCC DKT #:	(Note: Apply for Fernit With DVIV.
	Will Cores be taken? Yes No
	ii res, proposed zone
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventua	I plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on e	each drilling rig;
2. A copy of the approved hotice of intent to drill shall be posted on the	
3. The minimum amount of surface pipe as specified below shall be	set by circulating cement to the top; in all cases surface pipe shall be set
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 	the underlying formation.
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into4. If the well is dry hole, an agreement between the operator and the	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>
 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be ceme 	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the structure of the well is dry hole, an agreement between the operator and the three thr	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing Il be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface	the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the the street of the well is district office will be notified before well is either point of the street of the street of the street of the street of the well shall be completed within 30 days of the spud date or the well shall be completed by the street of the stree	the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the the street of the well is district office will be notified before well is either point of the street of the well shall be completed within 30 days of the spud date or the well shall be completed before the well shall be completed before the street of the street o	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed Electronically For KCC Use ONLY API # 15	content underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the the street of the well is district office will be notified before well is either point of the specific of the well shall be completed within 30 days of the spud date or the well shall be completed before well is either point of the specific	content of the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Description** **Des	content of the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the the street of the well is either personal to the specified before well is either	content of the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lugged or production casing is cemented in; lented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be	content to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

_ Agent: _

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:						_ Lo	cation of W	Vell: County: _		
Lease: Well Number: _								·		
Field:						Se	C	Twp	S.	R
Number of Acr						13 '	Section:	Regular o	r 🗌 Ir	regular
										from nearest corner boundary.
lea				d electrical	the neares lines, as i	required b		sas Surface Ow	,	dicted locations of ice Act (House Bill 2032).
	:	: :	:	:		:	:			
			:				. 0	_ 165 ft.		LEGEND
		 								Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location

NOTE: In all cases locate the spot of the proposed drilling locaton.

6

4785 ft.

EXAMPLE

SEWARD CO. 3390' FEL

1980' FSL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		SecTwp R		
Settling Pit Drilling Pit			Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity:			Feet from East / West Line of Section		
	(bbls)		County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	No			
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)N/A: Steel Pits		
	om ground level to dee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
Cashintoa Libertomouny					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	her·	Permi	t Date: Lease Inspection: Yes No		



1172658

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R 🗌 East 🗌 West				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.				
Address 1:					
Address 2:					
City:					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this				
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1				
Submitted Electronically					

For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Kansas Resource Exploration & Development, LLC Lease: Harbison	Location of Well: County: Miami		
	4,785 feet from N / X S Line of Section		
Well Number: KR-16			
Field: Paola/Rantoul	Sec. 6 Twp. 17 S. R. 22 X E W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.