

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1172676

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monur day year	
PERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	
State:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable  Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
- · · g······ - · · · · · · · · · · · ·	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR )
CCC DKT #:	
CCC DKT #:	
	Will Cores be taken? Yes N If Yes, proposed zone:
AF	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual p	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes N If Yes, proposed zone:
AF  The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified strict office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the surface propriate district office will be notified before well is either plug to the surface propriate district office will be notified before well is either plug to the surface propriate district office will be notified before well is either plug to the surface propriate district office will be notified before well is either plug to the surface propriate district office will be notified before well is either plug to the surface propriate district office will be notified before well is either plug to the surface propriate district office will be notified before well is either plug to the surface propriate district office will be notified before well is either plug to the surface propriate district office will be notified before well is either plug to the surface propriate district office will be notified before well as the surface propriate district office will be notified before well as the surface propriate district office will be notified before well as the surface propriate district office will be notified before well as the surface propriate district office will be notified before well as the surface propriate district office will be notified before well as the surface propriate district office will be notified before well as the surface propriate district office will be notified before well as the surface pro	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ith drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this control of the set of the set of the placement is necessary prior to place place in the placement is necessary prior to place place in the place place in the set of the placement is necessary prior to place place in the place place place in the place plac
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation.  In this content is necessary prior to plugging; leged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ith drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this control of the set of the set of the placement is necessary prior to place place in the placement is necessary prior to place place in the place place in the set of the placement is necessary prior to place place in the place place place in the place plac
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into tl 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation.  In this content is necessary prior to plugging; leged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation.  In this content is necessary prior to plugging; leged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual provise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the set into t	If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  If yes proposed zone:  If Yes, prop
The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed.  **Dubmitted Electronically**  **For KCC Use ONLY**	If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  If yes proposed zone:  If yes, proposed zone:  It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  If 33,891-C, which applies to the KCC District 3 area, alternate II cementing lie plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the search	If Yes, proposed zone:  If Yes
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	If Yes, proposed zone:  If Yes
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into	If Yes, proposed zone:  If Yes
The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order from must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	If Yes, proposed zone:  If Yes, proposed zone:  If Yes, proposed zone:  If Yes, proposed zone:  If Indiana Ind
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set into the set of the set into the s	If Yes, proposed zone:  If Yes
The undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved in the search of the approved in the search of the search	If Yes, proposed zone:  If Yes
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	If Yes, proposed zone:  If yes
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all the strongh all the strongh and the stro	Will Cores be taken?  If Yes, proposed zone:  SFIDAVIT  Itugging of this well will comply with K.S.A. 55 et. seq.  Sch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  1133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.

Side Two



For KCC Use ONLY	
API # 15	-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Lease:   feet from   N /   S Line of Section   Feet from   N /   S /   S /   S /   S /   S /   S /   S /   S /   S /   S /   S /   S /		a sassa, p.sa	oo laay oo ah pioto aab		· unough o at the solution of the page.
Well Number:	Operator:			Location of \	Nell: County:
Field:	Lease:				feet from N / S Line of Section
Number of Acres attributable to well:	Well Number:				feet from E / W Line of Section
## Section is Irregular, locate well from nearest corner boundary.    Section corner used: NE NW SE SW	Field:			Sec	Twp S. R
## Section is Irregular, locate well from nearest corner boundary.    Section corner used:   NE   NW   SE   SW      PLAT   Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.    LEGEND   O Well Location   Tank Battery Location   Pipeline Location   Pipeline Location   Lease Road Location     Lease Road Location   EXAMPLE   EXAMPLE				is section.	Regular or Irregular
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.  LEGEND  Well Location  Tank Battery Location  Pipeline Location				If Section is	
O Well Location  Tank Battery Location  — Pipeline Location  — Electric Line Location  — Lease Road Location			pipelines and electrical lin	nearest lease or unit bour les, as required by the Kan	sas Surface Owner Notice Act (House Bill 2032).
O Well Location  Tank Battery Location  — Pipeline Location  — Electric Line Location  — Lease Road Location		: :	: :	: :	7
O Well Location  Tank Battery Location  — Pipeline Location  — Electric Line Location  — Lease Road Location					LEGEND
EXAMPLE					. O Well Location Tank Battery Location Pipeline Location
35 EXAMPLE					
					EXAMPLE :
1980' FSL					

NOTE: In all cases locate the spot of the proposed drilling locaton.

250 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date continue prit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.
		Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Producing Formation:		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Drill pits must be closed within 365 days of spud date.	
	KCC	OFFICE USE O	NLY
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No



1172676

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

### CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			

TOPOGRAPHIC LAND SURVEYORS
6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 \* LOCAL. (405) 843-4847 \* OUT OF STATE (800) 654-3219

Certificate of Authorization No. LS-99, Exp. Dec. 31, 2013

HARPER \_\_\_\_\_\_\_ County. Kansas County, Kansas D 34S Range Section 35 250'FSL-1020'FEL \_8W\_P.M. \_\_ Township IRON ROD X= 2103189 Y= 140035 I.R. W/CAP X= 2097794 Y= 140021 330' HARDLINE IRON ROD X= 210049 Y= 140028 HARDLINE HARDLINE GRID NAD-27 Insas South US Feet 330 I.R. W/CAP X= 2103254 Y= 137406 Note: 3.280833 Ft.=1 Meter Scale: 1"= 1000' I.R. W/CAP X= 2097915 Y= 137382 Best Accessibility to Distance & Directifrom Hwy Jct or Good Copography & Vegetation Drill 0 & Direction Jct or Town\_ Site? 2381 20' WEST TO THE PROPOSED FOSTER 3508 2-2H FOSTER 6 170' WEST TO THE PROPOSED BLUE SWD 3508 1-2H 3508 From 1020' 1624 I.R. W/CAP X= 2100678 Y= 134760 corner Loc. Township Lin Waldron, fell T355-R8W Lot 3 Lot 2 3. Lot 1 Section Boundary of Osage Land κs. PRODUCTION, IRON ROD X= 2098036 Y= 134743 /RON ROD X= 2103320 Y= 134777 sloped terraced 90 Reference S Stakes Set Lot 5 Lot 7 Lot 8 35-T34S-R8W Lot 6 North ±2.0 mi. county Stakes or wheat road field ±174' Well then S/2-NW/4 S/2-NE/4 Alternate Location No .: ±2.0 1-2H North ₫. 2 HARDLINE East 330 6 SWD pipelir 330, LEVATION: 1288' Gr. at the Bottom Hole 330 FSL-660 FEL NAD-27 (US Feet) 37 01 '21.5" N 98 08 '53.8" W 37.022636887 N 98.148282648" W X= 2102690 Y= 129810 2316' Stake IRON ROD X= 2098056 Y= 129440 1987 A boundary survey of the said section(s) shown hereon was <u>not</u> performed per the request of the operator shown hereon. 330' HARDLINE 330' 660 Bottom Hole information provided by operator listed, NOT Surveyed; Corner Coordinates are taken from points surveyed in the field. Nov. 26, 2013 DATUM: NAD-27
LAT: 37\*02'13.0"N
LONG: 98'08'58.5"W Invoice # 211993 Date Staked: Nov. 25, 2013 SM TCENSE LONG: 98'08'58.5"W **CERTIFICATE:** LAT: 37.036950424'N LONG: 98.149574478'W I, <u>T. Wayne Fisch</u> a Kansas Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify that the above described well location was surveyed and staked on the ground T. Wayne Fisch S-1213 STATE PLANE COORDINATES: (US Feet)
ZONE: KS SOUTH 41-27-2013 ANS NO as shown herein. 2102293 SURVEY

28	27	26	25 ANNELSON	
20	21	20	25 † DANELSON	25-34-8 1
33	34	35 34S 8W  **MUSHES B-1  **X 5502	36	31
4J RANC	MACY 2-34 SWD H 3408 4-33HJERNIFER 1-34H JENNIFER 3408 3-34HJENNIFER 3408 2-34HJENNI - Q MACY 1-34 SWD - 4	FOSTER 3508 \$TARKS 3408 4-34HSTARKS 1-35H  STARKS 3408 4-35H  STARKS 3408 2-35H  STARKS 3408 2-35H	-2H R0813-35H 661-355	-34 8 SWD 1 877
4	3	2	1	6
	BRYANT 3508 3-10H BRYANT 3508 1-10H BRYANT 3508 4-10H BRYAN	35S 8W	15-259 7-774 <sub>00</sub>	
9	10	11	BRAD 3508 2-12H BRAD 3508 3-12H BRAD 3-12	08 I-12H 7
☐ GAS WELL	XO YARIS IS OLOCATION EMPORRARLY ABANDONED	LIT-TRUST-3508 6-14HLIT-TRUST-3508 5-1	BRAD 1-12H	
→ OIL WELL		14	13	18

## Foster 3508 1-2H Harper County

Unit Description:

All of 2-35S-8W


Surface Owner:

SandRidge Exploration and Production, LLC

123 Robert S Kerr Ave

Oklahoma City, OK 73102

# Proposed Pad Layout



Proposed Electric Line

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

December 18, 2013

Chelsey Green SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Foster 3508 1-2H SE/4 Sec.35-34S-08W Harper County, Kansas

#### Dear Chelsey Green:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.