For KCC Use:

| Eff        | e | ct | iv | е | Date: |
|------------|---|----|----|---|-------|
| <b>—</b> · |   |    |    |   |       |

| District | # |  |
|----------|---|--|
| DISTINCT | Ħ |  |

Yes No SGA?

## KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

March 2010 Form must be Typed Form must be Signed

All blanks must be Filled

Form C-1

1173344

| NOTI | CE | OF | INT | ENT | ТО | DRIL |
|------|----|----|-----|-----|----|------|
|      |    |    |     |     |    |      |

Must be approved by KCC five (5) days prior to commencing well

| Form KSONA-1, Certification of Com | pliance with | the Kansas | Surface Owner | Notification Act, MUST | be submitted with this form |
|------------------------------------|--------------|------------|---------------|------------------------|-----------------------------|

| Expected Spud Date:                             | Spot Description:                                       |
|---|---|
| month day year                                  | · · · · · · · · · · · · · · · · · · ·                   |
| OPERATOR: License#                              | feet from N / S Line of Section                         |
| Name:   | feet from L E / W Line of Section                       |
| Address 1:                                      | Is SECTION: Regular Irregular?                          |
| Address 2:                                      | (Note: Locate well on the Section Plat on reverse side) |
| City: State: Zip: +                             | County:   |
| Contact Person:                                 | Lease Name: Well #:                                     |
| Phone:  | Field Name:   |
| CONTRACTOR: License#                            |   |
| Name:   |   |
| Humo  | Target Formation(s):                                    |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary line (in footage):       |
| Oil Enh Rec Infield Mud Rotary                  | Ground Surface Elevation:feet MSL                       |
| Gas Storage Pool Ext. Air Rotary                | Water well within one-quarter mile:                     |
| Disposal Wildcat Cable                          | Public water supply well within one mile:               |
| Seismic ; # of Holes Other                      | Depth to bottom of fresh water:                         |
| Other:  | Depth to bottom of usable water:                        |
|   | Surface Pipe by Alternate:                              |
| If OWWO: old well information as follows:       | Length of Surface Pipe Planned to be set:               |
| Operator:                                       | Length of Conductor Pipe (if any):                      |
| Well Name:                                      | Projected Total Depth:                                  |
| Original Completion Date: Original Total Depth: | Formation at Total Depth:                               |
|   | Water Source for Drilling Operations:                   |
| Directional, Deviated or Horizontal wellbore?   | Well Farm Pond Other:                                   |
| If Yes, true vertical depth:                    | DWR Permit #:   |
| Bottom Hole Location:                           | ( <b>Note:</b> Apply for Permit with DWR )              |
| KCC DKT #:                                      | Will Cores be taken?                                    |
|   | If Yes, proposed zone:                                  |

### **AFFIDAVIT**

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

| Submitted Electroni | cally | , |
|---------------------|-------|---|
|---------------------|-------|---|

| For KCC Use ONLY              |               |
|-------------------------------|---------------|
| API # 15                      |               |
| Conductor pipe required       | feet          |
| Minimum surface pipe required | feet per ALT. |
| Approved by:                  |               |
| This authorization expires:   |               |
| Spud date: Agent:             |               |

#### Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
  - Well will not be drilled or Permit Expired Date: \_ Signature of Operator or Agent:

| ш | 1      |
|---|--------|
|   | ]      |
| ≶ |        |
|   | ∏<br>₹ |



For KCC Use ONLY

API # 15 - .


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section                                    |
| Well Number:                          | feet from E / W Line of Section                                    |
| Field:                                | Sec Twp S. R E 📃 W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular                                   |
|                                       | If Section is Irregular, locate well from nearest corner boundary. |
|                                       | Section corner used: NE NW SE SW                                   |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 780 ft. In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1173344

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

|  |                      | Operator Name:  |   |      |  |
|--|----------------------|---|---|------|--|
| Operator Address:  |                      |   | I   |      |  |
| Contact Person:  |                      |   | Phone Number:   |      |  |
| Lease Name & Well No.:   |                      |   | Pit Location (QQQQ):  |      |  |
| Type of Pit: Pit is:   |                      |   | - · · · · · · · · · · · · · · · · · · ·   |      |  |
| Emergency Pit Burn Pit   | Proposed             | Existing  | SecTwpR East 🗍 Wes  | t    |  |
| Settling Pit Drilling Pit  | If Existing, date co | nstructed:  | Feet from North / South Line of Sec   | tion |  |
| Workover Pit Haul-Off Pit  |                      |   | Feet from East / West Line of Section   |      |  |
| (If WP Supply API No. or Year Drilled)   | Pit capacity:        | (bbls)  | County  |      |  |
| Is the pit located in a Sensitive Ground Water A   | Area? Yes            | No  |   | ng/l |  |
|  |                      |   | (For Emergency Pits and Settling Pits only)   | 19/1 |  |
| Is the bottom below ground level?  | Artificial Liner?    | No  | How is the pit lined if a plastic liner is not used?  |      |  |
|  |                      |   |   |      |  |
|  | Length (fe           |   |   |      |  |
| material, thickness and installation procedure.       liner integrity, including any special monitoring.         Distance to nearest water well within one-mile of pit:       Depth to shallowest fresh water feet.  |                      |   |   |      |  |
| Distance to nearest water well within one-mile   | of pit:              | Depth to shallo<br>Source of infor  |   |      |  |
| Distance to nearest water well within one-mile of mater wellfeetffeet  ffeet  fffeet  fffeet  ffeet  ffeet  ffeet  ffeet  fffeet  ffeet |                      |   |   |      |  |
|  |                      | Source of inform  | mation:   |      |  |
| feet Depth of water well   | feet                 | Source of inform  | mation:   |      |  |
| feet Depth of water well<br>Emergency, Settling and Burn Pits ONLY:<br>Producing Formation:<br>Number of producing wells on lease:   | feet                 | Source of inform<br>measured<br>Drilling, Worko<br>Type of materia  | mation:       well owner     electric log     KDWR       over and Haul-Off Pits ONLY:   |      |  |
| feet Depth of water well<br>Emergency, Settling and Burn Pits ONLY:<br>Producing Formation:<br>Number of producing wells on lease:<br>Barrels of fluid produced daily:   | feet                 | Source of inform<br>measured<br>Drilling, Worko<br>Type of materia<br>Number of wor                                     | mation:          well owner       electric log       KDWR         over and Haul-Off Pits ONLY:         al utilized in drilling/workover:  |      |  |
| feet Depth of water well<br>Emergency, Settling and Burn Pits ONLY:<br>Producing Formation:<br>Number of producing wells on lease:   | feet                 | Source of inform<br>measured<br>Drilling, Worko<br>Type of materia<br>Number of wor<br>Abandonment                      | mation:          well owner       electric log       KDWR         over and Haul-Off Pits ONLY:         al utilized in drilling/workover:         king pits to be utilized:                    |      |  |
| feet Depth of water well<br>Emergency, Settling and Burn Pits ONLY:<br>Producing Formation:<br>Number of producing wells on lease:<br>Barrels of fluid produced daily:<br>Does the slope from the tank battery allow all s   | feet                 | Source of inform<br>measured<br>Drilling, Worko<br>Type of materia<br>Number of wor<br>Abandonment<br>Drill pits must b | mation:          well owner       electric log       KDWR         over and Haul-Off Pits ONLY:         al utilized in drilling/workover:         king pits to be utilized:         procedure: |      |  |
| feet Depth of water well<br>Emergency, Settling and Burn Pits ONLY:<br>Producing Formation:<br>Number of producing wells on lease:<br>Barrels of fluid produced daily:<br>Does the slope from the tank battery allow all s<br>flow into the pit? Yes No  | spilled fluids to    | Source of inform<br>measured<br>Drilling, Worko<br>Type of materia<br>Number of wor<br>Abandonment<br>Drill pits must b | mation:   well owner electric log   KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: king pits to be utilized: procedure: procedure: procedure:                            |      |  |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

| OIL & GAS CONSE<br>CERTIFICATION OF CO   | ATION COMMISSION 1173344<br>ERVATION DIVISION TO THE Source WITH |
|--|--|
| T-1 (Request for Change of Operator Transfer of Injection of                                 | Intent to Drill); CB-1 (Cathodic Protection Borehole Intent);<br>or Surface Pit Permit); and CP-1 (Well Plugging Application).<br>mpanying Form KSONA-1 will be returned.<br>Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)   |
| OPERATOR:       License #  | Well Location:S. R East West County: Lease Name: Well #: If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:   |
| Surface Owner Information:         Name:         Address 1:         Address 2:         City: | When filing a Form T-1 involving multiple surface owners, attach an additional<br>sheet listing all of the information to the left for each surface owner. Surface<br>owner information can be found in the records of the register of deeds for the<br>county, and in the real estate property tax records of the county treasurer.   |

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

#### Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- □ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.


## Submitted Electronically

[

Т

#### 01/14/2014 10:21 FAX 6207922873

CENTRAL KS SURVEYING



TION BY IGNA CONVINING BUILDERSS. Maximum Section lines were depended Wing the normal standard of core of cliffeid surveyors maining in the state of foreas. The section corners, which state list the precise section lines. I not negative list for the section configuration of the section in the section is percenteed. Therefore, the aperator security this service and ocception in the section cill the relative the section of the central foreign of the section of the section of the section indexe hormores. The aperator security this service and ocception is for and all other the relative the section of the section indexes hormores. The off central conset of and section of section of the section of the section of the section indexes hormores. The off central section of section of section of section of the section of the section of the indexes hormore to an off central section of section of section of the section of the

January 13, 2014

Date:

2002