

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	,
OPERATOR: License#	(Q/Q/Q/Q) foot from N / S Line of Section
Vame:	feet from F / W Line of Section
ddress 1:	1 0F0T10N
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State: Zip: +	·
Contact Person:	County:
hone:	
ONTRACTOR: License#	Field Name:
ame:	is the arrelated, epassarrela.
uno.	14.got 1 0
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? [Yes f Yes, true vertical depth:	weii Tailii Folid Stilei.
ries, true vertical deptil.	
•	DVVR Permit #.
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes
Sottom Hole Location: CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes 1 If Yes, proposed zone:
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that the drilling, completion and even	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N If Yes, proposed zone:
Sottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N If Yes, proposed zone:
Sottom Hole Location:	Will Cores be taken? Yes Nerrit with DWR Yes Nerri with DWR Yes Nerrit with DWR Yes Nerrit with DWR Yes Ne
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent to drill shall be posted o	Will Cores be taken? Yes New Y
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent to drill shall be posted o	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the st	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging;
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent in the prior of the prior of the approved notice of intent to drill <i>shall be</i> posted of the intent intent in the prior of the pr	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention of the int	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and of the specified below the specified below. The appropriate district office will be notified before well is either than all the specified before well in the specified befor	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date.
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of the posted of the intent of th	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. In each drilling rig; The plugged or production casing is cemented in; The plugged o
inche undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and in the surface propriate district office will be notified before well is either in ALTERNATE II COMPLETION, production pipe shall be concerned by the surface casing of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. In red and the plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The right of the right o
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and some strength of the spurious filters of the spurious filters are the corresponding to the properties of the spurious filters are the surface casing of the spund date or the well submitted Electronically For KCC Use ONLY	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. The right of t
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the complete of the spund date or the well is a completed within 30 days of the spund date or the well is a completed Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; in mented from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
ccc description of the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the intention of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet the well is dry hole, an agreement between the operator and the surface of the intention of the surface will be notified before well is either the appropriate district office will be notified before well is either the surface of the surface casing of the spud date or the well surface. In a ALTERNATE II COMPLETION, production pipe shall be concompleted within 30 days of the spud date or the well surface. In the undersigned hereby affirms that the drilling, completed to the intention of the spud date or the well surface. It is the undersigned hereby affirms that the drilling, completion and even in the spud of the spud date or the well surface. It is the undersigned hereby affirms that the drilling, completion and even it is agreed to the intention of the spud of the spud of the spud date or the well surface. It is the undersigned hereby affirms that the drilling, completion and even it is agreed to the spud of the	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; interest of the modern plugues and interest of the kCC District 3 area, alternate II cementing in the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and its 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well submitted Electronically For KCC Use ONLY	(Note: Apply for Permit with DWR) Will Cores be taken?
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the standard of the prior of the specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and the specified before well is either the specified before the specified before the specified before the specified before the specified befo	(Note: Apply for Permit with DWR) Will Cores be taken? Yes 1 Yes If Yes, proposed zone: Yes 1 Will Cores be taken? Yes 1 Will Cores be taken? Yes 1 Will Yes, proposed zone: Yes 1 Will Yes 1 Will Yes 1 Wes 1 W
Bottom Hole Location: CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and in the surface district office will be notified before well is either in the surface district office will be notified before well is either in the surface of the surface casing of the spud date or the well is submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	(Note: Apply for Permit with DWR) Will Cores be taken?

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2338 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continue prit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.	
	KCC	OFFICE USE O	NLY	
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No	



1173397

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	Lease Name: Well #:		
Address 2:			
City: State: Zip:+			
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, are	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this end email address. 1) cknowledge that, because I have not provided this information, the		
KCC will be required to send this information to the surface ow	ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

R 25 W



Ft. ScottMississippian

Pickrell Drilling Co., Inc.
Wichita, Kansas

Arnold SW Prospect
Miss. Porosity Structure
C. I. = 10 Feet

L. Richardson 12/13

T 17 S Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

NOTICE

Nearest Lease or Unit Boundary Line

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.

Pickrell #1 Salmans-Hopkins Unit 2338' FSL & 1980' FEL Sec. 6-17S-25W Ness Co., Kansas

