

For KCC	Use:
Effective	Date:
District #	·
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Vame:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
hone:	Lease Name: Well #:
CONTRACTOR: License#	Field Name:
lame:	Is this a Prorated / Spaced Field? Yes N
dilic.	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OVVVO. Old Well Information as follows.	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
S	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Rottom Hole Location:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Sottom Hole Location: CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N
	(Note: Apply for Permit with DWR)
CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N
CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual place.	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual place.	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual plates agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below the intention of the set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated mat	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the disentation of the surface will be notified before well is either plugues. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the substantial of the posted on each and the interval of the posted on each and the interval of the posted on the posted on the posted on the interval of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluguant of the posted of the pluguant to Appendix "B" - Eastern Kansas surface casing order #	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual plates agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the proved and the set of the second of the secon	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the disentation of the set o	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intended of the province of intent to drill shall be posted on each and the intended of the province of the understanding of the province of the	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intended of the province of intent to drill shall be posted on each and the intended of the province of the understanding of the province of the	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically.	(Note: Apply for Permit with DWR) Will Cores be taken?
AF he undersigned hereby affirms that the drilling, completion and eventual pli is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be Ibmitted Electronically For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
AF he undersigned hereby affirms that the drilling, completion and eventual pli is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be sibmitted Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
AF he undersigned hereby affirms that the drilling, completion and eventual plicate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the specific plus states and the district office will be notified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically. For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AF The undersigned hereby affirms that the drilling, completion and eventual plates agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dise. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent: .

Spud date: _

If well will not be drilled or permit has expired (See: authorized expiration date)
please check the box below and return to the address below.

Date:
2

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:		Location of Well: County:
Lease:		feet from N / S Line of Section
Well Number:		feet from E / W Line of Section
		Sec Twp S. R
	/ell:	Is Section: Regular or Irregular
		If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	of the well. Show footage to the nearest le teries, pipelines and electrical lines, as req	_AT ease or unit boundary line. Show the predicted locations of purificial transactions of the state of th
	rou may attach a se	eparate plat if desired.
		LEGEND
		O Well Location Tank Battery Location
		Pipeline Location Electric Line Location Lease Road Location
	23	EXAMPLE
		1980' FSL
		⊙

670 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continued in the proposed	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
Distance to pearest water well within one-mile of	of nit	Denth to shallo	west fresh waterfeet.
		Source of inform	nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: xing pits to be utilized: procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		·	e closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No



1173747

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).


Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	_

KNIGHTON OIL COMPANY, IN DYK, LLC LEASE SE.1/4, SECTION 23, T3OS, R22W

CLARK COUNTY, KANSAS

NO ROAD Notes: 1. Set iron rod at old well site. 2. All flagging Red & Yellbw. 3. No overhead power available at Sec.23. 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION: Various pipelihes in Sec.23. 6. Found old well per magnetic response. 7. Contact landowner for best access. Old Well Location Proposed Tank Saffen #1 Oyk. LLC O.W.W.O. 670'FSL 577'FEL Ground Elevation = 2348 8 $Y = 273192 \quad X = 1655938$ DRAW State Plane-NAD 27-Kansas South (Mapping Grade GPS Used) PASTURE ed Lease Doad NO | ROAD CATTLE-GUARD



^{*} Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Elevations derived from National Geodetic Vertical Datum

shown on this of the second of

location as s and may not Contact land department f ion may toct

*Ingress plat is opened f

January 25, 2013

^{*}Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Dilfield Services. Inc. its officers and employees hormless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages.

STATE OF KANSAS STATE CORPORATION COMMISSION 200 Colorado Derby Bullding Wichita, Kansas 67202

WELL PLUGGING RECORD K.A.R.-82-3-117

API	NUMBER	15-025-20950 O	700
LFA	SE NAMÉ	Blau	

1 - 23

	TYP	'E OR	PR	THI	
I TOP	CE:F	111	out	compl	etely
				ons.	
off	l ce	with	in 3	0 day	s.

# L L L	NUMBER	<u> </u>
SPOT	LOCATION_	C SE SE

WELL MUMBER

LEASE OPERATOR Murfin Drilling Company	32023 TWP. 303RGE. 22N(E) 6FR
ADDRESS 250 N. Water, Suite 300; Wichita, KS 67202	COUNTYClark
	Date Well Completed 5/20/86
PHONE #() 267-3241 OPERATORS LICENSE NO. 6033	Plugging Commenced 10/2/86
Character of Well $\frac{D\&A}{Oll, Gas, D\&A, SWD, Input, Water Supply Well)}$	Plugging Completed 10/2/86
Did you notify the KCC/KDHE Joint District Office prior to plu Which KCC/KDHE Joint Office did you notify? District $\#1-D$	
is ACO-1 filed? yes If not, is well log attached?	
Producing formation Depth to top	
Show depth and thickness of all water, oil and gas formations.	
OIL, GAS OR WATER RECORDS CAS	ING RECORD
Formation Content From To Size Put	in Pulled out
	8 cmt. to surface 7 -
Describe in detail the manner in which the well was plugged, in the mud fluid was placed and the method or methods used in intr	ndicating where

depth placed, from feet to RTD 5550' 5/20/86. T&A hole - cap 8 5/8" 5/21/86. 10/2/86 Ran 2 3/8" tbg. 1330', pumped 16 sx gel + 50 sx 60-40 Pozmix w/6% gel. pull btm tbg. 590'. Attempt to load hole w/140 bbls. gelled wtr, didn't load. PTOH. Plug btm tbg, ran 1330'., didn't bridge over. Pumped 60

sx. 60-40 Pozmix w/6% gel. TOH. 10/3 RI tbg. tag cmt 1240', circ. hole w/gelled wtr. spotted 25 sx. 60-40 Pozmix w/6% gel, pull tbg. to 590', spot 50 sx. cmt, pull tbg. 60', circ. cmt. (If additional description is necessary, use BACK of this form.)

to surface. PTOH. JC 10/3/86. Witnessed by Luthi & Lacy w/KCC. Name of Plugging Contractor Murfin Drilling Company License No. 6033 Address 250 N. Water, Suite 300: Wichita,

Sedgwick

Larry M. Jack. Eastern Div. Prod. Mer. (employee of operator) or (operator) of above-described well STAPPEN TRATION COMMISSION OF AN AUGUST AND COMMISSION OF A STATE OF A STATE

2/6/90 --

COUNTY OF

correct, so help me God.

KERRAN REDINGTON NOTARY PUBLIC STATE OF KANSAS My Appt. Exp. 2-10-9

My Commission expires:

STATE OF Kansas

OCT 1 4 1986

(Address) 250 N 300: Wichita

SUBSCRIBED AND SWORN TO before me this 10 day 1986

(Signature) By:

Kerran Redington

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

January 08, 2014

David D. Montague Knighton Oil Company, Inc. 1700 N WATERFRONT PKY BLDG 100 STE A WICHITA, KS 67206

Re: Drilling Pit Application OYK. LLC 1 OWWO SE/4 Sec.23-30S-22W Clark County, Kansas

Dear David D. Montague:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased. KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.