

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1174217

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from North /	South Line of Section
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:
Phone: ()			□ NE □ NW	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	W	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		
Operator:			If Alternate II completion, c	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan	
Plug Back	Conv. to G		(Data must be collected from to		
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
ENHR	Permit #:				
GSW	Permit #:		Operator Name:		
			Lease Name:		
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY									
Confidentiality Requested									
Date:									
Confidential Release Date:									
Wireline Log Received									
Geologist Report Received									
UIC Distribution									
ALT I II Approved by: Date:									

Page Two



Operator Name:			Lease Name: _			Well #:			
Sec Twp	S. R	East West	County:						
open and closed, flow and flow rates if gas t	ving and shut-in presson to surface test, along w	formations penetrated. I ures, whether shut-in pro vith final chart(s). Attach	essure reached stati n extra sheet if more	c level, hydrosta space is neede	itic pressures, bott d.	tom hole tempe	erature, fluid r	recovery,	
		otain Geophysical Data a or newer AND an image		egs must be ema	ailed to kcc-well-lo	gs@kcc.ks.gov	v. Digital elec	tronic log	
Drill Stem Tests Taken (Attach Additional	•	Yes No		_	on (Top), Depth ar		Samp		
Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	e		Тор	Datur	m	
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No							
List All E. Logs Run:									
		CASING	RECORD Ne	ew Used					
		Report all strings set-	conductor, surface, inte	ermediate, product	ion, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv		
		ADDITIONAL	OFMENTING / OOL						
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD		araant Additiraa			
Perforate	Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives					
Protect Casing Plug Back TD									
Plug Off Zone									
Did you perform a hydra	ulic fracturing treatment o	on this well?		Yes	No (If No, ski	p questions 2 ar	nd 3)		
	=	raulic fracturing treatment ex	xceed 350,000 gallons		= ' '	p question 3)	,		
Was the hydraulic fractu	ring treatment information	n submitted to the chemical	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)		
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per			cture, Shot, Cement			Depth	
	Сроспу Г	octago of Laon morvari of	ioratou	(>1	mount and rand or ma	teriar Good)		<u> Борит</u>	
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No				
Date of First, Resumed	Production, SWD or EN								
Fotimeted Device C	0" -	Flowing			Other (Explain)) O" D "			
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	bls. G	Gas-Oil Ratio	Gr 	ravity	
DISPOSITI	ON OF GAS:	1	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:		
Vented Sold		Open Hole	Perf. Dually	Comp. Con	mmingled				
	bmit ACO-18.)	Other (Specify)	(Submit)	ACO-5) (Sub	omit ACO-4)		-		

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	long & ware	State, County	Chautauqua , Kansas	Cement Type		CLASS A
ob Type		Section	18	Excess (%)		40
ustomer Acct #	4814 IS	TWP	348	Density		14
fell No.	von merveldt	RGE	12e	Water Required		7.94
ailing Address	Ton marveille	Formation	126	Yeild		
ity & State		Tubing				1.74
p Code				Sacks of Cement		140
		Drill Pipe	+	Slurry Volume		408.9
ontact		Casing Size	4 1/2INCH,	Displacement		19
mail		Hole Size	6.75	Displacement PSI		200-1000
ell		Casing Depth	1207	MIX PSI		100
ispatch Location	BARTLESVILLE	Hole Depth	1215			
ode				Rate		4.5
	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit		
5401	CEMENT PUMP (2 HOUR MAX)	1:	2 HRS MAX	\$1,085.00	\$	1,065.0
5402	FOOTAGE	1207	PER FOOT	\$0.23	\$	277.6
5406	EQUIPMENT MILEAGE (ONE-WAY)	40	PER MILE	\$4.20	\$	168.0
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$368.00	S	368.0
0		1 (6)	0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0			
				\$0.00	\$	
				EQUIPMENT TOTAL	\$	1,898.6
	Cement, Chemicals and Water					
1126	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL CLORIDE 2% G	3E 140	0	\$19.75	\$	2,765.0
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.22	\$	44.0
1107A	PHENOSEAL	80	0	\$1.35	\$	108.0
1110A	KOL SEAL (50 # SK)	850	0	\$0.46	\$	391.0
1111		900	0			
	GRANULATED SALT (50#) SELL BY #	800		\$0.39	\$	351.0
0		-	0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0		T	0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00		•
					\$	-
				Chemical Total	\$	3,659.0
	Cement Water Transports					
				\$0.00	\$	
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
			,	Transports Total	>	
	Cement Floating Equipment (TAXABLE)			1		
	Coment Basket				-	
0			0	\$0.00	\$	-
	Centralizar		. K 1. K 1.			: 1/2
0		T	0	\$0.00	\$	
0			0		\$	-
	Float Shoe			1 00.00	_	
	Ploat onos					
0						-
			0	\$0.00	\$	11111111
0	Float Collers					117.01 h.
<u> </u>			0		\$	
•	Float Collars Guide Shoes	<u> Linear</u>				
0						-
	Gulde Shoes		0	\$0.00	\$	
0			0	\$0.00	\$	
	Guide Shoes Baffle and Flapper Plates		0	\$0.00	\$	-
0	Gulde Shoes] 0] 0	\$0.00 \$0.00 \$0.00	\$	
0	Guide Shoes Belfie and Flepper Plates Packer Shoes		0	\$0.00 \$0.00 \$0.00	\$	-
0 0	Guide Shoes Baffle and Flapper Plates		I 0 I 0 I 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$	-
0	Guide Shoes Baffie and Fleoper Plates Packer Shoes DV Tools] 0] 0	\$0.00 \$0.00 \$0.00	\$	
0 0 0	Guide Shoes Belfie and Flepper Plates Packer Shoes			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$	
0 0	Guide Shoes Baffie and Fleoper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	-
0 0 0	Guide Shoes Baffie and Fleoper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00	\$ \$	
0 0 0 0 0 0 0	Guide Shoes Baffie and Fleoper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	
0 0 0 0	Guide Shoes Baiffe and Flapper Plates Packer Shoes DV Tools Ball Valvas Swadges Clemps, Misc.			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$	
0 0 0 0 0 0 0 0	Baffle and Fleoper Plates Packer Shoes DV Tools Ball Valvas Swadges, Clemps, Misc. Plugs and Ball Valvas Swadges, Clemps, Misc.			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0	Baffe and Flapper Plates Packer Shoes DV Tools Ball Valvas Swedges, Clamps, Misc. Plugs and Ball Valvas Swedges PLUG			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$	
0 0 0 0 0 0 0 0 0	Baffle and Fleoper Plates Packer Shoes DV Tools Ball Valvas Swadges, Clemps, Misc. Plugs and Ball Valvas Swadges, Clemps, Misc.		0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0 0	Baffe and Flapper Plates Packer Shoes DV Tools Ball Valvas Swedges, Clamps, Misc. Plugs and Ball Valvas Swedges PLUG		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2
0 0 0 0 0 0 0 0 0	Baffle and Flapper Plates Packer Shoes DV Tools Ball Valvas Steedges, Clamps, Misc. Plugs and Ball Valvas Steedges, Clamps, Misc.		O O O O O O O O O O O O O CEMENT FLOATING	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2
0 0 0 0 0 0 0 0 0 4404	Ball Valvis Standars, Clamps, Misc. Plugs and Ball Valvis Standars, Clamps, Misc. Plugs and Ball Valvis Standars, Clamps, Misc. Downhole Tools DRIVER NAME		O O O O O O O O O O O O O O O O O O O	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2 47.2 5,804.8
0 0 0 0 0 0 0 0 4404	Baffe and Flapper Plates Packer Shoes DV Tools Ball Valvas Sheedges, Clerripe, Misc. Plugs and Bell Valvas Sheedges, Clerripe, Misc. Downhole Tools DRIVER NAME jake		O O O O O O O O O O O O O CEMENT FLOATING	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2 47.2 5.804.8
0 0 0 0 0 0 0 0 0 4404	Ball Valvis Standars, Clamps, Misc. Plugs and Ball Valvis Standars, Clamps, Misc. Plugs and Ball Valvis Standars, Clamps, Misc. Downhole Tools DRIVER NAME		DODATING SEASON	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2 47.2 5.604.8
0 0 0 0 0 0 0 0 4404	Baffe and Flapper Plates Packer Shoes DV Tools Ball Valvas Sheedges, Clerripe, Misc. Plugs and Bell Valvas Sheedges, Clerripe, Misc. Downhole Tools DRIVER NAME jake		0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2 47.2 5,604.8 21/1- 5,9(24/- 280.2
0 0 0 0 0 0 0 0 4404 0	Baffie and Flapper Plates Packer Shoes DV Tools Ball Valves Swedges, Clemps, Misc. Plugs and Ball Valves Swedges, Clemps, Misc. Downhole Tools DRIVER NAME jake james b		0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2 47.2 5.604.8
0 0 0 0 0 0 0 0 4404	Baffe and Flapper Plates Packer Shoes DV Tools Ball Valvas Sheedges, Clerripe, Misc. Plugs and Bell Valvas Sheedges, Clerripe, Misc. Downhole Tools DRIVER NAME jake		0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2 47.2 5,604.8 21.6 5,912.0 280.2
0 0 0 0 0 0 0 0 4404 0	Baffie and Flapper Plates Packer Shoes DV Tools Ball Valves Swedges, Clemps, Misc. Plugs and Ball Valves Swedges, Clemps, Misc. Downhole Tools DRIVER NAME jake james b		0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2 47.2 5,604.8 21/1- 5,9(24/- 280.2
0 0 0 0 0 0 0 0 4404 0	Baffie and Flapper Plates Packer Shoes DV Tools Ball Valves Swedges, Clemps, Misc. Plugs and Ball Valves Swedges, Clemps, Misc. Downhole Tools DRIVER NAME jake james b		0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2 47.2 5,604.8 21/1- 5,9(24/- 280.2
0 0 0 0 0 0 0 0 0 4404 0	Bail Valvas Shoes Dy Tools Bail Valvas Shoedges, Clerrips, Misc. Plugs and Bail Valvas Shoedges, Clerrips, Misc. Downhole Tools Driver NAME jake james b		0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2 47.2 5,604.8 21/1- 5,9(24/- 280.2
0 0 0 0 0 0 0 0 4404 0	Bail Valvas Shoes Dy Tools Bail Valvas Shoedges, Clerrips, Misc. Plugs and Bail Valvas Shoedges, Clerrips, Misc. Downhole Tools Driver NAME jake james b		0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2 47.2 5,604.8 21/1- 5,9(24/- 280.2
0 0 0 0 0 0 0 0 0 4404 0 4404 0	Baffle and Fleoper Plates Packer Shoes DV Tools Ball Valves Swedges, Clemps, Misc. Plugs and Ball Valves Swedges, Clemps, Misc.		DER UNIT OCEMENT FLOATING 8.30% DISC	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.2 47.2 5,604.8 201.2 5,91.24 280.7

Air Drilling Specialist Oil and Gas Wells



M.O.K.A.T. DRILLING Office Phone: (620) 879-5377



P.O. Box 590 Caney, KS 67333

VVCIIS		400	9				96	O CO			00	1109, 11	0 0,00	•
ARBUCKLE ENTE	RPRISES, INC	Well No.	9	Lease VON N	MERVELD	Loc.		1/4 1.	4 1/4		Sec. 18	Twp.	Rge, 4	12
		County		State				Depth	Hour	s [Date Starte	D	ate Comp	leted
		CHAUTA	UQUA		KS			1212'			7-26-13		7-29-	13
	Casing Used			Bit Record					Coring Record					
	42' 8	8 5/8"	Bit No.	Type	size	From	То	Bit No.	type	Size	From	То	% R	tec.
	Cement Used													
TOOTIE					6 3/4"						1 22			
	Rig No.													
	Hammer No.		+		-					-	-		-	
	ARBUCKLE ENTE	Casing Used 42' Cement Used TOOTIE Rig No.	ARBUCKLE ENTERPRISES, INC County CHAUTA Casing Used 42' 8 5/8" Cement Used TOOTIE Rig No.	ARBUCKLE ENTERPRISES, INC County CHAUTAUQUA Casing Used 42' 8 5/8" Bit No. Cement Used TOOTIE Rig No.	ARBUCKLE ENTERPRISES, INC County County CHAUTAUQUA Casing Used 42' 8 5/8" Cement Used Rig No.	ARBUCKLE ENTERPRISES, INC Von Merveld V	ARBUCKLE ENTERPRISES, INC VON MERVELDT	ARBUCKLE ENTERPRISES, INC VON MERVELDT	ARBUCKLE ENTERPRISES, INC VON MERVELDT Depth	ARBUCKLE ENTERPRISES, INC Von Mervel Vo	ARBUCKLE ENTERPRISES, INC Von Mervel Vo	ARBUCKLE ENTERPRISES, INC VON MERVELDT	ARBUCKLE ENTERPRISES, INC Well No.	ARBUCKLE ENTERPRISES, INC Well No.

Formation Record

From		Formation	From	To	Formation	From	То	Formation	From	То	Formation
0	42	SURFACE	1158	1160	SHALE	_		21.	1.12		
42	53	SAND	1160	1174	SAND	_		- 1	1 1		
53	133	SHALE	1174	1212	SHALE			1.4	14		
133	178	SAND									
178	197	LIME			T.D. 1212'	_			7.01		- (
197	230	SAND									
230	240	SANDY SHALE						15			
240	458	SHALE									a stand
458	461	LIME				_					
461	495	SHALE									
495	505	SAND									
505	508	LIME									
508	528	SANDY SHALE				_					
528	545	LIMEY SAND									
545	800	SANDY SHALE									
800	810	SAND									
810	850	SANDY SHALE									
850	855	LIME									
855	858	SHALE									
858	863	SANDY SHALE	1								
863	875	SHALE									
875	910	SAND									
910	1051	SHALE									
	1052	LIME	v								
1052	1057	SHALE									
1057	1066	LIME									
1066		SHALE									
1068	1080	SAND (OIL ODOR)									
1080	1085	SANDY SHALE									
1085		SHALE									
1121	1158	LIME									