

Co	nfiden	tiality	[,] Requeste	ed:
	Yes	N	lo	

Kansas Corporation Commission Oil & Gas Conservation Division

1174218

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec	Twp S. R	East _ West
Address 2:			Fe	eet from	South Line of Section
City:	State: Z	ip:+	Fe	eet from East / V	West Line of Section
Contact Person:			Footages Calculated from N	Nearest Outside Section Co	orner:
Phone: ()			□ NE □ NW	/ □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	We	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing: _	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore, Expl., etc.):		Multiple Stage Cementing (Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		Feet
Operator:			If Alternate II completion, ce	ement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	•	ENHR Conv. to SWD	Drilling Fluid Managemen	nt Dian	
☐ Plug Back	Conv. to G		(Data must be collected from the		
Commingled	Pormit #:		Chloride content:	ppm Fluid volume:	bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
☐ ENHR					
GSW	Permit #:		Operator Name:		
_ _			Lease Name:	License #:	
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East _ West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY									
Confidentiality Requested									
Date:									
Confidential Release Date:									
Wireline Log Received									
Geologist Report Received									
UIC Distribution									
ALT I II Approved by: Date:									

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Purpose: Depth Type of Cement Top Bottom				Used		Type and	Percent Additives	
Perforate Protect Casing	Top Dottern								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.			nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

CEMENT FIELD TICKET AND TREATMENT REPORT

	77 /		ND TREATMENT REPORT	Coment Time	CLASS A
mer	Long & Ware	State, County	Chautauqua , Kansas	Cement Type	CLASS A
/pe	Cong Pung	Section	18	Excess (%) Density	14
mer Acct #	4414	TWP	34\$	Water Required	7.9
lo.	Von Merveldt #8	RGE	12E	Yeild	1.74
Q Address		Formation		Sacks of Cement	140
State		Tubing		Slurry Volume	43.3bbl
ode		Drill Pipe			19.2
ct		Casing Size	4 1/2"	Displacement	500
		Hole Size	6 3/4"	Displacement PSI	
		Casing Depth	1207'	MIX PSI	200
tch Location	BARTLESVILLE	Hole Depth		Rate	4bpm
W. 1	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	4 005 00
5401	CEMENT PUMP (2 HOUR MAX)	11	2 HRS MAX	\$1,085.00	\$ 1,085.00 \$ 277.61
5402	FOOTAGE	1207	PER FOOT	\$0.23	
5406	EQUIPMENT MILEAGE (ONE-WAY)	40	PER MILE	\$4.20	
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	11	PER LOAD	\$368.00	
0			0	\$0.00	
0			0	\$0.00	\$ -
0		ļ <u> </u>	0	\$0.00	3
0		L	0	\$0.00 \$0.00	\$ -
0		<u> </u>	0	EQUIPMENT TOTAL	\$ 1,898.6
		·		EQUIPMENT TOTAL	1,090.0
	Cement, Chemicals and Water	145	0	\$19.75	\$ 2,765.00
1126	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL.CLORIDE 2% GE	140	- 0	\$0.22	\$ 44.00
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$1.35	\$ 108.0
1107A	PHENOSEAL	80	0	\$0.46	\$ 391.00
1110A	KOL SEAL (50 # SK)	850	0	\$0.39	\$ 351.0
1111	GRANULATED SALT (50#) SELL BY #	900	1 - 0	\$0.00	\$ -
0			- 0	\$0.00	\$ -
0		+		\$0.00	\$ -
0			- 0 -	\$0.00	\$ -
0		 	- 0	\$0.00	\$
0		 		\$0.00	\$ -
0		 	1 0	\$0.00	\$ -
0				\$0.00	\$ -
0		5500	Per 1000 Gal	\$17.30	\$ 95.1
1123	CITY WATER (PER 1000 GAL)	3300		Chemical Total	\$ 3,754.1
	Line was Minter Transporter	T		<u> </u>	
	Cement Water Transports 80 BBL VACUUM TRUCK (CEMENT)	5	BL VACUUM TRUCK (CE	M \$100.00	\$ 500.0
5502C	80 BBL VACUUM TRUCK (CEMENT)	5	BL VACUUM TRUCK (CE	M \$100.00	\$ 500.0
5502C 0	OU DEL AVOCCIAL LIVOR (OFFICEAL)		0	\$0.00	\$ 4,000.0
				Transports Total	\$ 1,000.0
	Cement Floating Equipment (TAXABLE)				<u> </u>
44			A SECTION ASSESSMENT		
0			0	\$0.00	<u> \$ </u>
	Controllate				
0	V4 is the second		0	\$0.00	\$ -
-0			0	\$0.00	
	1		the state of the s	the contract of the contract o	
17.0	Float Shoe	White State		***	C -
0	Flogt Shoe		0	\$0.00	<u></u>
0		ALL AND THE		4	
	Fixet Colors		0	\$0.00 \$0.00	
0	Pitel College		0	\$0.00	15
0	Pitel College		0 0	4	
0	Pitel College			\$0.00	
0	Fibel Collets Guide Shoes		0 0	\$0.00	
0 0 0	Fibel Collets Guide Shoes			\$0.00	\$
0 0 0	Float Collers Guide Shoes Beffie and Flapper Plates			\$0.00	\$
0 0 0	Float Collers Guide Shoes Beffie and Flapper Plates		0 0 0 1 0	\$0.00	
0 0 0	Fixet Collers Guide Shoes Bertie and Flapper Plates Packer Shoes DV Tools			\$0.00	
0 0 0 0	Float Collers Guide Shoes Bartie and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00	
0 0 0 0	Fixet Collers Guide Shoes Bertie and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00	\$
0 0 0 0 0	Fixet Collers Guide Shoes Bertie and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$
0 0 0 0	Picet Collers Guide Shoes Beffie and Flapper Plates Packer Shoes DV Tools Belt Valves, Swedges, Clamps, Misc.			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$
0 0 0 0 0	Picet Collers Guide Shoes Berlie and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Bell Sealers			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$
0 0 0 0 0	Picet Collers Guide Shoes Beffie and Flapper Plates Packer Shoes DV Tools Buil Valves, Swedges, Clamps, Misc. Plugs and Beil Sealers 4' 1/2" RUBBER PLUG			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$
0 0 0 0 0 0 0	Picet Collers Guide Shoes Berlie and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Bell Sealers		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25	\$
0 0 0 0 0	Picet Collers Guide Shoes Beffie and Flapper Plates Packer Shoes DV Tools Buil Valves, Swedges, Clamps, Misc. Plugs and Beil Sealers 4' 1/2" RUBBER PLUG		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25	\$
0 0 0 0 0 0 0	Picet Collers Guide Shoes Beffie and Flapper Plates Packer Shoes DV Tools Buil Valves, Swedges, Clamps, Misc. Plugs and Beil Sealers 4' 1/2" RUBBER PLUG		0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$
0 0 0 0 0 0 0 0 0	Placker Shoes Beilfe and Flapper Plates Packer Shoes DV Tools Built Valves, Swedges, Clamps, Misc. Pluge and Bell Sealers 4 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders		0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$
0 0 0 0 0 0 0	Pict Collers Guide Shoes Beffie and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Pluge and Ball Sealers 4' 1/2' RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders Bryan Sculland		0 0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATIN	\$0.00 \$0	\$
0 0 0 0 0 0 0 0 0 4404	Placker Shoes Beilte and Flapper Plates Packer Shoes DV Tools Buit Valves, Swedges, Clamps, Misc. Plugs and Beil Sealers 4' 1/2' RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders Bryan Sculland Johnnie Goad		0 0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATIN	\$0.00 \$0	\$
0 0 0 0 0 0 0 0 0 4404	Pict Collers Guide Shoes Beffie and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Pluge and Ball Sealers 4' 1/2' RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders Bryan Sculland		0 0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATIN	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$
0 0 0 0 0 0 0 0 0 4404	Placker Shoes Beilte and Flapper Plates Packer Shoes DV Tools Buit Valves, Swedges, Clamps, Misc. Plugs and Beil Sealers 4' 1/2' RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders Bryan Sculland Johnnie Goad		0 0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATIN	\$0.00 \$0	\$
0 0 0 0 0 0 0 0 0 4404	Placker Shoes Beilte and Flapper Plates Packer Shoes DV Tools Buit Valves, Swedges, Clamps, Misc. Plugs and Beil Sealers 4' 1/2' RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders Bryan Sculland Johnnie Goad		0 0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATIN	\$0.00 \$0	\$

I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.

Air Drilling Specialist Oil and Gas Wells



M.O.K.A.T. DRILLING Office Phone: (620) 879-5377



P.O. Box 590 Caney, KS 67333

ES, INC.	Well No. 8 County CHAUTAI	UQUA Bit No.	State I	IERVELD KS It Record	Type/Well		Depth 1212' Bit No.			Two 18 e Started 7/24/13 Record From	34 Date	Rge, 12 Completed 7/25/13 % Rec.
ing Used	CHAUTAI		State I Bi	KS t Record	Type/Well		1212'	0	Coring F	e Started 7/24/13 Record	Date	7/25/13
43'	CHAUTAI		I Bi	t Record			1212'	0	Coring F	7/24/13 Record		7/25/13
43'			В	t Record		То			Coring F	Record		
43'	8 5/8"	Bit No.				То	Bit No				To	% Pag
	8 5/8"	Bit No.	Туре	size	From	To	Bit No	4	Nino.	Erom	To	0/ Pag
ent Used							DIL 140.	type S	size	FIOIII	10	70 Rec.
	8			6 3/4"		1						
No.												
mer No.												
		0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.

Formation Record

- T			1= 1			T= 1			I.E. I	~	- "
From	То	Formation	From	То	Formation	From	То	Formation	From	То	Formation
0	42	SURFACE		1126	SHALE			35 -	3(1)1		,
42	56	SAND (WATER)	1126	1158	LIME (ALTAMONT)			6.	A		37.
56	60	SHALE		1160	SHALE			38.1	(13)		- 31
60	120	SANDY SHALE/ SAND		1172	SAND			30-3	10		114
120	133	SHALE	1172	1180	SANDY SHALE/ SAND			2	1		D).
133	135	LIME	1180	1212	SHALE			15 11)	142		
135	183	SANDYSHALE/ SAND			10			1.	1		(%)
183	195	LIME						15.	3		
195	330	SAND/ SANDY SHALE			T.D. 1212'			4	10		
330	441	SANDY SHALE/ SHALE							- 1		
441	465	LIME									
465	493	SHALE									
493	515	LIME / SAND									
515	519	SHALE/ LIME									
519	540	LIME/ SAND (WATER)									
540	545	SAND		- 1						-	
545	571	LIME		7							
571	780	SHALE									
780	814	SAND (WATER)	i								
814	816	LIME		1							
816	855	SHALE									
855	863	LIME									
863	876	SHALE	·								
876	892	SAND (OIL ODOR)									
892	1022	SHALE								-	
1022	1023	LIME									
1023	1040	SHALE									
1040	1041	LIME									
	1061	SHALE									
1061	1073	LIME									
1073	1085	SAND (WAYSIDE) (OIL ODOR)									