

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1171803

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15						
Name:	Spot Description:						
Address 1:	SecTwpS. R						
Address 2:	Feet from North / South Line of Section						
City: State: Zip:+	Feet from _ East / _ West Line of Section						
Contact Person:	Footages Calculated from Nearest Outside Section Corner:						
Phone: ()	□NE □NW □SE □SW						
CONTRACTOR: License #	GPS Location: Lat:, Long:						
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)						
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84						
Purchaser:	County:						
Designate Type of Completion:	Lease Name: Well #:						
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:						
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet						
Operator:	If Alternate II completion, cement circulated from:						
Well Name:	feet depth to:w/sx cmt.						
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer Commingled Permit #: Dual Completion Permit #: SWD Permit #:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite:						
☐ ENHR Permit #: ☐ GSW Permit #:	Operator Name:						
Connection Connection	Lease Name: License #:						
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. Twp. S. R. East West County: Permit #:						

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Confidentiality Requested								
Date:								
Confidential Release Date:								
Wireline Log Received								
Geologist Report Received								
UIC Distribution								
ALT I II Approved by: Date:								

Page Two



Operator Name: Lease Name: _ _ Well #: _ County: _ INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF). **Drill Stem Tests Taken** No Loa Formation (Top), Depth and Datum Sample | Yes (Attach Additional Sheets) Name Top Datum No Samples Sent to Geological Survey Yes ☐ No Yes
 Yes
 ■
 Yes
 ■
 Yes
 ■
 Nes
 Nes Cores Taken Electric Log Run ___ Yes No List All E. Logs Run: CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Size Hole Size Casing Weight Setting Type of # Sacks Type and Percent Purpose of String Drilled Set (In O.D.) Lbs. / Ft. Depth Cement Used Additives ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives Top Bottom Perforate **Protect Casing** Plug Back TD Plug Off Zone Did you perform a hydraulic fracturing treatment on this well? Yes No (If No, skip questions 2 and 3) No Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes (If No, skip question 3) Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? (If No, fill out Page Three of the ACO-1) Yes PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated Depth (Amount and Kind of Material Used) TUBING RECORD: Size: Set At: Packer At: Liner Run: Yes No Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain) **Estimated Production** Oil Bbls Gas Mcf Water Bbls. Gas-Oil Ratio Gravity Per 24 Hours METHOD OF COMPLETION: **DISPOSITION OF GAS:** PRODUCTION INTERVAL: Open Hole Perf. Dually Comp. Commingled Vented Sold Used on Lease (Submit ACO-5) (Submit ACO-4) (If vented, Submit ACO-18.) Other (Specify)

Form	ACO1 - Well Completion
Operator	Linn Operating, Inc.
Well Name	GERDES 3 ATU-50
Doc ID	1171803

Tops

Name	Тор	Datum
Krider	2589	KB
Winfield	2649	KB
Towanda	2707	KB
Fort Riley	2768	KB
Funston	2893	KB
Middleborg	2966	KB
Cottonwood	3015	KB
Grenola	3068	KB

(OD OHITELADY					PROJECT NUMBER TICKET DATE							
JOB SUMMARY					TN# 19			8/12/2013				
Finney Linn Operating Inc.					Customer REP							
LEASE NAME Well No. JOB TYPE					Orlando Lozano							
Gerdes 3 ATU 50 Surface				Eddie Pickard								
EMP NAME					<u></u>							
Eddle Pickard			-		200				1 77 11 11			
Chris Lewis	_	<u> </u>		_								
Rory Morris	\dashv			_				 		————		
Devin Londagin	Щ.							<u> </u>				
Form. NameCouncil-Grove	Type	2:		0-1	land Out	IOn Location	- I tol	Charled	Hab Oa	late et		
Packer Type ——	Set .	<u>At</u> —	Date	Ųdi	led Out 8/12/13	On Locatio 08/13/	13	Started 08/13/13		mpleted 3/13/13		
Bottom Hole Temp.		ssure			G. 1.2. 10		··		"	1 12, 13		
Retainer Depth		I Depth	Time		15;00	2300		300	56	00		
Tools and Acc						Well D						
	tv	Make	<u> </u>		New/Used		Size Grade		To	Max. Allow		
U. C.	1	IR IR	Casing		New	24#	8.625" +4	KB	940	1500		
	5	IR IR	Liner Liner		- 	 				 		
	i	iR IR	Tubing		-				-			
	\vdash	İR	Drill Pic)e		-		 	-			
Limit clamp		IR I	Open F				12.25"	K.B.	?	Shots/Ft.		
Weld-A	2	IR .	Perfora									
		IR	Perfora	tion	S							
Cement Basket Materials	0	IR	Perfora		s Location	Operation	Цант	Deserti	l ption of Job	1		
	nsity	8.9 Lb/Gal	Date	2111	Hours	Operating Date	Hours	, —				
Disp, Fluid H20 De	nsity	8.33 Lb/Gal	08/13/	13	6.0	08/13/13	3.0	Surfac	e			
Spacer type H2O BBL.	11	5										
Spacer typeBBL. Acid Type Gal.		— _% ——						- —				
Acid Type Gal. Acid Type Gal.	_	— % ——	—	_				· —				
Surfactant Gal.	_			_								
NE Agent Gal.		In										
Fluid LossGal/Lb		in										
Gelling Agent Gal/Lb	_	—! <u>n</u> ———						!				
Fric. Red. Gal/Lb		in	Total		6.0	Total	3.0	1 —				
INISCGarLD	_	—"' ——	lotal		0.0	i Qiai	3.0	J				
Perfpac Balls	Qty				<u>-</u>	Pr	essures					
Other			MAX		1500	AVG.	200					
Other							Rates in Bi	PM	-			
Other			MAX		4	AVG	3.5					
Other			Cement Left in Pipe Feet 44 Reason SHOE JOINT									
0000			1 Cut			11003011		01102	. 001111			
1			С	em	ent Data							
Stage Sacks Cement			Additive	:5				W/R	q. Yield	Lbs/Gal		
1 575 Class C			2% C.C	. +	0.25#/SK. C	elloflake		6.3	0 1.32	14.8		
2 3			-									
4		-								1		
								_		 		
			Sui	mm	anı							
Preflush	Typ	e:	Qu.		Preflush:	BBI	15.00	Type:	H	120		
Breakdown	MA	XIMUM			Load & Bkdn:	Gal - BBI		Pad:Bl				
		t Returns-N uat TOC	0		Excess /Retur	m BBI	55 Surface		isp Bbl			
Average		uai 100 c. Gradient			Calc. TOC: Treatment:	Gal - BBI	Surfac	e Actual Disp:B		57.00		
ISIP 5 Min		Min15 Mir	n		Cement Slurn		135.0					
					Total Volume	BBI	207.00)				
								1				
		411	1									
CUSTOMER REPRESE	NTA	ATIVE <u>(\/././</u> / →										
L.=		1/1				SIGNATUR						
								u For Us				
						() - TEX	Pumpii	ng			

JOB SUMMARY					TN # 20	HOKET DATE	8/14/2013				
COMPANY				CUSTOMER REP			0/14/2013				
Kearny Linn Energy					Weldon Higgins						
Serdes 3 ATU 50 Production				Jason Jones							
EMP NAME											
Jason Jones											
Bryon Hackett											
Mario Abrego				\Box							
								<u> </u>			
Form, NameCouncil - Grave	Type:			A 1		16 1		<u> </u>			
Packer Type	Set At		Date	Call	ed Out 8/14/13	On Locatio	n Jot	Started 08/14/13	 10	b Con	npleted 14/13
Bottom Hole Temp.	Pressu		Date		0/14/10	00,14	''"	001 1-11 10		961	147 13
Retainer Depth	Total E	Depth	Time		00;10	830		1045		123	35
Tools and /						Well D					
Type and Size	Qty	Make			New/Used		Size Grade		To		Max. Allow
Auto Fill Tube Insert Float Valve	1	IR IR	Casing		New	15.5	5.5 Je	KB	317	0	2500
Centralizers	26	IR IR	Liner				-				
Centralizers Top Plug	1	iR	Tubing						+	-	
HEAD	1	IR	Drill Pig	e e				<u> </u>			
Limit clamp	1	IR I	Open F				7.875 ⁿ	K.B.			Shots/Ft.
Weld-A	0	IR	Perfora								
Guide Shoe Cement Basket	1 0	IR IR	Perfora Perfora							-	
Materi		ir.			ocation	Operating	Hours	Descr	iption of	Joh	
Mud TypeWBM	Density	8.9 Lb/Gal	Date		Hours	Date	Hours	Produ			
	Density	8.33 Lb/Gal	08/14/	13	5.0	08/14/13	2.0				
Spacer type H20 BBL Spacer type BBL									x 12 bbl	s Cm	to
Acid Type Gal		- _%	\vdash					Surfac	returs ti	neu Je	h
Acid Type Gal		%							as com		
SurfactantGal		ln	1/2 bbl H2O when ch						heck floats		
NE Agent Gal		_ <u> n</u>				ļ		return	red to pr	ımp	
Fluid Loss — Gal. Gelling Agent Gal.	-In	\vdash	_			-					
Gelling Agent Gal/Lb In Fric. Red. Gal/Lb In								-			
	/Lb		Total		5.0	Total	2.0	j <u> </u>			
Perfpac Balls	QtV.		MAX		1200	AVG	essures 300				
Other			IAIV		1200	Average	Rates in Bf	≥M			
Other			MAX		4	AVG	3				
Other		Cement Left in Pipe									
Other			Feet	44		Reason		Sho	<u>e Joint</u>		
			_								
Stage Sacks Cem	ent		Additive		ent Data			W/I	Pri I	rield	Lbs/Gal
1 205 Class		0.2% C-41P, + 5% GYP,			ake .			23.		3.65	10.8
2 95 Class	C	2% GEL. + 0.2%						10		1.90	13.0
3		DO NOT PUMP OVER 4	B.P.M. WAT	CH F	OR CIRC. WHILE PUR	IPING JOB, 2 B.	P.M. MIN. IF NO	CIRC.			
4		<u> </u>									
											- 11
Preflush	Type:		Su	mm		DOI	10.00			H:	10
Breakdown	MAXII	MUM			Preflush: Load & Bkdn:	BBI Gal - BBI	10.00		3bi -Gai	H	(U
	Lost F	Returns-N	N/A		Excess /Retur		12	Calc	Disp Bb	_	74
Average			Surface		Calc TOC:	0-1 201	Surfac	e Actua	I Disp		74.00
Average ISIP 5 Min.	Frac. 10 Mir	Gradient 15 Mi	ח		Treatment: Cement Slurn	Gal - BBI	#VALU	Diso	201		
		10 111			Total Volume	BBI	#VALU				
								T			
		, 1 14	11	7							
CUSTOMER REPRE	SENTAT	IVE (ILKEL	- their								
			A			SIGNATUR					
						Th	ank You	u For U	sing		
						(- TEX	Pumpi	na		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

December 06, 2013

Shawn Hildreth Linn Operating, Inc. 600 TRAVIS STE 5100 HOUSTON, TX 77002-3018

Re: ACO1 API 15-055-22225-00-00 GERDES 3 ATU-50 NW/4 Sec.16-26S-32W Finney County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Shawn Hildreth