

Kepley Well Service, LLC

19245 Ford Road
Chanute, KS 66720

Greg Lair
Piqua Petro
1331 Xylan Road
Piqua, KS 66761

Date	Invoice #
9/30/2013	47986


Sovota - New Well Far East
Woodson County
#39-13

Terms	Due Date
	9/30/2013

Description	Qty	Rate	Amount
Pulling Unit 9-25-13 Move in to cement well. Pull 250', pump cement to surface, pull pipe. Top off well. Clean up.	3	100.00	300.00T
Pump Charge	1	500.00	500.00T
Vacuum Truck	3	80.00	240.00T
* Cement - class "A"	115	10.00	1,150.00T
Sales Tax		7.15%	156.59

Total	\$2,346.59
Payments/Credits	\$0.00
Balance Due	\$2,346.59

Went to surface



ENTERED

TICKET NUMBER 43555 ✓
 LOCATION Eureka
 FOREMAN Steve Mead

PO Box 884 Chanute, KS 66720
 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
9-18-13	4950	Sauvada 39-13				Woodson
CUSTOMER Pigua Petroleum			TRUCK #		DRIVER	
MAILING ADDRESS 1331 Xylan Rd			485		Alan m.	
CITY Pigua			513		Colby	
STATE KS			ZIP CODE 66761			

JOB TYPE L/S 0 HOLE SIZE 5 7/8 HOLE DEPTH 1247 CASING SIZE & WEIGHT _____
 CASING DEPTH 1244' DRILL PIPE _____ TUBING 2 3/8 OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT In CASING _____
 DISPLACEMENT 7.20 bbls DISPLACEMENT PSI 300 ^{Bump} 700 ^{plugs} RATE _____

REMARKS: Safety Meeting. Rig up to 2 3/8 Tubing. Mix 1250# Gel. Gel up hole
Circulate for 1 hr. Pump 5 bbls water spacer. Mix 25 sks Thick set
Cement w/ 5# Kal-seal, 1# Phenoseal per sk. Shut down. Wash out pump
& Lines. STUFF 2 plugs. Displace w/ 7.20 bbls Fresh water. Final
pumping Pressure 300# Bump Plugs 700#. Shut well in 500#.
Good Circulation During Job. Job Complete Rig down

Thank You

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1085.00	1085.00 ✓
5406	N/C	MILEAGE 3 Rd/acre	-	- ✓
1126A	25 sks	Thickset Cement	20.16	504.00 ✓
1110A	125 #	Kal-seal 5# per/sk	.46	57.50 ✓
1107A	25 #	Phenoseal 1# per/sk	1.35	33.75 ✓
1118B	1250 #	Gel (Gel up well)	.22	275.00 ✓
5407	1.38 ion	Ton Mileage Bulk Truck	m/c	368.00 ✓
4402	2	2 3/8 Tap Rubber Plug	29.50	59.00 ✓
			Subtotal	2382.25 ✓
			SALES TAX	66.44 ✓
			ESTIMATED TOTAL	2448.69 ✓

Rev'n 3737

AUTHORIZATION

Adw We

TITLE

062010

DATE

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



CONSOLIDATED
Oil Well Services, LLC

ENTERED

TICKET NUMBER 43551

LOCATION Eureka

FOREMAN Steve Neal

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
9-16-17	4950	Souaboda 39-13				Woodson
CUSTOMER <u>Pigua Petroleum</u>			TRUCK #			
MAILING ADDRESS <u>1331 Xyland Rd</u>			DRIVER			
CITY			TRUCK #			
STATE			DRIVER			
ZIP CODE						
<u>Pigua</u>						
<u>155</u>						
<u>66761</u>						

JOB TYPE Surface HOLE SIZE 11" HOLE DEPTH 22' CASING SIZE & WEIGHT 7"
 CASING DEPTH 22' DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT In CASING 5"
 DISPLACEMENT .6 DISPLACEMENT PSI _____ MIX PSI _____ RATE _____

REMARKS: Safety Meeting. Rig up to 7" casing. Break circulation. w/ Fresh water. Mix 40sk Class A Cement w/ 2% Cactz, 2% Gel. Displace w/ .6 bbl. Fresh water. Shut well in. Good Cement Returns to surface. Job complete Rig down

Thank You

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5405	1	PUMP CHARGE	870.00	870.00 ✓
5406	40	MILEAGE	4.20	168.00 ✓
11045	40sk	Class A Cement	15.70	628.00 ✓
1102	75 #	2% Cactz	.78	58.50 ✓
111813	75 #	2% Gel	.22	16.50 ✓
5407	1.8875	Ten mileage Bulk Truck	MLC	368.00 ✓
			SubTotal	2109.00
			SALES TAX	50.26 ✓
			ESTIMATED TOTAL	2159.26 ✓

Revin 3737

Steve Neal

06/24/18

AUTHORIZATION by Grog hair TITLE owner DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



LEIS OIL SERVICES

1410 150th Rd. • Yates Center, Kansas 66783 • (620) 212-0752



Operator License #: 30345	API #: 15-207-28677-00-00
Operator: Piqua Petro, Inc.	Lease: Sovoboda
Address: 1331 Xylan Rd Piqua, KS 66761	Well #: 39-13
Phone: (620) 433-0099	Spud Date: 9-16-13 Completed: 9-18-13
Contractor License: 34036	Location: NW-NW-SE-SW of 4-24-17E
T.D. : 1247 T.D. of Pipe: 1244 Size: 2.875"	1000 Feet From South
Surface Pipe Size: 7" Depth: 23'	1400 Feet From West
Kind of Well: Oil	County: Woodson

LOG

Thickness	Strata	From	To	Thickness	Strata	From	To
3	Soil	0	3	18	Shale	777	795
14	Sand/Gravel	3	17	4	Lime	795	799
33	Lime	17	50	1	Shale	799	800
111	Shale	50	161	3	Black Shale	800	803
18	Lime	161	179	3	Shale	803	806
8	Shale	179	187	3	Lime	806	809
12	Lime	187	199	2	Black Shale	809	811
8	Shale	199	207	33	Sandy Shale	811	844
55	Lime	207	262	4	Lime Streaks	844	848
58	Shale	262	320	42	Shale	848	890
3	Lime	320	323	2	Lime	890	892
8	Shale	323	331	281	Shale	892	1173
65	Lime	331	396	1	Coal	1173	1174
7	Shale/Black Shale	396	403	14	Shale	1174	1188
25	Lime	403	428	8	Lime	1188	1196
4	Shale/Black Shale	428	432	18	Oil Break	1196	1214
25	Lime	432	457	33	Lime	1214	1247
167	Shale	457	624				
6	Lime	624	630				
18	Shale	630	648				
9	Lime	648	657				
71	Shale	657	728				
2	Lime	728	730		T.D.		1247
7	Shale	730	737		T.D. of Pipe		1244
6	Lime	737	743				
9	Shale	743	752				
3	Lime	752	755				
15	Shale	755	770				
7	Lime	770	777				

48-4314-0335
 (820) 437-2861
 (820) 437-7582

Hurricane Services, Inc.
 Truck Services Division

201 N. Water, Suite 200
 Wichita, KS 67202



Hurricane Services, Inc.
 3613 A Y Road
 Madison, KS 66860
 620-437-2661

Ticket Number 5997
 Location _____
 Foreman JLP #392

Acid Service Ticket

Date	Customer #	Well Name & Number	Sec./Township/Range	County
10/1/13		Souadana 39-13		CO
Customer	Mailing Address	City	State	Zip
PIQUA PETRO			KS	

Well Data		Truck #	Driver	Truck #	Driver
Casing Size 2 7/8	Total Depth 1239	302	JUSTIN		
Casing Weight	Plug Depth	144/152	RICK		
Tubing Size	Packer Depth	392/310	ZACH		
Tubing Weight	Open Hole				
Perfs 1198-1308	21				
Break PSI	Max PSI				
Treat PSI	ISIP				
Quantity	Acid	Additives Used	Charge		
1	302	Pump Charge		725 ⁰⁰	
800	15%	Acid with inhibitor		1560 ⁰⁰	
		Mud Acid			
2 1/2		NE-320		59 ⁷⁵	
1 3/4		FSW-4100		39 ⁹⁰	
		Iron Stay			
		Bachside			
		Clay Stay			
3		KCL		78 ⁹⁰	
1 1/2		Biocide		57 ⁰⁰	
		Gel			
		Breaker			
15	7/8 1.35P	Ball Sealers		26 ⁷⁵	
1		Ball Gun		50 ⁰⁰	
20	302	Pump truck Mileage		65 ⁰⁰	
		Acid Transport			
1	310	Acid Spotter		300 ⁰⁰	
20	392	Pickup Mileage		30 ⁰⁰	
		80 Vac			
3	144/150	Transport		315 ⁰⁰	
* Add Prices					
Total 3306 ⁰⁰					

Remarks: RIG UP SPOT 100 GAL 15% ON PERFS. LOAD & BREAK 800 PSI. EST BAR 3BPM @ 400 PSI. PUMP 700 GAL 15% NE HCL ACID DROP 15 BARS. VERY LITTLE BALL ACTION. FLUSH ACID 20 BBL. ISIP 325. FLOW BACK AFTER 30 MIN.

Customer Signature _____