



Current

Spud: 8/11/2013

Field  
 County Finney  
 State Kansas  
 Well **Schmitt 2231 1-35**  
 SH Location SEC 35 - T22S - R31W  
 Elevations 2890' KB, 2878' GL


**Wellbore Schematic**

15055222320000  
 API No.

Original Completion	<input type="checkbox"/>
Current	<input checked="" type="checkbox"/>
Workover	<input type="checkbox"/>
Proposed	<input type="checkbox"/>

Well Bore Data

MD



8-5/8" csg (43 jt count & J-55 grade) @  
 24#: Cplg OD = 9.625" ID = 8.097" Drift = 7.972"  
 Cmt'd w/ 625 sxs. Cmt circ'd to surface.

- 1 jts1-1/4" Polished Rod, length: 26'
- 1 jts7/8" Pony Rod, length: 4'
- 189 jts7/8" Sucker Rod, length: 4725'
- 1 jts1" Stabilizer, length: 4'
- 2 jts1-1/2" Sinker Bar, length: 50'
- 1 jts1" Stabilizer, length: 4'
- 2 jts1-1/2" Sinker Bar, length: 50'
- 1 jts1" Stabilizer, length: 4'
- 1 jts2" O/O Tool, length: 1'
- 1 jts2" Rod Insert Pump, length: 22'
- 1 jts1-1/4" Gas Anchor, length: 10'

End of Rods @ 4900'  
 145 jts 2-7/8" 6.50# J-55 8rd EUE tbg  
 TA @ 4741'  
 5 jts tbg  
 SN @ 4907'  
 PS  
 MA Jt  
 EOT @ 4944'  
 PBTD @ 5,133'  
 118 jts 5-1/2" 17# J-55 csg @ 5,214'

TOC @ 450' (CBL 9/5/2013)

12-1/4" Hole

7-7/8" Hole

Mississippi Perfs:  
 4853'-4860' OA

TD @ 5214'

17# J-55; Cplg OD = 6.050" ID = 4.892" Drift = 4.767" Collapse = 6290 Internal Yield = 7740  
 Cmt'd w/ 590 sxs, full returns during job