

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monur day year	
PERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	
State:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
- · · g······ - · · · · · · · · · · · ·	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
CCC DKT #:	
CCC DKT #:	
	Will Cores be taken? Yes N If Yes, proposed zone:
AF	Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual p	Will Cores be taken? If Yes, proposed zone: FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes N If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq.
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig;
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging.	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill shall be compared to the approved notice of intent to drill shall be operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district office will be notified be	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this content is necessary prior to plugging; leged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. In this content is necessary prior to plugging; leged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this content is necessary prior to plugging; leged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into tl 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. In this control of the set of the set of the production casing is cemented in; and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. In this content is necessary prior to plugging; leged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual provise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If yes proposed zone: If Yes, prop
The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If yes proposed zone: If yes, proposed zone: It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. If 33,891-C, which applies to the KCC District 3 area, alternate II cementing lie plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the appropriate of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of th	If Yes, proposed zone: If Yes
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	If Yes, proposed zone: If Yes
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into	If Yes, proposed zone: If Yes
The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order from must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Indiana Ind
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the appropriate district office prior to the spud and the driving and the	If Yes, proposed zone: If Yes
The undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved in the search of the approved in the search of the search	If Yes, proposed zone: If Yes
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	If Yes, proposed zone: If yes
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all the strongh all the strongh and the stro	Will Cores be taken? If Yes, proposed zone: SFIDAVIT Itugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. 1133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Well Number:	Operator:	Location of Well: County:					
Number of Acres attributable to well: Sec.	Lease:	feet from N / S Line of Section					
Number of Acres attributable to well: Sec.	Well Number:	feet from E / W Line of Section					
If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 250 ft. 1070 ft. LEGEND Well Location Tank Battery Location Pipeline Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE 1980 FSL	Field:						
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 250 ft. 1070 ft. LEGEND	Number of Acres attributable to well:	Is Section: Regular or Irregular					
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 250 ft. 1070 ft. LEGEND Well Location — Pipeline Location —— Electric Line Location —— Lease Road Location EXAMPLE 333							
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 250 ft. 1070 ft. LEGEND Well Location — Pipeline Location —— Electric Line Location —— Lease Road Location EXAMPLE 333							
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 250 ft. 1070 ft. LEGEND Well Location Tank Battery Location — Pipeline Location — Lease Road Location EXAMPLE 333	-						
You may attach a separate plat if desired. 250 ft. 1070 ft. LEGEND Well Location Tank Battery Location Pipeline Location							
Tank Battery Location Pipeline Location ——Electric Line Location ——Lease Road Location EXAMPLE 1980' FSL							
Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL	You may attach a s	separate plat if desired.					
LEGEND O Well Location Tank Battery Location Pipeline Location		250 1t.					
LEGEND O Well Location Tank Battery Location Pipeline Location		1070 ft					
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location Lease Road Location EXAMPLE		LEGEND					
Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980'FSL							
Pipeline Location Electric Line Location Lease Road Location EXAMPLE 1980' FSL		:					
EXAMPLE 333 1980' FSL							
EXAMPLE 1980' FSL							
33 EXAMPLE 1980' FSL		: Electric Line Location					
33 EXAMPLE 1980' FSL		Lease Road Location					
33 1980' FSL							
33 1980' FSL		:					
33 1980' FSL							
1980' FSL		EXAMPLE					
1980' FSL	1 1 1 1						
1980' FSL	; ; ; 33	· · · · · · · · · · · · · · · · · · ·					
1980' FSL							
1980' FSL							
1980' FSL							
1980' FSL							
		1980' FSL					
		SFWARD CO 3390' FFI					

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:		Pit Location (QQQQ):					
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty				
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
Depth fro	om ground level to dee	epest point:	(feet) No Pit				
Distance to nearest water well within one-mile of	л рп.	Source of inform					
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: xing pits to be utilized: procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS							
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No				



1175359

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)					
OPERATOR: License #	Well Location:					
Name:	SecTwpS. R East					
Address 1:	County:					
Address 2:	Lease Name: Well #:					
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of					
Contact Person:	the lease below:					
Phone: () Fax: ()						
Email Address:						
Surface Owner Information:						
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the					
Address 2:	county, and in the real estate property tax records of the county treasurer.					
City:						
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.					
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this					
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1					
Submitted Electronically						

TOPOGRAPHIC LAND SURVEYORS 6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219 Certificate of Authorization No. LS-99, Exp. Dec. 31, 2013 HARPER _ County, Kansas 6<u>₩</u>_P.M. 250'FNL-1070'FEL 33 Township 33S _ Section 11 250' 330' HARDLINE (1570') 1070 (2390') 557. 1958 IRON ROD X= 2155737 Y= 169476 33 HARDLINE HARDLINE CREEK NAD-27 Kansas South US Feet 330, 330 Bottom Hole Note: 330'FSL-1980'FEL NAD-27 (US Feet) 37'07'28.3"N 3.280833 Ft.=1 Meter (2310) Scale: 1"= 1000' 97'58'21.2"W 37.124516918'N 1000 97.972562960°W X= 2153784 Y = 167147(660') 1980 330° HARDLINE Township Line P | T335-R6W T345-R6W Bottom Hole Information Provided by Operator Listed, NOI Surveyed Corner Coordinates are Taken from Points Surveyed in the Field, Distances shown in (parenthesis) are calculated based upon the Quarter Section being 2640 feet, those shown in [brackets] are based on GLO (General Land Office) distances and have NOI been measured on the ground. A boundary survey of the said section(s) shown hereon was <u>not</u> performed per the request of the operator shown hereon. Operator: SANDRIDGE EXPLORATION & PRODUCTION, LLC **ELEVATION:** Well No.: 2-33H Lease Name: CHARLES 3306 1309' Gr. at Stake Topography & Vegetation <u>Loc. fell in terraced</u> wheat field. Reference Stakes or Alternate Location Yes Stokes Set None Good Drill Site? Best Accessibility to Location From North off County Road. Distance & Direction From Anthony, KS, go ±3.5 mi. East on St. Hwy. 44, then ±1.0 mi. from Hwy Jct or Town South to the NE Corner of Section 33-T33S-R6W. Date of Drawing: Nov. 26, 2013 Invoice # 211981A Date Staked: Nov. 25, 2013

DATUM: NAD-27 200 LAT: 37'08'14.6"N 1 ONG: 97'58'10.4"W LONG: 97'58'10.4"W LAT: 37.137385582°N LONG: 97.969545687'W STATE PLANE COORDINATES: (US Feet) ZONE: KS SOUTH X: 2154637 171838

CERTIFICATE:

T. Wayne Fisch __a Kansas Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify that the above described well location was surveyed and staked on the ground as shown herein.



Charles 3306 2-33H Harper County

Unit Description:

All of 33-33S-6W

Surface Owners:

Jerry & Rick Podschun

295 SE 10 Rd

Anthony, KS 67003-9226

BOOMER GATES 1 4000 ++1		TRUBY 1811 1500 20	TRUBY D1 (SSO) *	BANE 330 1-20H	BASSFORD 1	HARRISON 4502	TURNER 2 4530 CLARKSON 1 450 12	TURNER 1 4544 P.	HARRISON 1 2529 ROBINSON 1 2 22	1	ALTON 3306 SELROAD 1-23 WOLF 1 133 133 134 4450 ALTON OWN 3 ALLTON OWN 91
CAROTHERS 1		#3-0THERS 1			BASSFORD 2 5272		HARRISON 1 4532	PARKER 3306 1-21	HOOPES TRUST 1 4451 HARRISON B 1 4450 4450	ALLTON ALLTON 8 1 ALTO 4576 4.	ALLTON C 1 yv. 450 wessen 1 \$\square\tau_{453}\$
Pre; 1-55 447 #-		29	a a	WITTERS 1-29 4575	WITTERS WITTERS 1 1-28 4920 4920)X	THC 4555 X	₩\$1 €1	HARMOI 3306 2-28 → HARMOI 4503	CROW B1 427 CROWB1 4520 27	В RCM 9228 Д.	CAROTHERS VOUSH 2 1-30 MENEKE 1 4570 4441
30 EDWARDS 1 9500				33S 6V BROCE 1 4470 X	V	WELCH 1 4955 \$2	CROW 3306 2-28	CROW1 4463	LUDEMAN 2 LUDEMAN 4510 4510	x *	MEINEKE ACUGHS SWD 3 GENERAL S GENERAL S ACUGHS SWD 3
STEMARD 1 4970 H STEWARD 2 HSTEWARD 2					MADO 4520 21	UX 2	CHARÉES 3308 1-33H MADOUX1 4550		LEE-3306 +34H	33061-27H	3306 - 3306 3306 - 236H 1-35H DILBERT SWD 3306 1-35
		WILLIAMS CO 1-32 4535 P. 32				33			34		JACK JACK MENDRE 153 111 443 4945 47 77 35 PUILIAM 2 489
31			VALER4E 1-32 4912				ANDERSON 1-33 1-84		WILLIAM	SUZANNE 234 SUZANNE 234 4503	923 -
							CURT 1-4 4606		23 459 4		W0LFF 1-2 5300
Legend SandRidge Viels Sandridge SWD Wells Competitor Wells X ABANDONED LOCATION DIVINOLE TEMPORARRY	ABAI,CO.CO	5			BOLLMAN F-1 4500		4 BOLLMAN C-1 4500 \$2	CLARK 14 4590 \$2 METZ 'C' 2 4500 \$2	WILKER WILL F 13 KRED 1-3 558 4570 4547 34S 6W	CARR CARR DP1-3 GRP AM 4692 XI 3	2
S GASWELL JUNKEDANDABANDONED OL WELL W WELL START SandRidge Unit Lines		over the	,±,	MURRA\ 3406 1-5	BOLLWAY 3-4 4554 GEO 3406	RGE 1-9H	KATE 3406 1-4		METZ 'C' 1 4400 22	METZ -801 -5016 -2016 -2016	

