

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1175609

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from North /	South Line of Section
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:
Phone: ()			□ NE □ NW	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	W	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		
Operator:			If Alternate II completion, c	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan	
Plug Back	Conv. to G		(Data must be collected from to		
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
ENHR	Permit #:				
GSW	Permit #:		Operator Name:		
			Lease Name:		
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II Approved by: Date:						

Page Two



Operator Name:			L	ease Name: _			Well #:	
Sec Twp	S. R	East We	est C	County:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres	sures, whether sh	ut-in pressur	e reached stati	c level, hydrosta	tic pressures, bott		rval tested, time tool erature, fluid recovery,
Final Radioactivity Lo files must be submitted					ogs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes [No	L	_	on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	Yes	No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes Yes	No No					
List All E. Logs Run:								
		(CASING REC	ORD Ne	ew Used			
		· ·		ıctor, surface, inte	ermediate, producti	1		I
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADD	ITIONAL CEN	MENTING / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cem	ent #	# Sacks Used Type and Percent Additives				
Perforate Protect Casing	100 20111111							
Plug Back TD Plug Off Zone								
1 lag on zono								
Did you perform a hydrau	ulic fracturing treatment	on this well?			Yes	No (If No, ski	o questions 2 ar	nd 3)
Does the volume of the to		•				_ ` ` '	p question 3)	
Was the hydraulic fractur	ing treatment information	on submitted to the c	hemical disclo	sure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)
Shots Per Foot		ION RECORD - Bri Footage of Each Into				cture, Shot, Cement		d Depth
	, ,	<u> </u>			,		,	·
TUBING RECORD:	Size:	Set At:	Pa	acker At:	Liner Run:			
						Yes No		
Date of First, Resumed	Production, SWD or Ef		cing Method: owing	Pumping	Gas Lift C	other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. G	as Mcf	Wate	er Bi	ols. G	as-Oil Ratio	Gravity
DIODOCITI	ON OF CAS:		, 4 CT - 1		TION:		PPODUOTIO	ON INTERVAL.
Vented Solo	ON OF GAS: Used on Lease	Open Ho		IOD OF COMPLE \Box		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)	Other (Si	necify)	(Submit		mit ACO-4)		

MARK MORRISON 1651 50th Road Yates Center, KS 66783

WORK ORDER

KIMBERLIN LEASE

DATE 11/18/2013	<u>WELL</u> K-16	<u>DESCRIPTION</u> mixed 5 sacks of cement to cement surface
11/19/2013	k-16	established circulation; circulate 120 sacks of cement to surface; pumped plug and set float shoe

DRILLERS LOG

Company:

MARK MORRISON

Contractor: EK Energy LLC

License# 33977

Farm:

KIMBERLIN

County: WILSON

Well No:

K-16

API:

15-205-28233-00-00

Sec: 3 TWP: 27 Range: 16E

Surface Pipe: 20'

Location: 2399 FSL

Location: 3677 FEL

Spot: NW,NW,NE,SW

Thickness	Formation	Depth	Remarks		
	SOIL & CLAY	1	Drilled 9 7/8 Hole Set 7"		
39	LIME	40	Drilled 5 7/8 HOLE		
111	SHALE	151			
16	LIME	167			
30	SHALE	197	Started 11/18/2013		
46	LIME	243	Finished 11/19/2013		
80	SHALE	323			
198	LIME	521			
112	SHALE	633	T.D. Hole 998'		
9	LIME	642	T.D. PIPE 988'		
10	SHALE	652			
1	SAND	653			
2	OIL SAND	655			
7	SAND	662			
60	SHALE	722			
32	LIME	754			
28	SHALE	782			
16	LIME	798			
6	SHALE	804			
4	LIME	808			
6	SHALE	814			
. 6	SANDY SHALE	820			
22	SHALE	842			
10	SAND	852			
82	SHALE	934			
11	OIL SAND	945	VERY GOOD		
1	COAL	946	1,		
29	SHALE	975			
	SANDY SHALE	T.D.			
	-				

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable roa under truck's own power. Due to delivery at owner's or intermediary's directio seller assumes no responsibility for damages in any manner to sidewalk roadways, driveways, buildings, trees, shrubbery, etc., which are at customer risk. The maximum allotted time for unloading trucks is 5 minutes per yard-charge will be made for holding trucks longer. This concrete contains correwater contrelnts for strength or mix indicated. We do not assume responsibility strength test when water is added at customer's request.

NOTICE TO CONNER

Failure of this contract can result in the filling of a mechanic's lien on the proper which is the subject of this contract.

MARK MORRISON DEL TO:54 W TO 75 S 11MI TO 2400RD E 2.5MI N SD

					KAMBER	LHND KIE		
	TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION
		,			* CALL	CS	% AIR	
03:0	1:11p	WELL	12.00 yd	12.00 yd	0.00	35	0.00	WILCO
(DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
		To Date	4	48.50 yd				
11-15	9-13	Today	1	12.00 yd	25777	G/yd 0.0	4.00 in	35595
The second second			AND DESCRIPTION OF THE PERSON	REAL PROPERTY AND PERSONS ASSESSED.	MINISTER STATE OF THE PARTY OF	CONTRACTOR OF THE PARTY OF THE	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY

CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of

Contact With Skin or Eyes, Flush Thoroughly With Water, If Imitation Persists, Get Medical

Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OF CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CLIRB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it pleases the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to "tag premises and/or adjacent property, buildings, sidewalks, diriveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not littler the public street. Further, as additional consideration, the undersigned agrees to indemnly and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by sinyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NATURE BELOW INDICATES THAT I HAVE READ THE HEALTH

Excess Delay Time Charged @ \$50/HR. QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE WELL (10 SACKS PER UNIT) MIXSHAUL MIXING & HAULING 300.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
		427	1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	T	ubTotal \$ 1152. ax % 6.150 70
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE	otal \$ 1223.
3'.18	3:56	4:10		U	ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
	180		1		GRAND TOTAL