

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KC0	C Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	and the second		Spot Description:
	month day	year	Sec Twp S. R
OPERATOR: License#			(O/O/O/O) feet from N / S Line of Section
			feet from E / W Line of Section
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip: _		County:
Contact Person:			Lease Name: Well #:
Phone:			
ONTRACTOR: License#			Field Name:
Name:			·
vario.			Target Formation(s):
Well Drilled For:	Well Class: Ty	pe Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh R	ec Infield	Mud Rotary	Ground Surface Elevation:feet MS
Gas Storag	ge Pool Ext.	Air Rotary	Water well within one-quarter mile:
Dispos	sal Wildcat	Cable	Public water supply well within one mile:
Seismic ; # of	f Holes Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
[K O) M (M O)			Surface Pipe by Alternate: III
IT OVVVVO: old well I	information as follows:		Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
Well Name:			Projected Total Depth:
Original Completion Dat	te: Original Tot	tal Depth:	Formation at Total Depth:
			Water Source for Drilling Operations:
Directional, Deviated or Hor		Yes No	Well Farm Pond Other:
•			DWR Permit #:
			(Note: Apply for Permit with DWR)
KCC DKT #:			- Will Cores be taken? Yes N
			If Yes, proposed zone:
		٨Ε	FIDAVIT
The undersigned hereby a	iffirms that the drilling, com-	nletion and eventual n	lugging of this well will comply with K S A 55 et seg
-			lugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the followi	ing minimum requirements	will be met:	lugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the followi	ing minimum requirements into district office <i>prior</i> to spu	will be met: udding of well;	
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro	ing minimum requirements of the district office <i>prior</i> to sputyed notice of intent to drill so	will be met: udding of well; shall be posted on ead	ch drilling rig;
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amou	ing minimum requirements of the district office <i>prior</i> to sputyed notice of intent to drill sound of surface pipe as specifications.	will be met: udding of well; shall be posted on ead fied below shall be se	th drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso	ing minimum requirements of the district office prior to sputyed notice of intent to drill sound of surface pipe as specificated materials plus a minimum prior of the surface pipe as specificated materials plus a minimum prior of the surface pipe as specificated materials plus a minimum prior of the surface pipe as specificated materials plus a minimum prior of the surface prior of	will be met: udding of well; shall be posted on ead fied below shall be se nimum of 20 feet into t	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole	ing minimum requirements of the district office prior to sputyed notice of intent to drill sount of surface pipe as specificated materials plus a mine, an agreement between the	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the di	th drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following the sagreed that the following and the sagreed that the following the sagreed that the sagree	ing minimum requirements of the district office <i>prior</i> to sput ved notice of intent to drill so unt of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ;
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appe	ing minimum requirements of the district office <i>prior</i> to sput ved notice of intent to drill <i>s</i> and of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production and ix "B" - Eastern Kansas	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appe	ing minimum requirements of the district office <i>prior</i> to sput ved notice of intent to drill <i>s</i> and of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production and ix "B" - Eastern Kansas	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appe	ing minimum requirements of the district office <i>prior</i> to sput ved notice of intent to drill <i>s</i> and of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production and ix "B" - Eastern Kansas	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; the ground or production casing is cemented in; the definition of the strict office and usually water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so and of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and it is a constant of the spud of the sp	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; the ground or production casing is cemented in; the definition of the strict office and usually water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so and of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and it is a constant of the spud of the sp	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; the ground or production casing is cemented in; the definition of the strict office and usually water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so and of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and it is a constant of the spud of the sp	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so and of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and it is a constant of the spud of the sp	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. (133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so and of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and it is a constant of the spud of the sp	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15 -	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so ant of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and its "B" - Eastern Kansas within 30 days of the spud of the spu	will be met: udding of well; shall be posted on ear fied below shall be se nimum of 20 feet into t ne operator and the di efore well is either plug n pipe shall be cement surface casing order # date or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed wbmitted Electron For KCC Use ONLY API # 15 Conductor pipe required	ing minimum requirements of the district office <i>prior</i> to spouved notice of intent to drill so unt of surface pipe as specificated materials plus a mirre, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud o	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug nippe shall be cement surface casing order # date or the well shall be feet	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 2. A copy of the appropria 3. The minimum amout through all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15 Conductor pipe required	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so ant of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and its "B" - Eastern Kansas within 30 days of the spud of the spu	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug nippe shall be cement surface casing order # date or the well shall be feet	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required	ing minimum requirements of the district office <i>prior</i> to spouved notice of intent to drill so unt of surface pipe as specificated materials plus a mirre, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud o	will be met: udding of well; shall be posted on ear fied below shall be se nimum of 20 feet into t ne operator and the di efore well is either plug n pipe shall be cement surface casing order # date or the well shall be	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. All 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so an int of surface pipe as specificial specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud of the spu	will be met: udding of well; shall be posted on ear fied below shall be se nimum of 20 feet into t ne operator and the di efore well is either plug n pipe shall be cement surface casing order # date or the well shall be	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. All 233,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the followi 1. Notify the appropria 2. A copy of the approvance of the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Approvance of the appropriate of the approvance of the approv	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so an int of surface pipe as specificial specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud of the spu	will be met: udding of well; shall be posted on ear fied below shall be se nimum of 20 feet into t ne operator and the di efore well is either plug n pipe shall be cement surface casing order # date or the well shall be	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. All 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _



SEWARD CO. 3390' FEL

1980' FSL

For KCC Use ONLY	
API # 15	

Operator: _

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


Location of Well: County: ___

Lease:		feet from N / S Line of Section
Well Numb	er:	feet from E / W Line of Section
Field:		SecTwp S. R 🗌 E 🔲 W
	Acres attributable to well:	is Section. Regular of Irregular
QTR/QTR/	QTR/QTR of acreage:	_ •
		If Section is Irregular, locate well from nearest corner boundary.
		Section corner used: NE NW SE SW
		PLAT
	Show location of the well. Show footage to	o the nearest lease or unit boundary line. Show the predicted locations of
		al lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).
	You m	nay attach a separate plat if desired.
	1650 ft.	
		<u> </u>
		LEGEND
		Tank Battery Location
		Pipeline Location
	: : : :	: : : Electric Line Location
1650 ft		Lease Road Location
		· ·
		EXAMPLE :
	: : :	
	13	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date co Pit capacity:	Existing nstructed:	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of wor	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	be closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No



1176593

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Griffin, Charles N.	Location of Well: County: Barber
Lease: Phyllis Krehbiel	1650 feet from N / S Line of Section
Well Number: 1	1650 feet from E / X W Line of Section
Field: Eby East	Sec. 13 Twp. 32 S. R. 12 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: - NW - SE - NW	Is Section: Regular or Irregular
RLA	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest lead	se or unit boundary line. Show the predicted locations of
lease roads, tank batteries, pipelines and electrical lines, as requir	red by the Kansas Surface Owner Notice Act (House Bill 2032).
1650 ft. You may attach a sepa	arate plat if desired.
	LEGEND
1650 ft.	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
	EXAMPLE :
13	
	1980' FSL
	SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

January 14, 2014

Charles N Griffin Griffin, Charles N. PO BOX 347 PRATT, KS 67124-0347

Re: Drilling Pit Application Phyllis Krehbiel 1 NW/4 Sec.13-32S-12W Barber County, Kansas

Dear Charles N Griffin:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at this location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.	DISPOSAL OF DIKE AND PIT CONTENTS.	
(a)	Each operator shall perform one of the following when disposing of dike or	
pit	contents:	
(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;	
(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;	
or		
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following: (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f); (B) removal and placement of the contents in an on-site disposal area approved by the commission; (C) removal and placement of the contents in an off-site disposal area	
on		
lease	acreage owned by the same landowner or to another producing	
from	or unit operated by the same operator, if prior written permission	
110111	the landowner has been obtained; or	

	(D)	removal of the contents to a permitted off-site disposal area
approved		
		by the department.
(b)	Eac	h violation of this regulation shall be punishable by the following:
(1	1) A \$ ²	1,000 penalty for the first violation;
(2	2) a \$2	2,500 penalty for the second violation; and
(3	a \$5	5,000 penalty and an operator license review for the third violation.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.