Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

1177523

Form CP-4 March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

WELL PLUGGING RECORD K.A.R. 82-3-117

| Address 1: | OPERATOR: License #: | API No. 15 |
|--|--|--|
| Address 2: | Name: | Spot Description: |
| City: | Address 1: | Sec Twp S. R East West |
| Contact Person: | Address 2: | Feet from North / South Line of Section |
| Phone: () | City: State: Zip: + | Feet from East / West Line of Section |
| Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic Water Supply Well Other: SWD Permit #: | Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Water Supply Well Other: SWD Permit #: Lease Name: Well #: ENHR Permit #: Gas Storage Permit #: Date Well Completed: Date Well Completed: Is ACO-1 filed? Yes No If not, is well log attached? Yes No Producing Formation(s): List All (If needed attach another sheet) by: (KCC District Age.) Depth to Top: Bottom: T.D. Plugging Commenced: Plugging Completed: Plugging Completed: Plugging Completed: | Phone: () | NE NW SE SW |
| Depth to Top: Bottom: T.D Plugging Completed: | Water Supply Well Other: SWD Permit #: ENHR Permit #: Gas Storage Permit #: Is ACO-1 filed? Yes No If not, is well log attached? Yes No Producing Formation(s): List All (If needed attach another sheet) Ves No | Lease Name: Date Well Completed: |
| | | Plugging Commenced: |

Show depth and thickness of all water, oil and gas formations.

| Oil, Gas or Water | Records | | Casing Record (Surfa | ce, Conductor & Produc | tion) |
|-------------------|---------|--------|----------------------|------------------------|------------|
| Formation | Content | Casing | Size | Setting Depth | Pulled Out |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

| Plugging Contractor License #: | | Name: | | |
|-----------------------------------|--------------|---|-----------------------|---|
| Address 1: | | Address 2: | | |
| City: | | State: | Zip: | + |
| Phone: () | | | | |
| Name of Party Responsible for Plu | ugging Fees: | | | |
| State of | County, | , SS. | | |
| | (Print Name) | | tor or Operator on ab | |
| | | statements, and matters herein contained, and the | | |

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | |
|---|-------------|
| mrd/D-16200 [1] MIP 19 2 1000000000000000000000000000000000000 | 11 Ks. |
| LD OR NEW (Circle one) Image: Sector of Willing Sector of Wills ONTRACTOR PROFESSIONAL Pulling Sector of Wills Center YPE OF JOB Plug Addutosen weil Center YPE OF JOB Plug Addutosen weil Center ONTRACTOR PROFESSIONAL Pulling Sector Center Center ASING SIZE 57.6 DEPTH Center ASING SIZE 57.6 DEPTH 400 Sx Cope ASING SIZE 57.6 DEPTH 400 Sx Cope NEW ALL PIPE 8 56.6 Sult New Sc Cope 300 5.6 Sc Cope Set Size MINIMUM Coold Size Common 90 2.00 5.6 Sc Cope Set Size MINIMUM Coold Size Common 90 2.02 | OB FINISH |
| ONTRACTOR IRDECSSIONAL FULLING SOR. OWNER YPE OF JOB Plug Addatoose well CLE SIZE T.D. ASING SIZE S. V.S. DEPTH JUBING SIZE S. V.S. DEPTH JUBING SIZE S. V.S. DEPTH DOL. BERS. SANG SUREACE DEPTH DUBING SIZE S. V.S. DEPTH DUBING SIZE S. V.S. DEPTH DOL. DEPTH BES. MAX 2007#** MINIMUM POOLS SK Common EMENT LEFT IN CSG. CHLORIDE EMERT COMMON ISPLACEMENT COMMON EMERT COMMON WMP TRUCK CEMENT EVERS. CHLORIDE WILK TRUCK CEMENT GULK TRUCK CEMENT GULK TRUCK CEMENT GULK TRUCK CEMARKS: GOT SERVICE GULK TRUCK CEMARKS: GOT 35 SE Com 32 Com 32 Com SERVICE GULK TRUCK CEMARGE GOT 35 SE Com 32 Com 32 Com SERVICE GEPTH OF JOB COM 72 Com 32 Com </td <td>12HS/165</td> | 12HS/165 |
| OLE SIZE T.D. ASING SIZE ASING SIZE T.D. ASING SIZE CHARDELOINT ASIC CHARDELOINT ASIC CHARDELON < | |
| UBING SIZE $4.7/8$ DEPTH $ 4 2 - 1440'$ 150 5.45 $42.62L$ DENG SIZE $4.7/8$ DEPTH 480 200 ± 440 200 ± 440 200 ± 440 REB. PIPE $8.5/8$ DEPTH 480 200 ± 440 200 ± 440 200 ± 440 RES. MAX 200^{\pm} MINIMUM POZMIX 400 ± 440 200 ± 440 201 ± 22 200 ± 4400 201 ± 4400 20 | 3%000 |
| LES. MAX $200^{\#}$ MINIMUM COMMON 760° 610° EAS. LINE SHOE JOINT GO 850° 902° 927° EAS. LINE SHOE JOINT Ge 5° 927° 972° ERFS. GEL 5° 927° 972° 972° ISPLACEMENT Ge 972° 972° 972° 972° UMPTRUCK CEMENTERGUEW Ge 972° </td <td></td> | |
| EAS. LINE SHOE JOINT POZMIX Zo | |
| ERFS. CHLORIDE Image: Chloride ISPLACEMENT ISPLACEMENT ISPLACEMENT Image: Chloride ISPLACEMENT Image: Chloride <td< td=""><td>106,25</td></td<> | 106,25 |
| EQUIPMENT IMP TRUCK CEMENTER G/Jewy IMP TRUCK IMP TRUCK IMP TRUCK IMP TRUCK IMP TRUCK Colspan="2">IMP TRUCK CARGE IMP TRUCK COLSPAN IMP TRUCK CHARGE IMP IMP TRUCK CHARGE IMP I | |
| UMPTRUCK CEMENTER G. J. Luck ULK TRUCK @ ULK TRUCK @ 3/8 DRIVER Coby ULK TRUCK @ 3/8 DRIVER Coby WILK TRUCK @ 3/8 DRIVER Coby HANDLING 255 @ #ANDLING 256 @ Com, 3/6 Coby HANDLING 255 MILEAGE #If If A Total Total D'B Togethege If Ha D'S Togethege If Ha D'S Togethege If Ha D'S Togethege If Ha <tr< td=""><td></td></tr<> | |
| ULK TRUCK @ ULK TRUCK @ ULK TRUCK @ 2398 DRIVER Cody HANDLING 255 MILEAGE MILEAGE 1411 Spot 1412 Spot 1414 Tog Qenet 1415 Sector 150 Strop 161 Marting 172 Strop 181 Strop 192 Manifold 193 Strop 194 Strop 194 Strop 194 Strop 194 Strop 194< | |
| BULK TRUCK Image: Construction of the server sed of the satisfaction and supervision of owner agent or contractor to do work as is listed on the reverse side, TERMS AND CONDITIONS" listed on the reverse side, TERMS AND CONDITIONS" listed on the reverse side, Tag AND CONDITIONS" listed on the reverse side, Tag AND CONDITIONS" listed on the reverse side, TAGANCE AND CONDITIONS" listed on the reverse side, Tag AND CONDITIONS" listed on the reverse side, TAGANCE AND CONDITIONS" listed on the reverse side, TAGANCE AND CONDITIONS" listed on the reverse side, Tag AND CONDITIONS" listed on the reverse side, TAGANCE AND CONDITIONS" listed on the reverse side, TAGANCE AND CONDITIONS" listed on the reverse side, TAGANCE AND CONDITIONS and the reverse side, TAGANCE AND CONDITIONS" listed on the reverse side, TAGANCE AND CONDITIONS" listed on the reverse side, TAGANCE AND CONDITIONS and the reverse side and the reverse | |
| MILEAGE | |
| 2.78 True into @ 1413' Spot 3.5 sx SERVICE 0.001, 3.60 corr, util 144 Trag Compton Stort 100 Stort 10 | 702,80 |
| Com. 3% ce.y Wait IHe 4 Tag Comet Q SERVICE 1444, Spot 35 sy Com 3% cc.y/150#Hull's DEPTH OF JOB PUMP TRUCK CHARGE Spot 1SO Sy Gy 40 poor 4% ogel wil 50# PUMP TRUCK CHARGE @ 4ull's, 4 30 Sx Com 3% cc. BEPTH OF JOB PUMP TRUCK CHARGE 2 me out 0F Hole w/Tubing, 4 MILEAGE 60 200 7 a g i y Adorwing, For Fill- up MANIFOLD @ @ Ta g i y Adorwing, For Fill- up MANIFOLD @ @ CHARGE TO: ARD C. Tyc. Total Total @ STREET | 6161,65 |
| UAIT I HE. Too @ 1444. Decide To DEPTH OF JOB Spot ISO SX 6940 por 490 | |
| full's, + 30 sx Comm. 3 % cc. EXTRA FOOTAGE @ cme out of Hole w/Tubsing, + MILEAGE 60 ?>>b. Tag_ia_AAORWING, FOR Foil-up MANIFOLD @ @ Tag_iA_AORWING, FOR Foil-up MANIFOLD @ @ CHARGE TO: ARDC_TAC. Total Total @ STREET | 1200,00 |
| Tæg i y AAORWING, FOR FÜIL-UPL MANIFOLD @ | 420,00 |
| CHARGE TO: ARDC_TAC. TOTAL STREET TOTAL CITY STATE ZIP PLUG & FLOAT EQUIPMEN @ COM @ @ CITY STATE ZIP To Allied Cementing Co., LLC. @ @ You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side, TOTAL | |
| To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side, TOTAL TOTAL TOTAL | 240,0 |
| To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side, SALES TAX (If Any) | 1910.03 |
| To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side, SALES TAX (If Any) | т |
| To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side, TERMS AND CONDITIONS" listed on the reverse side, | |
| You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side, | |
| contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side, | |
| TERMS AND CONDITIONS" listed on the reverse side, SALES TAX (IT Any) | |
| TOTAL CHARGES | |
| PRINTED NAME Chee Whitphain DISCOUNT 202 IF PAIL | D IN 30 DAY |
| PRINTED NAME Che, Whitphain Discount 309 IF PAIL | |

| ALLIED CEMEN | | 038320 |
|---|---|--|
| REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 | SERVICEPOINT | ell_ks |
| 10-19-2011 SEC. DATE 31 19 5 3 W PATRICK SWD LEASE STORK WELL # #1 LOCATION, AND PORCE | LLED OUT ON LOCATION JOB START 100 B KS, 100 3.9 meterson | STATE |
| DOR NEW (Circle one) | F) | · · · |
| CONTRACTOR TAD FESSIONAL TUILING DERVICE TYPE OF JOB Plug ABANDONIO Well HOLE SIZE T.D. CASING SIZE 52 DEPTH | CEMENT AMOUNT ORDERED 140 SX 4 | 0 43GeL |
| TUBING SIZE 27/8 DEPTH DRHLL PIPE 85/8 SURFACEDEPTH 480 TOOL DEPTH | | 274 |
| PRES. MAX 100# MINIMUM MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG. Full | POZMIX 56 @ Fin | - 136500 CO 190 + 84 = 21 47600 - 106.25 Pozmik 60+56= 110 |
| PERFS. DISPLACEMENT EQUIPMENT | CHLORIDE@ ASC@ | lel = 3 clolude = 3 |
| PUMPTRUCK CEMENTER Glowy # 417 HELPER Woo DU | @@ @@ | |
| BULK TRUCK # 423 DRIVER Road BULK TRUCK | @ @ @ @ | |
| # DRIVER REMARKS: | HANDLING 145 @ 2,23 MILEAGE 11/14/ Junice | - 326,25 957,00 AL 3,230,50 |
| 2 1/8 TUBING @ 442' CIRCULATED Compart To SURFACE W/ 135.32 | SERVICE | AL DROVISE |
| Cerment, CAME OUT OF Hole up TUBING, TOP OFF | DEPTH OF JOB | |
| 85/8 CSq W/ 55x Cement Hole STAJED Full | PUMP TRUCK CHARGE EXTRA FOOTAGE @ MILEAGE 60 @ 2 @ | 1250,cu |
| /HANKD | MANIFOLD@ @ @ | 24040 |
| CHARGE TO: A.R. D.C. TAC. | | AL 1910,00 |
| CITYSTATEZJP | PLUG & FLOAT EQUIPM | ENT |
| | @@ | |
| To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or | @ @ @ | |
| contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL | TOT | AL |
| TERMS AND CONDITIONS" listed on the reverse side. | TOTAL CHARGES 57.40, 50 | |
| PRINTED NAME | DISCOUNT Jo J IF I | AID IN 30 DAYS |
| SIGNATURE | | |
| | | 190 |
| 1 | | 07 |