For KCC Use:

Effective	Date:

District	#	

SGA? Yes No

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other Other:	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well within one-quarter mile: Yes No Public water supply well within one mile: Yes No Depth to bottom of fresh water: Surface Pipe by Alternate: I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth: Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface pipe **shall be set** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

For KCC Use ONLY		
API # 15		
Conductor pipe required	feet	
Minimum surface pipe required	feet per ALT.	
Approved by:		
This authorization expires:		
Spud date: Age	ent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent:





For KCC Use ONLY

API # 15 -____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 🗌 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1181422

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate				
Operator Name:	Operator Name:		License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:		 Sec Twp R	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)N/A: Steel Pits	
Depth fro	m ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	I utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	xing pits to be utilized:	
		procedure:		
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY				
Date Received: Permit Numl	oer:	Permi	t Date: Lease Inspection: Yes No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Kansas Corpor Oil & Gas Cons CERTIFICATION OF C	ATION COMMISSION 1181422 Form KSONA-1 ATION COMMISSION 1181422 July 2010 ERVATION DIVISION Form Must Be Typed OMPLIANCE WITH THE Form must be Signed NER NOTIFICATION ACT All blanks must be Filled
T-1 (Request for Change of Operator Transfer of Injection of	f Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); or Surface Pit Permit); and CP-1 (Well Plugging Application). mpanying Form KSONA-1 will be returned. Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Surface Owner Information: Name: Address 1: Address 2: City: State: Zip: + If this form is being submitted with a Form C 1 (Intent) or CB 1 (Cathor	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

Select one of the following:

I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.

the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

I

L

	T32	S-R42W	CAR
	30	9 / 29 GRADED ROAD	#5 REBAR W/ ALUM. CAP
GRID NORTH	31	32	
NO	NE 1 4	W 212	DATE 10/31/2913
GRI	NE	WY	OPERATOR ANADARKO
CPS N		A Contraction	WELL NAME MURPHY #1-31M
		#5 REBAR W/ CAP	LOCATION SE/4 SEC.31, T32S-R42W
_		ANADARKO	FOOTAGES & 497.46' F E L
	SE 1 A LEASE LINE-	MURPHY #1-31M	RELATIONS 1335.13' F S L
	5.	SET #5 REBAR W/ LATH	ELEVATION 3538.19'
	T	MURPHY #1-31	DISTANCE TO EXISTING WELL
	1335.13' 335.13'		300.0' MURPHY #1-31
	CALC.	² ³² T32S	D SMITH
	GRADED ROAD	T33S	AUTHORIZED BY D. SMITH
	6	/ 5	/
		#5 REBAR W/ ALUM. CAP-	
		1, T32S - R42W UNTY, KANSAS	
		[DRIVING DIRECTIONS USED TO STAKE WELL FROM KNOWN LANDMARK OR CITY
CROF	P CRP GRASS		ROM:
	ER WELL		FROM INTERSECTION OF HWY #51 & #27 9.0 MILES NORTH OF ELKHART, KS; THENCE
			MILES NORTH OF ELKHART, RS, THENCE
NEAR	REST TOWER		NORTH ON HWY #56 & #27 5 0 MILES: THENCE
	REST TOWER		NORTH ON HWY #56 & #27 5.0 MILES; THENCE WEST 1.0 MILE: THENCE NORTH 1334.13 FT.:
AIRPO	ORT	937" N	NORTH ON HWY #56 & #27 5.0 MILES; THENCE WEST 1.0 MILE; THENCE NORTH 1334.13 FT.; THENCE WEST 497.46 FT. INTO.
AIRPO	ORT		WEST 1.0 MILE; THENCE NORTH 1334.13 FT.;
AIRPO LATIT LONG	ORT TUDE 37°13'05.029 GITUDE 101°55'10.590	074" W	WEST 1.0 MILE; THENCE NORTH 1334.13 FT.;
AIRPO LATIT LONG STATE KANSAS	ORT	074" W 004411.34	WEST 1.0 MILE; THENCE NORTH 1334.13 FT.;
AIRPO LATIT LONG STATE KANSAS	ORT	074" W	WEST 1.0 MILE; THENCE NORTH 1334.13 FT.;
AIRPO LATIT LONG STATE KANSAS	ORT	074" W 004411.34	WEST 1.0 MILE; THENCE NORTH 1334.13 FT.;
AIRPO LATIT LONG STATE KANSAS	ORT	074" W 004411.34	WEST 1.0 MILE; THENCE NORTH 1334.13 FT.;
AIRPO LATIT LONG STATE KANSAS N/	ORT 37°13'05.029 GITUDE 101°55'10.590 PLANE COORD. S SOUTH ZONE X= 10 MAD 27 Y= 2	074" W 004411.34 19032.96 NE CALL @ 1-800-DIG SAFE	WEST 1.0 MILE; THENCE NORTH 1334.13 FT.;
AIRPO LATIT LONG STATE KANSAS N/	ORT 37°13'05.029 GITUDE 101°55'10.590 PLANE COORD. S SOUTH ZONE X= 10 IAD 27	074" W 004411.34 19032.96 NE CALL @ 1-800-DIG SAFE OR CONSTRUCTION.	WEST 1.0 MILE; THENCE NORTH 1334.13 FT.; THENCE WEST 497.46 FT. INTO.
AIRPO LATIT LONG STATE KANSAS N/	ORT 37°13'05.029 GITUDE 101°55'10.590 PLANE COORD. S SOUTH ZONE X= 10 MAD 27 Y= 2	074" W 004411.34 19032.96 NE CALL @ 1-800-DIG SAFE OR CONSTRUCTION.	WEST 1.0 MILE; THENCE NORTH 1334.13 FT.; THENCE WEST 497.46 FT. INTO.
AIRPO LATIT LONG STATE KANSAS N/ NOTE: COM PRI	ORT TUDE 37°13'05.029 GITUDE 101°55'10.590 PLANE COORD. S SOUTH ZONE IAD 27 X= 10 Y= 2 NTRACTOR TO CONTACT OF IOR TO ANY EXCAVATION E&P ONSHORE LLC LOCATION OF THE MU	074" W 004411.34 19032.96 NE CALL @ 1-800-DIG SAFE OR CONSTRUCTION. NO. DWN. A DRF U JRPHY #1-31M	WEST 1.0 MILE; THENCE NORTH 1334.13 FT.; THENCE WEST 497.46 FT. INTO. OBJECT OBJECT
AIRPO LATIT LONG STATE KANSAS N/ NOTE: COM PRI	ORT TUDE 37°13'05.029 GITUDE 101°55'10.590 PLANE COORD. S SOUTH ZONE IAD 27 X= 10 Y= 2 NTRACTOR TO CONTACT OF IOR TO ANY EXCAVATION CANADAR	074" W 004411.34 19032.96 NE CALL @ 1-800-DIG SAFE OR CONSTRUCTION.	WEST 1.0 MILE; THENCE NORTH 1334.13 FT.; THENCE WEST 497.46 FT. INTO. OFF Vision Off Off Mille; Date Init Date Not 10/31/2013

Summary of Changes

Lease Name and Number: Murphy 1 31M

API/Permit #: 15-129-21957-00-00

Doc ID: 1181422

Correction Number: 1

Approved By: Rick Hestermann 01/17/2014

Field Name	Previous Value	New Value
ElevationPDF	3552 Estimated	3533 Estimated
Feet to Nearest Water Well Within One-Mile of	2768	2488
Pit Ground Surface Elevation	3552	3533
Is Footage Measured from the East or the West Section Line	West	East
from the East or the West Section Line	West	East
KCC Only - Approved By	Rick Hestermann 11/13/2013	Rick Hestermann 01/17/2014
KCC Only - Approved Date	11/13/2013	01/17/2014
KCC Only - Date Received	11/13/2013	01/17/2014
KCC Only - Regular Section Quarter Calls	SW SE NE SW	SW SE NE SE
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=31&t	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=31&t

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	2152	497
Number of Feet East or West From Section Line	2152	497
Quarter Call 1 - Largest	SW	SE
Quarter Call 1 - Largest	SW	SE
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 66206	//kcc/detail/operatorE ditDetail.cfm?docID=11 81422

Summary of Attachments

Lease Name and Number: Murphy 1 31M API: 15-129-21957-00-00 Doc ID: 1181422 Correction Number: 1 Approved By: Rick Hestermann 01/17/2014

Attachment Name

Survey