

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:				
Effective Date:				
District #				
SGA?	Yes No			

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1181936

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
month day year	,Sec TwpS. R EV
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
tity:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
W 11.5 W 1.5	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	
Disposal Wildcat Cable	
Seismic ;# of HolesOther	Depth to bottom of fresh water:
Other:	
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
CCC DKT #:	( <b>Note:</b> Apply for Permit with DWR )
CO DIVI II.	M/III O = m = 1 = 4 = 1 = m O
	If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging;  In it office on production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging;  In it office on production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of this well will be set.  Inging of this well will be set.  Inging of
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of this well will be set.  Inging of this well will be set.  Inging of
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it of the
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugging 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it of the
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugging.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugging.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug to is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the set	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the standard surface of the surface will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:  must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the set to	IDAVIT Independent of the top; in all cases surface pipe shall be set underlying formation. Independent of the top; in all cases surface pipe shall be set underlying formation. Independent of the top; in all cases surface pipe shall be set underlying formation. Independent of the top; in all cases surface pipe shall be set underlying formation. Independent of the top; in all cases surface pipe shall be set underlying formation. Independent of the top; in all cases surface pipe shall be set underlying formation. Independent of the top; in all cases surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the set of the se	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  1. In the understanding the production of the spud date or the well shall be the production of the spud date or the well shall be the understanding the production of the spud date or the well shall be the understanding the production of the spud date or the well shall be the understanding the production of the spud date or the well shall be the understanding the production of the spud date or the well shall be understanding the production of the spud date or the well shall be understanding the production of the spud date or the well shall be understanding the production of the spud date or the well shall be understanding the production of the spud date or the well shall be understanding the production of the spud date or the well shall be understanding the production of the spud date or the well shall be understanding the production of the spud date or the well shall be understanding the production of the spud date or the well shall be understanding the production of the spud date or the well shall be understanding the production of the spud date or the well shall be understanding the production of the spud date or the spud date or the spud date or the shall be understanding the production of the spud date or the spud date	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be  **Ubmitted Electronically**  For KCC Use ONLY  API # 15	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:		
Lease:	feet from N / S Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	Sec Twp S. R		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 2310 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed  If Existing, date con  Pit capacity:  Trea?  Yes	Existing nstructed: (bbls)	SecTwpR East West West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (fee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining scluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY:  Il utilized in drilling/workover:  king pits to be utilized:  procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection:  Yes No	



1181936

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	_ Well Location:		
Name:			
Address 1:			
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: ( ) Fax: ( )	_		
Email Address:	_		
Surface Owner Information:			
Name:	_ When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
City:	_		
	thodic Protection Borehole Intent), you must supply the surface owners and		
	ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will b	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.		
Submitted Electronically			
I			

## DEUTSCH OIL COMPANY NELSON LEASE SW. 1/4. SECTION 4. T26S. R11W PRATT COUNTY, KANSAS

SAND (NE. 120TH ST.) ROAD Notes: 1. Set iron rod at location site. 2. All flagging Red & Yellow. 3. Overhead power available at S. & W. lines. 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION: Various pipelihes in Sec. 4. 6. Section 4 is irregular. 7. Cattle in stubble at date of staking. 8. Contact landowner for best access. 9. Location fell between pivot system wheel tracks. no alternate set. LEASE ROAD 120TH (NE. NELSON 44-4 NELSON TANK BATTERY NELSON #2-4 APPROX. LOCATION CENTER PIVOT IRR, SYSTEM Drillsite Location Nelson #3-4 S. 1/2 SW SW 330'FSL 660'FWL ELECTRIC WIRE FENCE Ground Elevation = 1847 STUBBLE  $Y = 415030 \quad X = 1989674$ PIVOT SYSTEM WHEEL TRACK 75'NE. & 60'SW. OF LOC. State Plane-NAD 27-Kansas South

(NE. 110TH ST.)

vations derived from National Geodetic Vertical Datum.

FLAGGED ROAD . OPPOSITE LOC.

December 27, 2012

(Mapping Grade GPS Used)

ROAD

PAVED

ELECTRIC WIRE FENCE GATE (CLOSED)

Approximate section times were determined using the normal standard of core of allifield surveyors procticing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not government. Therefore, the operator securing this service and occepting this plot and all other parties relying thereon opree to hold Central Kansas Bilfield Services, Inc., list officers and employees harmless from all losses, costs and expenses and sold entities released from any liability from Inal General or casequential damages.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

February 11, 2014

Kent Deutsch Deutsch, Kent A. dba Deutsch Oil Company 8100 E 22ND ST N WICHITA, KS 67226

Re: Drilling Pit Application Nelson 4-4 SW/4 Sec.04-26S-11W Pratt County, Kansas

#### Dear Kent Deutsch:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.