Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1183211

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
	Chlorido content: nnm_ Eluid volumo; hblo
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1183211
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRINCTIONS. Changing particulations of formations parastrated	Antoil all agree Bapart all final	apping of drill stome tools giving interval tooled, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	ets)	Yes No		-	on (Top), Depth an		Sample
Samples Sent to Geologi	ical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONA	L CEMENTING / SQL	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	
Protect Casing Plug Back TD							

Did you perform a hydraulic fracturing treatment on this well?	Yes	No	(If No, skip questions 2 and 3)
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes	No	(If No, skip question 3)
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes	No	(If No, fill out Page Three of the ACO-1)

Plug Off Zone

	1									
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated)e			ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Si	ze:	Set At:		Packe	r At:	Liner F		No	
Date of First, Resumed	I Product	ion, SWD or ENHI	٦.	Producing M	lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	lls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
			1						I	
DISPOSITION OF GAS:				METHOD		TION:	_	PRODUCTION IN	TERVAL:	
Vented Solo		Used on Lease		Open Hole	Perf.	Uually (Submit)	, Comp. 4 <i>CO-5)</i>	Commingled (Submit ACO-4)		
(If vented, Su	bmit ACC)-18.)		Other (Specify)						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

	ONBOLID	NTED	263	591C)	TICKET NUM		773
	Oil Whill Beruins	in, LLC	\mathcal{O}	,				<u> </u>
		sa FIF	ELD TICKET	& TREAT		OREMAN	bey Kenn	edy
	hanute, KS 6672 or 800-467-8676			CEMEN			•	•
DATE	CUSTOMER#		LL NAME & NUMB		SECTION	TOWNSHIP	RANGE	COUNTY
/////3	7752	Dice	# I-1	3	27 200	26 0	18 082	AL
SC 7	Resource	es Dr	-		TRUCK #	DRIVER	TRUCK #	DRIVER
	E Cedarsp				48/	Casken	V Safety	Maeting
CITY	Cedarsp	SIATE	ZIP CODE		510	Set Tor		
Howton			77055		370	JoRic	V	
	70.00	HOLE SIZE		HOLE DEPTH	880'	CASING SIZE &		S"EE
CASING DEPTH SLURRY WEIGH		DRILL PIPE SLURRY VOL		TUBING WATER gal/si	<u> </u>	CEMENT LEFT in		
	Carlin	DISPLACEMEN		MIX PSI	` <u> </u>	RATE 4.56		
REMARKS: h		meeting,	establishe		tion mix			Preusion
Sel Abfla		1	Hest wat	7. 1		pod 142	sts 59/50	Pozuri
cement 1	2 1/ 27 0		st , ceu to casinc		1 5 . 1 1	the shed	ourse	dan,
to 200	P31 (1)2	Il held		Vor .30	2 min M	IT class	ed press	vessure d
n casina			V				a prese	Je John
	<u> </u>						7	
							/	
						IL.K		
<u> </u>						BK	7	
ACCOUNT	QUANITY o	or UNITS	DES	CRIPTION of	BERVICES or PRO			TOTAL
CODE	QUANITY o	or UNITS	DES PUMP CHARGE		BERVICES or PR(
code 5401 5406	on log	y UNITS	<u> </u>		SERVICES or PR(TOTAL 1025.00
CODE 5401 5406 5402	on las	<u>t</u> ee	PUMP CHARGE MILEAGE	tootage				1085.0
CODE 5401 5406 5402 5402	on leg Stas 3Lele.	se 36	PUMP CHARGE MILEAGE CASING	fontage vileage				1085.00
CODE 5401 5406 5402 5402	on las	se 36	PUMP CHARGE MILEAGE	fontage vileage				1085.0
CODE 5401 5406 5402 5402 5407 5502C	on la 865 366.2 2 hr	36	PUMP CHARGE MILEAGE Ton no 80 UG	lootage Lileage				1085.00 516.57 180.00
CODE 5401 5402 5402 5402 5502 1124	0n 100 8705 3000. 2 m 142 s	26e 36 26 26	PUMP CHARGE MILEAGE Casing Ton M 80 UC	Hostage Weage				1085. « 516.57 180.00
CODE 5401 5402 5402 5402 5402 5502 1124 1124 1118B	on la 865 366.2 2 hr	26e 36 26 26	PUMP CHARGE MILEAGE Ton n 80 UG 50/50 P Premio	tootage vileage oznix n Gol	cement			1085.00 516.57 180.00 1633.00 76.58
CODE 5401 5402 5402 5402 5502 1124	0n 100 8705 3000. 2 m 142 s	26e 36 26 26	PUMP CHARGE MILEAGE Casing Ton M 80 UC	tootage vileage oznix n Gol	cement			1085. « 516.57 180.00
CODE 5401 5402 5402 5402 5402 5502 1124 1124 1118B	0n 100 8705 3000. 2 m 142 s	26e 36 26 26	PUMP CHARGE MILEAGE Ton n 80 UG 50/50 P Premio	tootage vileage oznix n Gol	cement			1085.00 516.57 180.00 1633.00 76.58
CODE 5401 5402 5402 5402 5402 5502 1124 1124 1118B	0n 100 8705 3000. 2 m 142 s	26e 36 26 26	PUMP CHARGE MILEAGE Ton n 80 UG 50/50 P Premio	tootage vileage oznix n Gol	cement			1085.00 516.57 180.00 1633.00 76.58
CODE 5401 5402 5402 5402 5402 5502 1124 1124 1118B	0n 100 8705 3000. 2 m 142 s	26e 36 26 26	PUMP CHARGE MILEAGE Ton n 80 UG 50/50 P Premio	tootage vileage oznix n Gol	cement			1085.00 516.57 180.00 1633.00 76.58
CODE 5401 5402 5402 5402 5402 5502 1124 1124 1118B	0n 100 8705 3000. 2 m 142 s	26e 36 26 26	PUMP CHARGE MILEAGE Ton n 80 UG 50/50 P Premio	tootage vileage oznix n Gol	cement			1085.00 516.57 180.00 1633.00 76.58
CODE 5401 5402 5402 5402 5402 5502 1124 1124 1118B	0n 100 8705 3000. 2 m 142 s	26e 36 26 26	PUMP CHARGE MILEAGE Ton n 80 UG 50/50 P Premio	tootage vileage oznix n Gol	cement			1085.00 516.57 180.00 1633.00 76.58
CODE 5401 5402 5402 5402 5402 5502 1124 1124 1118B	0n 100 8705 3000. 2 m 142 s	26e 36 26 26	PUMP CHARGE MILEAGE Ton n 80 UG 50/50 P Premio	tootage vileage oznix n Gol	cement			1085.00 516.57 180.00 1633.00 76.58
CODE 5401 5402 5402 5402 5402 5502 1124 1124 1118B	0n 100 8705 3000. 2 m 142 s	26e 36 26 26	PUMP CHARGE MILEAGE Ton n 80 UG 50/50 P Premio	tootage vileage oznix n Gol	cement	жист Эрист		1085.00 516.57 180.00 1633.00 76.58

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

	Operator License #	34897		API #	15-001-308	57-00-00	
	Operator License #	SCZ Resources		Lease Name	Kendall Dice		
	Address	8614 Cedarspur Dr	ivo	Well #	I-13		
	City	Houston, TX 77055		Well#	1-13		
	Contractor	JTC Oil, Inc.)	Spud Date	11/3/13		
	Contractor License #	32834		Cement Date	11/3/13		
	T.D.	880		Location	Sec	т	R
	T.D. of pipe	865		Location	feet from	I	line
	Surface pipe size	7"			feet from		line
	Surface pipe depth	20'		County	Allen		inte
	Well Type	Injection		county	Alleli		
	Driller'	-					
Thickness	Strata	From	То				
7	Dirt	0	7				
39	Lime	7	46				
23	Shale	46	69				
14	Lime	69	83				
47	Shale	83	130				
67	Lime	130	197				
7	Black Shale	197	204				
21	Lime	204	225				
6	Black Shale	225	231				
24	Lime	231	255				
2	Shale	255	257				
20	Lime	257	277				
142	Shale	277	419				
5	Lime	419	424				
8	Shale Mix	424	432				
8	Red Shale Mix	432	440				
3	Shale	440	443				
7	Lime	443	450				
7	Shale	450	457				
1	Sand	457	458	ОК			
2	Shale	458	460				
2	ОК	460	462	Oil Show			
2	ОК	462	464	Oil Show			
2	ОК	464	466				
87	Shale	466	553				
15	Lime	553	568				
38	Shale	568	606				
17	Lime	606	623				
8	Shale Mix	623	631				
4	Lime	631	635				
139	Shale	635	774				
1	Top Sand	774	775	Good			
2	Good Sand	775	777	Oil Show			
1	Sand	777	778	ОК			
8	Sand	778	786				
2	Top Sand	786	788	OK			
2	Sand	788	790	Oil Show			
2	Sand	790	792	Oil Show			

2	Sand	792	794	Little
19	Shale	794	813	
5	Sand	813	818	No Oil
62	Shale Mix	818	880	