Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1183643

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
G OG GSW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used?
	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Location of huid disposa in natied offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II III Approved by: Date:							

	Page Two	1183643
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INCTRUCTIONS: Chaw important tang of formations paratrated Da	tail all aaraa Danart all fin	al conice of drill stome tests sirving interval tested time test

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sho	eets)	Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose [.]	Depth	Turne of Company	# Cooke Lload		Turne and [Dereent Additivee	

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

No

No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					e	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			Depth
TUBING RECORD:	Siz	ze:	Set At:		Packer	At:	Liner Ru	n:	No	
Date of First, Resumed	Producti	ion, SWD or ENHF	} .	Producing N		oing	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS:			METHOD OF COMPLETION:			_	PRODUCTION IN	TERVAL:		
Vented Solo	J 🗌 t	Jsed on Lease		Open Hole	Perf.	Uually (Submit)	Comp.	Commingled (Submit ACO-4)		
(If vented, Su	bmit ACO	D-18.)		Other (Specify))		,	(505/111 ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

ALLIED OIL & GAS SERVICES, LLC 054750

REMIT TO P.O. B RUSS		NSAS 670		ix I.D.# 20-5975804			ell Ks,
DATE / - 11 - 14	SEC. 14	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE VARLIN	WELL #	#6	LOCATION	looing Ks	RE 1/48	COUNTY	STATE
OLD OR NEW (Cir	cle one)			- 1. ng			
CONTRACTOR TYPE OF JOB HOLE SIZE CASING SIZE TUBING SIZE	43 S.	g DE	2. 1182 2. 1182 2. 1182 2. 1180 2. 1180 2. 1180 2. 1180 2. 1180 2. 1182 2. 118	OWNER CEMENT AMOUNT O	RDERED 475	e Com	
TOOL			PTH PTH		Ad Gel		
PRES. MAX			NIMUM	COMMON 4	175	@	
MEAS. LINE			OE JOINT 42,	POZMIX		@	
CEMENT LEFT IN	CSG. 4	2. 12			9.5×	_@	all and the second s
PERFS.	L G R S		36 0.0	CHLORIDE	17 SX	_@	All Charles and
DISPLACEMENT			72 7 BBL	ASC		@	
100	EQU	JIPMENT	en aver avia				· · · · · · · · · · · · · · · · · · ·
Lange and the second second	1	- 11			and the second second	-@	
		ER Gles	and the second se		1	@	the second second
	HELPER	Noth	AN D.			@	
BULK TRUCK	DUUED	12	0	A Contractor	N.C. S. D.L.	@	S I MALE ARE
# 423 I BULK TRUCK	DRIVER	Keven	Ke			@	1. 196-1 1-161
	DRIVER					@	
<u> </u>	KITLK			– HANDLING		_ @	
*				MILEAGE	mile	6	
	RE	MARKS:				TOTAL	-
Ren 28 A Sot @ 1180 + Coment		DINTS Lociousz 195 SY	OF 23" 8 80 Oirculation Com 392,		SERVI	CE	
Release TRF	241	lisplace	D BBL	_ DEPTH OF J		and bank	161. C.
BeHind, GA	NDC		T, SHUT I	" PUMP TRUC		and the second	ALL LONG
A	- 1	n	OR IN ATP	EXTRA FOO		@	
TO SUAFAC	210	DC.	The way of T		mile X2 HyM		1000000
10 OSKID			LAAKSe	MANIFOLD	1.8 10.75	@ 4.40	
0				<u>11 M,10 (</u>		@	
CHARGE TO: K	oyal	Dat	LITNG. THO	•		TOTAL	
СІТҮ	ST.	ATE	ZIP	-	PLUG & FLOAT	' EQUIPMEN	Т
				1-85/8	Robber Plug	@ <u>76,287.</u> @	
To: Allied Oil & C	as Servi	ces. LLC		a hand a state of the	and a second	@	A Dunielar

ര

You are hereby requested to rent cementing equipment

ALLIED OIL & GAS SERVICES, LLC 055011

			Federal	Tax I.D.# 20-5975804			
REMIT TO P.O. E RUSS	SELL, KANS	SAS 67665			SER	VICE POINT:	sell Ks
DATE /. 15.14	SEC.	TWP. R/	ANGE H	CALLED OUT	ON LOCATION	JOB START 73.2	JOB FINISH
LEASE KALLA		le La	DCATION	7. 1421	Ke	COUNTY	STATE
OLD OR NEW (Ci	-		1	- 10 - 1		Elle	1.11.1
			1 m el	ist 2000th	n 14/3		
CONTRACTOR	Ko	wal "	2	OWNER			
TYPE OF JOB							
HOLE SIZE	179	T.D.		CEMENT			
CASING SIZE	02	DEPTH	3597	AMOUNT O	RDERED 202	2 56 6	140
TUBING SIZE		DEPTH		-1%	9 00 # TH F	he-spel	1 A A A A A A A A A A A A A A A A A A A
DRILL PIPE		DEPTH		152.54	100 10	2. Solt 1	21.9.2
TOOL		DEPTH			a second and a second and a second		2
PRES. MAX		MINIM		COMMON	27056	@ 17.7	\$ 4,633 02
MEAS. LINE		SHOE J		7 POZMIX	7351	@ 7.35	\$ 74800
CEMENT LEFT IN	\mathbf{VCSG} . 14	1.97'		GEL	2.7 sr	@ 23.4	\$ 226.75
PERFS.				CHLORIDE		@	
DISPLACEMENT	83	10		ASC		@	
	FOUID	MENT		GAH (Dillost		\$421.100
	EQUIP					@	- <u> </u>
	Acres Ares	1	-0	The Sea	12251-		
PUMP TRUCK	CEMENTER	rong	1.	- IK)		@1.97	+14850
# 4/1	HELPER	DEAN				@	- 1-1 9. 14
BULK TRUCK	18 11 200	6	-0	STREET, STREET		_@	A STATE OF A
# 473 1	DRIVER	JAK TO	K			_@	
BULK TRUCK		01	~		2.47 31 6	@	· · · · · · · · · · · · · · · · · · ·
# 461 1	DRIVER	Bleinr	0-	HANDLING	22841742	@ 7.48	JE1113
				MILEAGE	249.525 71		2110 n7
	DEMA	DVC.		MILEAUE	4-71 Jes 1		- <u>BUGGO / /</u>
	REMA	AKKS:		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		TOTAL	\$ 7.741.4
the second second							
3.00	Cemerto	-= 5/-	6 6051		SERVI	CE	I in a average
- Alexandre	Legres G		e.	DEPTH OF J	7 8		3577'
				PUMP TRUC			\$ 2600.4
				EXTRA FOO		0	<u>y 2</u> (y 30 , 1
					4 84	_@	CTIL LA
				MILEAGE	1. 1	@ 7 7	51150
				MANIFOLD	h 90 1 20-	_@ <u>4 </u>	<u>> 66 0 0</u>
						_@	
	K.	050	11	a statement and the	a second and a second	_@	
CHARGE TO:	110411	6 -1					11151 Ct
STREET	ŀ			1		TOTAL	54101-1
51KEET			1.				E. LLL
CITY	STATI	Е	ZIP	1.			
			Altab	Y	PLUG & FLOAT	EQUIPMEN	T
			1 XA VI	TUNK	-LISA.		1. 200 23
) <u>1x527</u>	Int we i	_@	1207.00
				11521	+ ULLATCH DI	₩@	\$ 510.12

20

20

To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment