

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1183682

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from	South Line of Section
City: S	tate: Zi	p:+	Fe	eet from East / V	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section Co	orner:
Phone: ()			□ NE □ NV	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	We	ell #:
New Well Re	-Entry	Workover	Field Name:		
	_	_	Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground:	Kelly Bushing: _	
☐ OG	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:
CM (Coal Bed Methane)	dow	iemp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
Cathodic Other (Con	e. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well In			If yes, show depth set:		Feet
Operator:			If Alternate II completion, of	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:	Original To	otal Depth:			
Deepening Re-perf.	Conv. to E	NHR Conv. to SWD	Drilling Fluid Manageme	nt Plan	
☐ Plug Back	Conv. to G	SW Conv. to Producer	(Data must be collected from t		
O constitued and	D		Chloride content:	ppm Fluid volume:	bbls
CommingledDual Completion			Dewatering method used:		
SWD			Location of fluid disposal if	f haulad offsita:	
☐ ENHR			Location of fluid disposal fi	nauled offsite.	
GSW			Operator Name:		
_			Lease Name:	License #:	
Spud Date or Date Rea	ached TD	Completion Date or	QuarterSec	TwpS. R	East _ West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II Approved by: Date:					

Page Two



Operator Name:				_ Lease N	lame: _			Well #:		
Sec Twp	S. R	East	West	County:						
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ing and shut-in pressu	ires, whe	ther shut-in pre	ssure reach	ned stati	c level, hydrostat	tic pressures, bott			
Final Radioactivity Log files must be submitte						gs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital el	ectronic log
Drill Stem Tests Taken (Attach Additional S		Ye	es No		L		n (Top), Depth an			mple
Samples Sent to Geol	ogical Survey	_ Ye	es No		Nam	е		Тор	Da	tum
Cores Taken Electric Log Run		Y€								
List All E. Logs Run:										
			CASING		Ne					
				onductor, su	rface, inte	rmediate, producti			T	
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		d Percent itives
			ADDITIONAL	CEMENTIN	IG / SQL	EEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used	Type and Percent Additives				
Perforate Protect Casing	Jop Zollow									
Plug Back TD Plug Off Zone										
1 ag on zono										
Did you perform a hydrau	ılic fracturing treatment o	n this well?	•			Yes	No (If No, ski	o questions 2 ar	nd 3)	
	otal base fluid of the hydra		J	,	0		_ , , ,	p question 3)		
Was the hydraulic fractur	ing treatment information	submitted	to the chemical o	disclosure reç	gistry?	Yes	No (If No, fill	out Page Three	of the ACO-1	<i>)</i>
Shots Per Foot			D - Bridge Plug Each Interval Perf				cture, Shot, Cement		d	Depth
	. ,					,		,		
TUBING RECORD:	Size:	Set At:		Packer At	:	Liner Run:				
							Yes No			
Date of First, Resumed	Production, SWD or ENH	IR.	Producing Meth Flowing	od: Pumping	e 🗆	Gas Lift O	ther <i>(Explain)</i>			
Estimated Production Per 24 Hours	Oil B	bls.	Gas	Mcf	Wate	er Bl	ols. G	as-Oil Ratio		Gravity
DISDOSITIO	ON OF GAS:			1ETHOD OF	COMPLE	TION		PRODUCTIO	N INTEDVA	
Vented Sold			Open Hole	Perf.	Dually	Comp. Com	nmingled	THODOGHC	ZIA IIA I ELIAN	
(If vented, Sub			Other (Specify)		(Submit)	ACO-5) (Subr	mit ACO-4)			



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083

Fax: 913-557-9084

WELL LOG

Paola, KS 66071

Verde Oil Company Campbell #I-9-13 API #15-001-30,867

November 15 - November 17, 2013

Thickness of Strata	Formation	Total
5	soil & clay	5
5	broken lime	10
48	lime	58
4	shale	62
3	lime	65
20	shale	85
18	lime	103
1	shale	104
7	lime	111
3	shale	114
21	lime	135
2	shale	137
22	lime	159 base of the Kansas City
96	shale	255
2	lime	257
36	shale	293
4	lime	297
17	shale	314
3	lime	317
5	shale	322
8	lime	330
22	shale	352
2	lime	354
63	shale	417
3	lime	420
9	shale	429
12	lime	441
2	shale	443
5	lime	448
5	shale	453
1	lime	454
35	shale	489
15	lime	504 ol show
7	shale	511
1	coal	512
3	shale	515
7	lime	522
90	shale	612
1	coal	613

Campbell #I-9-13		Page 2
26	shale	639
1	coal	640
81	shale	721
4	broken sand	725 black & grey sand, no show
1	shale	726
3	broken sand	729 brown & black sand, light bleeding
5	black sand	734 minimal bleeding
1	coal	735
30	shale	765
5	broken sand	770 hard brown sand & shale, light show
2	shale	772
13	broken sand	785 hard brown & grey sand, ok bleeding
4	shale	789
1	broken sand	790 90% shale, 10% light bleeding sand
16	silty shale	806
4	broken sand	810 light brown sand & shale, no show
3	broken sand	813 brown sand & shale, good bleeding
24	oil sand	837 soft brown sand, good bleeding
6	oil sand	843 brown & grey good bleeding
17	oil sand	860 black & grey, light bleeding
3	grey sand	863 no show
38	shale	901
2	lime	903 Mississippi

Drilled a 9 7/8" hole to 22.8' Drilled a 5 5/8" hole to 903'

Set 22.8' of 7" threaded and coupled surface casing, cemented with 6 sacks cement.

Set 900.5' of 2 7/8" 8 round upset tubing with 4 centralizers, 1 float shoe,1 clamp, 1 baffle



264278

LOCATION Offama KS
FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT CEMENT

DATE	CUSTOMER#	WELL NAME & NUMB		SECTION	TOWNSHIP	RANGE	COUNTY
11.20.13	8520	Compbell # I. 9	~13	SE 29	26	20	AL
CUSTOMER							
Ve	vde Oil	!		TRUCK#	DRIVER	TRUCK #	DRIVER
MAILING ADDRE	SS			712	Fre Mad		
33	45 Ari	STATE ZIP CODE		495	Har Bec		
		STATE ZIP CODE		369	JasRic		
Savon	burg	KS 66772		548	Mik Haa		
JOB TYPE L	ong string	HOLE SIZE 57/8	HOLE DEPTH		CASING SIZE & W	EIGHT 278	EUE
CASING DEPTH		DRILL PIPE Baffle in	TUBING_ @	590'		OTHER	
SLURRY WEIGH	fT	SLURRY VOL	WATER gal/s	k	CEMENT LEFT in		LPlug
DISPLACEMENT	5.2 BBL	DISPLACEMENT PSI	MIX PSI		RATE 5BPN	ι	
REMARKS: H	old arew	safety meeting	Establi	sh pump	rate. Mix	+ Pump	100
					r mix Ce		
5%50	A 5 Ko	1 Smal/ski Cen			Flush pu		
clean	. Displac	c Customera 2%	2 hoxel	down plu	to bate	clon cas	, hg
Pres	SUVP to	800 # RSI. Releas	e pres	sure to s	ex float Va	elve.	0
	Ym Cash						
		/			.,		
Eva	us Ene	rgy Dev. Fue. W	1. tchell	, 7-	ud Madu		

ACCOUNT	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODU	JCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	495		108500
5406	70 m;	MILEAGE	495		29400
5402	900	Casing footage			NIC
5407A	387.345	Ton Miles	548		54616
5502C	2 2 hrs	80 BBL Vac Truck	349		225-0
1124	1193/45	50/50 Poz Mix Coment			136650
1118B	300#	Premium Gel			6600
1111	230#	Granulated Salt			8970
1110 A	595#	Kol Spal			27370
				142	u E
			and the second		160
			7.4%	SALES TAX	13304
in 3737	/			ESTIMATED TOTAL	408110

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form