

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #	±			
SGA?	Yes	No		

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
monun day year	
PERATOR: License#	Sec.   Twp.   S. R.     E     Feet from   R /   S. Line of St.   Feet from   R /   W. Line of St.   Feet from   R /   W. Line of St.   Feet from   R /   W. Line of St.   SECTION:   Regular   Irregular?   Well #:   Field Name:   Lease Name:   Well #:   Field Name:   Is this a Prorated / Spaced Field?   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Formation Air Rotary   Air Rotary   Public water supply well within one mile:   Yes   Public water supply well within one mile:   Yes   Depth to bottom of fresh water:   Depth to bottom of fresh water:   Surface Pipe by Alternate:   I   II   Length of Surface Pipe Planned to be set:   Length of Conductor Pipe (if any):   Projected Total Depth:   Water Source for Drilling Operations:   Water Source of Drilling Operations:   Water Source for Drilling Operations:   Water Source of Drilling Operations:   Water Source of Drilling Operations:   Water Source Operations
lame:	
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State:	•
Contact Person:	
hone:	
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Disposal Wildcat Cable  Seismic ; # of Holes Other	
Other:	Depth to bottom of usable water:
	. — — —
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	
Original Completion Date: Original Total Depth:	
- · · g······ - · · · · · · · · · · · ·	
Directional, Deviated or Horizontal wellbore? Yes No	
f Yes, true vertical depth:	
Bottom Hole Location:	
CCC DKT #:	
CCC DKT #:	Will Cores be taken?
	Will Cores be taken?  If Yes, proposed zone:
AF	Will Cores be taken? Yes N If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes N If Yes, proposed zone:
AF  The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig;
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AF The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the posted on the second of the second	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
AF The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the second	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the specified below <i>shall be second</i> all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plug of the spuddate of the well shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spuddate or the well shall be	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the specified below <i>shall be second</i> all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plug of the spuddate of the well shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spuddate or the well shall be	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the standard plus of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the shall be cemented. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically.  **Jubmitted Electronically**  **For KCC Use ONLY**	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of the appropriate of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface of the surface of the surface will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the surface of the surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a seen through all unconsolidated materials plus a minimum of 20 feet into the standard plus of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the standard plus of the spud date or the well shall be appropriated within 30 days of the spud date or the well shall be appropriated before the well shall be appropriated b	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the set of t	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the shall be cemented. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  the price complete to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the approved of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the superior of the set of t	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It trict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all be completed district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It trict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  the priculating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _	ator:						_ Lo	Location of Well: County:						
Lease:														
Well Numb	er:							feet from E / W Line of Section						
Field:							_ Se	SecTwpS. R 🗌 E 🔲 W						
Number of QTR/QTR/							13	Section:	Regular or Irregular					
									Irregular, locate well from nearest corner boundary. er used: NE NW SE SW					
					d electrica	l lines, as	required b		dary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). ired.					
1980 ft		:		) D		:	:	:	LEGEND					
		·		:	••••			:	O Well Location Tank Battery Location					
		:	:	:	•••••	:	:	:	Pipeline Location Electric Line Location					
		: :	:	:		: :	:	:	Lease Road Location					
		: :	<u>:</u> :	: : : 1	  7	: : :	<u>:</u> :	<u>:</u> :	EXAMPLE :					
		: : :	:				:							
		: : :		: :					1980' FSL					
		:	:	:				:						
		: : : :	<u>:</u> <u>:</u> <u>:</u>	· · · ·			<u>:</u>	<u>:</u>						

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:  Emergency Pit  Burn Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date collination  Pit capacity:	Existing	SecTwp R East WestFeet from Bast / West Line of SectionFeet from East / West Line of Section			
	Pit   Froposed   Fit   Fit capacity:   Pit cap	(bbls)	County			
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?		No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	epest point:	(feet) No Pit			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		edures for periodic maintenance and determining ncluding any special monitoring.			
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	al utilized in drilling/workover:			
Number of producing wells on lease:		Number of world	king pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	KCC	OFFICE USE O				
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS  it Date: Lease Inspection: Yes No			



1183814

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)


OPERATOR: License #	
Name:	· — —
Address 1:	•
Address 2:	Lease Name: Well #:
City:         State:         +	the large heless.
Phone: ( ) Fax: ( )	
Email Address:	-
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	
City: State: Zip:+	_
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
I	

BHCRHODES

901 N. 8th Street, Suite 100 Kansas Ciry, KS 66101 \* p. (913) 371-5300 \* f. (913) 371-2677

BHC RHODES is a trademark of Brungardt Honomichl & Company, P.A.

CLARK County, Kansas 200' FNL & 1980' FWL Section 17 Township 30S Range 25W 6th P.M.



BOTTOM HOLE INFORMATION PROVIDED BY OPERATOR LISTED, NOT STAKED. SECTION COORDINATES ARE BASED ON OBSERVED POSSESSION EVIDENCE. DISTANCES SHOWN IN (PARENTHESIS) ARE CALCULATED BASED UPON THE QUARTER SECTION BEING 2640.00 FEET AND HAVE NOT BEEN MEASURED ON THE GROUND, PAD AND SERVICE ROAD LOCATIONS ARE SHOWN FOR GRAPHIC PURPOSES ONLY AND ARE NOT TO SCALE.

LEASE NAME:	JOHNSO	N LAND &	CATTLE 302	5WELL	NO:			EL	EVATION.	<b>V</b> :	
TOPOGRAPHY &	JOHNSON LAND & CATTLE 3025 WELL NO:		2573								
				STAKES	OR ALTER	NATE LOCA	TION				
GOOD DRILL SI	TE?	STAKES SET	:		00015150	5015					
BEST ACCESSIB	ILITY TO LOCA	ATION:	FROM THE	EAST ON	GRAVELEL	ROAD					-
DISTANCE & DI	RECTION FROM	M HWY JCT	OR TOWN: _	FROM THE	CITY OF	MINNEOLA.	WEST ON	COUNTY	ROAD C FO	$R \pm 3.6$	
MILES TO SITE	ON THE LEFT	(SOUTH).	- 18								

50.01.83 ce: MJR	SURFACE WELL DATA TABLE DATUM: NAD27 LAT: 37.444559412 LONG: -100.081813054 LAT: N037° 26′ 40.41″
BHC Rhodes Job No.: <u>016330.(</u> Field: <u>MJR</u> Office: _	LONG: —100.081813054 LAT: N037° 26′ 40.41″ LONG: W100° 04′ 54.53″ STATE PLANE COORDINATES: (U.S. FEET) ZONE: KS SOUTH 1502 X: 1540787.0860 Y: 287137.4730

DATE STAKED: 2013-11-01 DATE OF DRAWNG: 2013-12-18

#### **CERTIFICATE:**

I, MICHAEL D. KLEIN A KANSAS LICENSED LAND SURVEYOR AND A AUTHORIZED AGENT OF BHC RHODES, DO HEREBY CERTIFY THAT THE SURFACE WELL LOCATION DESCRIBED HEREON WAS STAKED AT THE COORDINATES SHOWN IN THE DATA TABLE.

KANSAS LIC. NO. \_\_\_\_\_\_778\_\_\_\_\_



11		6		5		4	11CATON E 1 5501	GOELLER 1-4 5500	RRISEF 1690
			сниясина ју	CHARCH 3 (S13) (CRECON 1-8 5510			MEX.18	I IORTOVIAS 1 S450 X	TEDFOR 5520
12		7	WEARS 1 5500	6 CNDSH1 6 SUP 5492 4 5492 WEARS 2 5492	110ACM11 5129	ALEY 1  W SOO  RI HAAR-31  X S40	NLG 1 X <sup>5559</sup> 9		10
		СНИКСИ 1-7 - ф-	Ontsou 3-17 39 550 550	##60+ LANO.c.CATILE:3025.1-1	смию смежная -₩- 7	1. REHARRS 2	HUSRIER 1.39  # 3003  HORIOHAY/RORIO/11  507  X X	л.сятон <sup>5453</sup> д	.9
***	X exp (EE fro	Д 539 241	# *****	WOYER 1417 0 5500		FAGER 1-18 5500 FAGER 1-18 5500 FAGER 1-18			
13	1i	See.	1	30S 25W	WOVER 2-17 5500		16 грымке д <sup>2633</sup>	,	15
		СНАКСИ 1-18 - \$-18	5 PFR-35050011 6015						
ATZLA = 1 5400   ATZLA   T 1   543	ж. 550) Д	ROBINSON I AND CHINDS AND							
egend Sanku				20			21		22
mpelitor ( ABAVIO: ( CRYHO I GASWE	OMEDICOATION  KE TEMPORARILY ABMIDONED  RL  DANDABMIDONED WELL								
SandRo				29			28		27


# Johnson Land & Cattle 3025 1-17H Lease Information Sheet

# **Unit Description:**

NW/4 of Section 17-30S-25W Clark County, KS


### **Surface Owner:**

Johnson Land and Cattle Company, Inc 705 CR G Minneola, KS 67865



	ıı			<del></del>						
1		6			5		4	MCATON E 1 0 5501	60ELLER 1-4 5500	HARISEF 1
				Снияси <b>14</b> 5500	сняясна \$130 Ж поатон 1-а \$1510			X 2270 WIEL19	KSHIO, NEA J	TEOFCRO SS20
12		7	j.	₩₽₩\$1 ₩₩ ₩	CMARCH1 + 5337  B CMARCH 1 + 5457  WEARS 2 + 5450	1100CM1 \$120	ALLEY 1 2500  RELHARRES 1 X	9 MICA 1		10
			CHAZCH 1-7 -5518	( ) ontown	19HH66HLAND & CATTLE 2025 1- 200005 311	сменон сменотев форма -17	RLHARRS 2 5500	HARRIERLS 9  4  HORIOHAN PRORIOTE 1  SATY  X	HICRION SASS X	.9
***		(EE 18-88 ) 文	ж <sup>вы</sup>		00/05/25/25/25/25/25/25/25/25/25/25/25/25/25		FAGER 1-16 5501 FAGER 1-16 5502 FAGER 1-16			
13		18	 ×	michael Scaleding Society Soci	30S 25W	WOVER 2-17 ★		16 EPLAIZZE1 X. 6653		15
	уюлея 1 Ж		РОВ 1000 1184 1 2000 2 2 50000 2 2 5000 2 2 5000 2 2 5000 2 2 5000 2 2 5000 2 2 5000 2 2 500							
##721.4#=1: 5400 (2.8#721.4# 1) (4.3)	Ŷ		ROZINSON I							
Legend  ✓ Santa	1	19			20			21		22
Compelito X ABANN X CRYH B GASV + JUNKE	DOMED LOCATION MCLE, TEUPORAR LY ABANDOMED NELL EDAND ABANDOMED WELL ELL									
WELL:		30			29			28		27

UNIT: W2 of 19-305-25W



## **Correction:**

# Johnson Land & Cattle 3025 1-17H

## **Lease Information Sheet**

# **Unit Description:**

W/2 of Section 17-30S-25W

Clark County, KS

### **Surface Owner:**

Johnson Land and Cattle Company, Inc 705 CR G Minneola, KS 67865