

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1184095

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day	year, Sec Twp S. R DE
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Name:	fact from F / W Line of Continu
Address 1:	L OFOTION OR L O
Address 2:	
City: State: Zip:	+ (1.0.00)
Contact Person:	County
Phone:	Lease Name: Well #:
	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equ	ipment: Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud	Ground Surface Elevation:feet MSL
	Water well within one-quarter mile: No
Disposal Wildcat Cabl	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
Outon	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Onesaten	
Operator:	Desire stand Total Depuths
Well Name: Original Completion Date: Original Total Dept	
Original Completion Date Original Total Dept	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	DWK Fellill #.
KCC DKT #:	(Note: Apply for Fernit with DVIX
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion	and eventual plugging of this well will comply with K.S.A. 55 et. seg.
It is agreed that the following minimum requirements will be	
It is agreed that the following minimum requirements will be	met:
Notify the appropriate district office <i>prior</i> to spudding	met: of well;
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall be</i> 	met: of well; e posted on each drilling rig;
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified bel 	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum 	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum If the well is dry hole, an agreement between the open 	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall b</i> The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum If the well is dry hole, an agreement between the oper The appropriate district office will be notified before w 	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall b</i> The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum If the well is dry hole, an agreement between the oper The appropriate district office will be notified before w If an ALTERNATE II COMPLETION, production pipe s 	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall b</i> The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum If the well is dry hole, an agreement between the oper The appropriate district office will be notified before w If an ALTERNATE II COMPLETION, production pipe is Or pursuant to Appendix "B" - Eastern Kansas surface 	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall b</i> The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum If the well is dry hole, an agreement between the oper The appropriate district office will be notified before w If an ALTERNATE II COMPLETION, production pipe is Or pursuant to Appendix "B" - Eastern Kansas surface 	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall b</i> The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum If the well is dry hole, an agreement between the oper The appropriate district office will be notified before w If an ALTERNATE II COMPLETION, production pipe is Or pursuant to Appendix "B" - Eastern Kansas surface 	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum If the well is dry hole, an agreement between the oper The appropriate district office will be notified before w If an ALTERNATE II COMPLETION, production pipe soor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or 	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum If the well is dry hole, an agreement between the oper The appropriate district office will be notified before w If an ALTERNATE II COMPLETION, production pipe soor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or 	of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing rethe well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum If the well is dry hole, an agreement between the oper The appropriate district office will be notified before w If an ALTERNATE II COMPLETION, production pipe soor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or 	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipes or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or submitted Electronically For KCC Use ONLY	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before will be notified before will be notified before will be not the proper of the surface of the proper of the surface of the su	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipes or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or submitted Electronically For KCC Use ONLY	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before will be notified before will be notified before will be not the oper of the appropriate district office will be notified before will be not the oper of the appropriate district office will be not the appropriate of the appropriate district office will be notified before will be not the appropriate of the approp	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before will be notified be	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified bel through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe is Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or Submitted Electronically For KCC Use ONLY API # 15	met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

_ Agent: _

 If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwp S. R
Number of Acres attributable to well:	is Section. Regular of Integular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
lease roads, tank batteries, pipelines and electrical lines, a	PLAT arest lease or unit boundary line. Show the predicted locations of as required by the Kansas Surface Owner Notice Act (House Bill 2032). ch a separate plat if desired.
	LEGEND
	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
1650 ft. 36	EXAMPLE
	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).

In plotting the proposed location of the well, you must show:

- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

1184095 Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date col Pit capacity: urea? Yes	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from
Is the bottom below ground level? Yes No			How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure:
			e closed within 365 days of spud date.
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1184095

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	g		
Contact Person:	the lease below:		
Phone: () Fax: ()	-		
Email Address:	-		
Surface Owner Information:			
Name:			
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+	-		
	ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.		
	Lacknowledge that hecourse I have not provided this information, the		
	owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and		
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1		
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling fee.	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1		

Rippetoe #3-36



TAO, NF S, NROAN, Geobase, IGN, Radaster NL,

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

January 24, 2014

Jay Schweikert Lario Oil & Gas Company 301 S MARKET ST WICHITA, KS 67202-3805

Re: Drilling Pit Application Rippetoe 3-36 NW/4 Sec.36-14S-32W Logan County, Kansas

Dear Jay Schweikert:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations. KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.