

Confidentiality Requested:

☐ Yes ☐ No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1184960

Form ACO-1

August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- ☐ New Well ☐ Re-Entry ☐ Workover
- ☐ Oil ☐ WSW ☐ SWD ☐ SIOW
- ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW
- ☐ OG ☐ GSW ☐ Temp. Abd.
- ☐ CM (Coal Bed Methane)
- ☐ Cathodic ☐ Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD
- ☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer
- ☐ Commingled Permit #: _____
- ☐ Dual Completion Permit #: _____
- ☐ SWD Permit #: _____
- ☐ ENHR Permit #: _____
- ☐ GSW Permit #: _____

Spud Date or
Recompletion Date

Date Reached TD

Completion Date or
Recompletion Date

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West

_____ Feet from ☐ North / ☐ South Line of Section

_____ Feet from ☐ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☐ SE ☐ SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: ☐ NAD27 ☐ NAD83 ☐ WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? ☐ Yes ☐ No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

☐ Confidentiality Requested

Date: _____

☐ Confidential Release Date: _____

☐ Wireline Log Received

☐ Geologist Report Received

☐ UIC Distribution

ALT ☐ I ☐ II ☐ III Approved by: _____ Date: _____

Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West County: _____

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	☐ Yes	☐ No	☐ Log	Formation (Top), Depth and Datum	☐ Sample
Samples Sent to Geological Survey	☐ Yes	☐ No	Name	Top	Datum
Cores Taken	☐ Yes	☐ No			
Electric Log Run	☐ Yes	☐ No			
List All E. Logs Run:					

CASING RECORD ☐ New ☐ Used Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
☐ Perforate				
☐ Protect Casing				
☐ Plug Back TD				
☐ Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? ☐ Yes ☐ No (If No, skip questions 2 and 3)

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? ☐ Yes ☐ No (If No, skip question 3)

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? ☐ Yes ☐ No (If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth
TUBING RECORD: Size: Set At: Packer At:			Liner Run: ☐ Yes ☐ No		
Date of First, Resumed Production, SWD or ENHR.		Producing Method: ☐ Flowing ☐ Pumping ☐ Gas Lift ☐ Other (Explain) _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: ☐ Vented ☐ Sold ☐ Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: ☐ Open Hole ☐ Perf. ☐ Dually Comp. ☐ Commingled <i>(Submit ACO-5)</i> ☐ Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
--	--	---



CONSOLIDATED
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT

TICKET NUMBER 22576
LOCATION Ottawa KS
FOREMAN Fred Maden

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
3/30/10	4028	Blond I-1	SE 24	13	20	DG
CUSTOMER JIT Operating LLC						
MAILING ADDRESS 10380 W 179th St.						
CITY Bucyrus	STATE KS	ZIP CODE 66013				
JOB TYPE <u>Longstring</u>			HOLE SIZE <u>6"</u> HOLE DEPTH <u>28560</u> CASING SIZE & WEIGHT <u>2 3/8" EUE</u>			
CASING DEPTH <u>796'</u>			DRILL PIPE _____ TUBING _____ OTHER _____			
SLURRY WEIGHT _____ SLURRY VOL _____			WATER gal/sk _____ CEMENT LEFT In CASING <u>2 1/2" Plug</u>			
DISPLACEMENT <u>4.6 BBL</u> DISPLACEMENT PSI _____			MIX PSI _____ RATE <u>4 BPM</u>			

REMARKS: Hold safety meeting w/ Crew. Check casing depth w/ wireline. Establish circulation. Mix & Pump 200# Premium Gel Flush. Circulate from pit to condition hole. Mix & Pump 100# Premium Gel Flush. Mix & Pump 145 SKS 50/50 Poz Mix Cement 2 3/8" Gel 1/2" Pheno Seal. Cement to surface Flush pump & lines clean. Displace 2 3/8" Rubber plug to casing TD w/ 4.6 BBL Fresh water. Pressure to 750 PSI Release pressure to set float valve. Shut in casing.
JTC Drilling
Fred Maden

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE Cement Pump		900.00
5406	30 mi	MILEAGE Pump Truck		106.50
5402	796'	Casing footage		N/C
5407A	182.7	Ton Miles		219.24
5502C	2 hrs	PO BBL Vac Truck		192.00
1124	142 SKS	50/50 Poz Mix Cement		1356.10
1118B	544#	Premium Gel		924.8
1107A	73#	Pheno Seal		81.76
4402	1	2 3/8" Rubber Plug		23.00
RECEIVED KANSAS CORPORATION COMMISSION				
JUN 07 2010 #233502				
CONSERVATION DIVISION WICHITA, KS				
6.3%			SALES TAX	97.05
			ESTIMATED	
			TOTAL	3068.99

Rev'n 3737

AUTHORIZATION [Signature]

TITLE _____

DATE _____