

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:					
month day year						
ODERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section					
OPERATOR: License#Name:	feet from E / W Line of Section					
Address 1:	Is SECTION: Regular Irregular?					
Address 2:						
City:	(Note: Locate well on the Section Plat on reverse side)					
Contact Person:	County: Well #:					
Phone:	Field Name:					
CONTRACTOR: License#	Is this a Prorated / Spaced Field?					
Name:	Target Formation(s):					
Mall Della di Farra Mall Olassa Tima Freditana anti	Nearest Lease or unit boundary line (in footage):					
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL					
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:					
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:					
Disposal Wildcat Cable	Depth to bottom of fresh water:					
Seismic ; # of Holes Other Other:	Depth to bottom of usable water:					
Outer	Surface Pipe by Alternate: I II					
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:					
Operator:	Length of Conductor Pipe (if any):					
Well Name:	Projected Total Depth:					
Original Completion Date: Original Total Depth:	•					
	Water Source for Drilling Operations:					
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:					
If Yes, true vertical depth:	DWR Permit #:					
Bottom Hole Location:	( <b>Note</b> : Apply for Permit with DWR )					
KCC DKT #:	Will Cores be taken?					
	If Yes, proposed zone:					
ΔΕ	FIDΔVIT					
	FIDAVIT					
The undersigned hereby affirms that the drilling, completion and eventual plu						
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:						
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.					
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq.  n drilling rig;					
The undersigned hereby affirms that the drilling, completion and eventual plus lt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe <b>shall be set</b>					
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as the companion of the well is dry hole, an agreement between the operator and the discontinuation.	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It trict office on plug length and placement is necessary prior to plugging;					
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface property of the well is dry hole, an agreement between the operator and the disesting the propriate district office will be notified before well is either plugger.	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;					
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the standard posterior and the set through all unconsolidated materials plus a minimum of 20 feet into the standard plus is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.					
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; defrom below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing					
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.					
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on the properties of the posted on the posted of the posted on the posted of the po	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing					
<ol> <li>The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the posted on each and the district of the posted on the properties of the properties of the posted on the district of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol> </li> </ol>	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing					
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the prior of the posted on each and the intention of the prior of the posted on each and the intention of the prior of the posted on each and the intention of the prior of the posted on each and the intention of the prior of the posted on each and the intention of the prior	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; did from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.					
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the prior of the posted on each and the intention of the prior of the posted on each and the intention of the prior of the posted on each and the intention of the prior of the posted on each and the intention of the prior of the posted on each and the intention of the prior	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:					
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the provided plants and the set of the well is dry hole, an agreement between the operator and the disentation of the appropriate district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification					
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the posted on each and the intention of the posted on each and the posted on the properties of the posted on each and the intention of the posted on each and the intention of the posted on each and the intention of the posted on the posted on each and the posted of the posted on the posted on each and the posted of the posted on each and the posted on	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.					
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified likely and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;					
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified likely and the district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Additional designation of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;					
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified likely and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: \_

- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Date:
2



For KCC Use ONLY	
API # 15	

Operator: \_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


Location of Well: County: \_\_\_

Lease:									fe	eet from	N /	S Line	of Section
Well Num	ber:								fe	eet from	E /	W Line	of Section
Field:							_ S	ec	_ Twp	S. R		E	W
	er of Acres attributable to well: Is Section: Regular or Irregu						Irregula	r					
									regular, locate w used: NE				dary.
			atteries, pi		d electrica	the neare I lines, as	required		ary line. Show the s Surface Owner I				
		1					_						
				:		•				LEGI	END		
660 ft.		) 				•			<u> </u>	Tank Pipeli Electr	Location Battery Locatine Locatic	on ocation	
		:	: :	:	•••••		i			<b>—</b> Lease	e Road Lo	ocation	
		<u>:</u>	: :	2	2	:	<u>:</u> :		EXAMPL	E			
		:  !	: :	:  :		:  :	: :						
		: :	: :	:	••••		: :	:		<b>٢٦</b>			1980' FSL
		i  i	: :	:  :		: 	: :		•••••				
		:	:	:		:	:		SEWARD CO	. 3390' FE	<u>.                                    </u>		

# NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed  If Existing, date col  Pit capacity:  urea?  Yes	Existing nstructed: (bbls)	SecTwp R East West West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee					
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:			
flow into the pit? Yes No  Submitted Electronically		'	e closed within 365 days of spud date.			
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			



1185136

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R East West				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.				
Address 2:					
City:					
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,  I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.				
form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.				
Submitted Electronically					

For KCC Use ONLY
API # 15

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

	iii ali ce	ises, pieas	e lully con	ibiere mis	Side of the	a torm. Inc	iude items	1 through 5 at the bottom of this page.				
Operator: Toto Energy LLC  Lease: Powker Over Flore  Well Number:							Location of Well: County: Edwards  1550' feet from N / S Line of Section  660' feet from E / W Line of Section  Sec. 22 Twp. 26 S. R. 16 E W  Is Section: Regular or Irregular					
						Se PLAT	ection corn					
lease .	roads, tank L	batteries, p	ipelines ar	nd electrica	al lines, as	required l	r unit boun by the Kans a plat if des	ndary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). Sired.				
								LEGEND				
								O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location				
								EVAND'E				
				<u> </u>				EXAMPLE				
			*********	•••••	••••••	<b></b>		Q=1 1980' FSL				
					********							

#### NOTE: In all cases locate the spot of the proposed drilling locaton.


## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

TOTO ENERGY, LLC PARKER OVER HERE LEASE NW. 1/4, SECTION 22, T26S, R16W EDWARDS COUNTY, KANSAS



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

January 20, 2014

Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drilliste location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services, Inc., its officers and employees harmless from all losses, casts and expenses and said entities released from any liability from incidental or consequential damages

Elevations derived from National Geodetic Vertical Datum.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

February 03, 2014

Terry Madden Toto Energy, LLC 25815 OAK RIDGE DR SPRING, TX 77380

Re: Drilling Pit Application Parker Over Here 1 NW/4 Sec.22-26S-16W Edwards County, Kansas

#### Dear Terry Madden:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased. KEEP PITS on West side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.