



Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1185566
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____

1185566

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
----------------	-------	---------	------------	---

Date of First, Resumed Production, SWD or ENHR.	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____
---	--

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____ <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: _____ _____
--	---	---

Form	ACO1 - Well Completion
Operator	PostRock Midcontinent Production LLC
Well Name	MIH, MARIAM L 10-14
Doc ID	1185566

All Electric Logs Run

CBL
DIL
NDL
CDL
TEMP



211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

TICKET NUMBER **8089**
FIELD TICKET REF # _____
FOREMAN Nathan Gabm94
AFE D13148
SSI _____
API 15-133-27690-00-00

**TREATMENT REPORT
& FIELD TICKET CEMENT**

DATE	WELL NAME & NUMBER			SECTION	TOWNSHIP	RANGE	COUNTY
7-18-13	Mih. Mariam L. 10-14			10	28S	19E	Neosho
FOREMAN/ OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Nathan Gabm.	8:00	1:00		905525		5	<i>Nathan Gabm</i>
Mike Clines	8:00	12:30		903142	932895	4.5	<i>Mike Clines</i>

JOB TYPE Long String HOLE SIZE 7 7/8 HOLE DEPTH 832 CASING SIZE & WEIGHT 5 1/2, 14#
 CASING DEPTH 824.59 DRILL PIPE _____ TUBING _____ OTHER Cow Jones rig
 SLURRY WEIGHT 13.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT IN CASING 0
 DISPLACEMENT 20.1 DISPLACEMENT PSI 300 MIX PSI _____ RATE 4.0

REMARKS: On location at 9:00. Ready to run casing at 9:30. Washed in final 15'. Ready to cement at 10:45. See COWS ticket for cement job details. Good circulation at all time. Good cement return to pit. Trace oil show. No top off needed.

ACCOUNT CODE	QUANTITY OR UNITS	DESCRIPTION OF SERVICE OR PRODUCT	TOTAL AMOUNT
905525	1	Foreman Pickup	
		Cement Pump Truck	
		Bulk Truck	
		Transport Truck	
		Transport Trailer	
		80 Vac	
903142	1	Casing Truck	
932895	1	Casing Trailer	
	824.59	Casing	
	0.5	Centralizers	
	1	Float Shoe	
	1	Wiper Plug	
	-	Frac Baffles	
		Portland Cement	
		CSA-122 Sodium Silicate	
		CGL-115 Cement Fluid Loss	
	5.5 ks	Premium Gel	
		Cal Chloride	
		City Water	
		Chemthix-P Thixotropic	
		KOL Seal	
	1 sk	Cotton Seed Hulls	



CONSOLIDATED
Oil Well Services, LLC

Job # D13148
Acct # 13-133-27610

TICKET NUMBER 43252
LOCATION Law Co. KS
FOREMAN Shannon Jones

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
7-18-13	16628	Moby, Marion 10-14				Neosho
CUSTOMER Post Rock Energy Corp			600 Jones			
MAILING ADDRESS 4402 Johnson Rd			TRUCK #	DRIVER	TRUCK #	DRIVER
CITY Chanute			445	Dave G		
STATE KS			611	Tony K		
ZIP CODE			77	Ruby m	Melroy Trucking	

JOB TYPE L/S 0 HOLE SIZE 7 7/8 HOLE DEPTH 932' CASING SIZE & WEIGHT 5 1/2" @ 14#
 CASING DEPTH 824.3961 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 135 SLURRY VOL 44 Bbl WATER gal/sk 90 CEMENT LEFT in CASING 0
 DISPLACEMENT 20 3/4 Bbl DISPLACEMENT PSI 300 MIX PSI Bump Plug @ 800 RATE Displace @ 4 BPM

REMARKS: Rig up to 5 1/2 casing, wash down 15' w/ 50 Pbl 1120, mixed 600 # 2 gal flash w/ bulk, 11. Pbl 1120 spacer mixed 120 SLS Thick set cement w/ 5 # kot-seal/sk, 1 # phos seal/sk & 1/4% CFL-115 @ 13 5/8 #/gal. Stand down, wash out pump & lines, displace w/ 20 3/4 Bbl 1120, final pumping pressure of 300 psi, bumped plug @ 800 psi. Plug & float held, good circulation @ all times, 8 Pbl slurry to pit. Job complete


* Thanks Shannon & Crew *

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1085.00	1085.00
5406	70	MILEAGE	4.20	294.00
1126A	120 SLS	Thick set cement	20.16	2419.20
1110A	600 #	kot-seal @ 5 #/sk	.46	276.00
1107A	120 #	Phos seal @ 1 #/sk	1.35	162.00
1135A	29 #	CFL-115 @ 1/4%	11.05	321.32
5407A	6 1/2 Tons	Ton mileage bulk Truck	1.41	651.42
5502C	5 Hrs	800 Bbl Vac Truck # 77 Melroy Trucking	90.00	450.00
1123	3000 gals	city 1120	17.30/1000	51.90
				5710.84
		7.15%	SALES TAX	230.97
			ESTIMATED TOTAL	5941.81

Ravin 3737

AUTHORIZATION [Signature] TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



149 RD 25 – Elk City, KS 67344
 (620) 332-7637 – Gus' Cell
 (620) 642-6315 - Office

Job Sheet

APL 121314K

Date: 7/8/10	Start Time:	Finish Time:	Total Time: 6:11:00
--------------	-------------	--------------	---------------------

Company: PostRock Lease: PPH

Well #: 10-166

<input checked="" type="checkbox"/> New Well	<input checked="" type="checkbox"/> Kansas	County Name:	<input type="checkbox"/> Rig 1	<input checked="" type="checkbox"/> Rig 3
<input type="checkbox"/> Old Well	<input type="checkbox"/> Oklahoma	Marshall	<input type="checkbox"/> Rig 2	<input type="checkbox"/> Gus

Work Performed

<input checked="" type="checkbox"/> Ran casing _____	<input type="checkbox"/> Casing tong x _____	<input type="checkbox"/> Pump truck _____
<input type="checkbox"/> Pulled rods out _____	<input type="checkbox"/> Pump change	<input type="checkbox"/> Delivery truck _____
<input type="checkbox"/> Ran rods in _____	<input type="checkbox"/> Fishing job/Tool charge _____	<input type="checkbox"/> Mud Pump _____
<input type="checkbox"/> Pulled tubing out _____	<input type="checkbox"/> Replaced tubing joints _____	<input type="checkbox"/> Power swivel _____
<input type="checkbox"/> Ran tubing in _____	<input type="checkbox"/> Tong charge x _____	
<input type="checkbox"/> Stripping job	<input type="checkbox"/> Swabed _____	

Job Description: Ream to 16.5" Rig 40 Run in 5 1/2" casing. Run 10 white cementing and stand by. Done.

[Signature]

Parts Used

Supplied by G.J.

<input type="checkbox"/> Swab cups _____	<input type="checkbox"/> Tubing subs _____	<input type="checkbox"/> Rod boxes _____
<input type="checkbox"/> Rod subs _____	<input type="checkbox"/> Tubing collars _____	<input type="checkbox"/> Drill bits _____
<input type="checkbox"/> Other _____		

Mih, Mariam L. 10-14

Pipe #	Joint Length	Running Total - NO threads	Baffle Location	PostRock Energy- Casing Tally Sheet
1	44.46	44.21		Date: 7/18/13
2	44.47	88.43		Well Name & #: Mih 10-14
3	44.49	132.67		Township & Range: 28S-19E
4	44.46	176.88		County/State: Neosho/KS
5	44.45	221.08		AFE#: D13148
6	44.45	265.28		API# 15-133-27690-00-00
7	44.44	309.47		Comments: Projected TD- 835'
8	44.15	353.37		
9	44.15	397.27		
10	44.14	441.16		Joints are numbered in White
11	44.49	485.4		Avoid Collars 718-728
12	44.48	529.63		Subs are in orange
13	44.51	576.89		
14	44.5	618.14		
15	44.5	662.39		
16	44.47	706.61		
17	44.56	750.92		Added these subs for
18	44.49	795.16		flexibility to adjust to actual TD
19	44.46	839.37		
20	15.29	809.95		Trailer# 932895
21	10.24	819.94		
22	10.38	830.07		Actual TD - 832
23	5.15	824.59		Log Bottom - 824.40
24				Casing Tally - 824.59
25				No Baffles
26				Centralizers per SOP
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				

PostRock Energy Corp.