

| Confide | ntiality | Requested: |
|---------|----------|------------|
| | | |

Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 |
|--|--|
| Name: | Spot Description: |
| Address 1: | SecTwpS. R 🔲 East 🗌 West |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip:+ | Feet from East / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxxx) (e.gxxx.xxxxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| New Well Re-Entry Workover | Field Name: |
| □ Oil □ WSW □ SIOW □ Gas □ D&A □ ENHR □ SIGW □ OG □ GSW □ Temp. Abd. □ CM (Coal Bed Methane) □ Cathodic □ Other (Core, Expl., etc.): □ If Workover/Re-entry: Old Well Info as follows: Operator: □ Well Name: □ Well Name: | Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt. |
| Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Commingled Permit #: | Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name: |
| GSW Permit #: | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or Recompletion Date | QuarterSec. TwpS. R East West County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|---------------------------------|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II III Approved by: Date: |

Page Two



| Operator Name: | | | Lease Name: _ | | | Well #: | | |
|--|--|--|---|---|----------------------------|------------------|-----------------------|---------------|
| Sec Twp | S. R | East West | County: | | | | | |
| open and closed, flow and flow rates if gas t | ving and shut-in presson to surface test, along w | formations penetrated. I ures, whether shut-in pro vith final chart(s). Attach | essure reached stati n extra sheet if more | c level, hydrosta space is neede | itic pressures, bott d. | tom hole tempe | erature, fluid r | recovery, |
| | | otain Geophysical Data a or newer AND an image | | egs must be ema | ailed to kcc-well-lo | gs@kcc.ks.gov | v. Digital elec | tronic log |
| Drill Stem Tests Taken (Attach Additional | • | Yes No | | _ | on (Top), Depth ar | | Samp | |
| Samples Sent to Geo | ological Survey | ☐ Yes ☐ No | Nam | e | | Тор | Datur | m |
| Cores Taken Electric Log Run | | ☐ Yes ☐ No ☐ Yes ☐ No | | | | | | |
| List All E. Logs Run: | | | | | | | | |
| | | CASING | RECORD Ne | ew Used | | | | |
| | | Report all strings set- | conductor, surface, inte | ermediate, product | ion, etc. | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and P Additiv | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | ADDITIONAL | OFMENTING / OOL | | | | | |
| Purpose: | Depth | | CEMENTING / SQL | JEEZE RECORD | | araant Additiraa | | |
| Perforate | Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives | | | | |
| Protect Casing Plug Back TD | | | | | | | | |
| Plug Off Zone | | | | | | | | |
| Did you perform a hydra | ulic fracturing treatment o | on this well? | | Yes | No (If No, ski | p questions 2 ar | nd 3) | |
| | = | raulic fracturing treatment ex | xceed 350,000 gallons | | | p question 3) | , | |
| Was the hydraulic fractu | ring treatment information | n submitted to the chemical | disclosure registry? | Yes | No (If No, fill | out Page Three | of the ACO-1) | |
| Shots Per Foot | | ON RECORD - Bridge Plug Footage of Each Interval Per | | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Det | | | | Depth |
| | Сроспу Г | octago of Laon morvari of | ioratou | (>1 | mount and rand or ma | teriar Good) | | <u> Борин</u> |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | Yes No | | | |
| Date of First, Resumed | Production, SWD or EN | | | | | | | |
| Fotimeted Day 1 2 | 0" - | Flowing | | | Other (Explain) |) O" D " | | |
| Estimated Production Per 24 Hours | Oil E | Bbls. Gas | Mcf Wate | er B | bls. G | Gas-Oil Ratio | Gr | ravity |
| DISPOSITI | ON OF GAS: | 1 | METHOD OF COMPLE | ETION: | | PRODUCTIO | ON INTERVAL: | |
| Vented Sold | | Open Hole | Perf. Dually | Comp. Con | mmingled | | | |
| | bmit ACO-18.) | Other (Specify) | (Submit) | ACO-5) (Sub | omit ACO-4) | | - | |

| Form | ACO1 - Well Completion |
|-----------|----------------------------|
| Operator | Jackson & Johnson Oil, LLC |
| Well Name | Sunshine 1 |
| Doc ID | 1178268 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|----|-------------------|-----|----------------------------------|
| Surface | 12.75 | 8.625 | 22 | 40 | OWC | 12 | |
| Down hole | 6.75 | 4.50 | 9.5 | | OWC, 50/50POZ | 170 | 6%gel |
| | | | | | | | |
| | | | | | | | |

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

Sunshine #1 API # 15-087-20655-00-00 SPUD DATE 12-16-13

| Footage | Formation | Thickness | Set 40' of 8 5/8" |
|---------|-------------|-----------|--------------------------------|
| 2 | Topsoil | 2 | TD 1415' |
| 14 | clay | 12 | Ran 1408' of 4 1/2 on 12-18-13 |
| 16 | shale | 2 | |
| 24 | lime | 8 | |
| 29 | shale | 5 | |
| 47 | lime | 18 | |
| 52 | shale | 5 | |
| 54 | lime | 2 | |
| 69 | shale | 15 | |
| 77 | lime | 8 | |
| 337 | shale | 260 | |
| 360 | lime | 23 | |
| 367 | shale | 7 | |
| 370 | lime | 3 | |
| 384 | shale | 14 | |
| 403 | lime | 19 | |
| 427 | shale | 24 | |
| 438 | lime | 11 | |
| 479 | shale | 41 | |
| 526 | lime | 47 | |
| 565 | shale | 39 | |
| 615 | lime | 50 | |
| 626 | shale | 11 | |
| 649 | lime | 23 | |
| 655 | shale | 6 | |
| 665 | lime | 10 | |
| 804 | shale | 139 | hertha |
| 808 | lime | 4 | |
| 824 | shale | 16 | |
| 830 | lime | 6 | |
| 847 | shale | 17 | |
| 849 | lime | 2 | |
| 860 | shale | 11 | |
| 864 | lime | 4 | |
| 1241 | shale | 377 | |
| 1243 | lime | 2 | |
| 1349 | shale | 106 | |
| 1357 | mulky shale | 8 | white, mulky |
| 1360 | sandy shale | 3 | ok odor, little show |
| 1370 | sand | 10 | good odor, good show |
| 1371 | sandy shale | 1 | ok odor |
| 1401 | shale | 30 | |
| 1415 | lime | 14 | Mississippi |
| | | = - | |

| HAT Drilling | NO: _ | 611 |
|-------------------------------|-------------------------------|---------------------|
| 12371 KS Hwy 7 | Invoice date: _ | 12-18-13 |
| Mound City, KS 66056 | | |
| Sold to: <u>Jackson and</u> . | Johnson Oil Well: Sunshine #1 | T.D. <u>1415'</u> |
| Quantity | Description | Amount |
| 1415' | @ \$12.00/ft | \$ <u>16,980.00</u> |
| 10 | hrs rig time @ \$250/hr | \$ <u>2,500.00</u> |
| | set 40' of surface | \$250.00 |
| 12 | bags of cement | \$ <u>180.00</u> |
| | TOTAL: | \$ <u>19,910.00</u> |
| | | \$ |
| | | \$ |
| | | \$ |
| | Thank you for your business! | \$ |



264946

TICKET NUMBER 44961

LOCATION OHawa KS

FOREMAN Fred Wader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

| | or 800-467-8676 | | | CEMEN | T . | | | |
|----------------------|-----------------|-------------------------|--|----------------|----------------|---|-------------|--------------------------|
| DATE | CUSTOMER# | | LL NAME & NUM | BER | SECTION | TOWNSHIP | RANGE | COUNTY |
| /え・/よ・L子 DUSTOMER | 4318 | Sunsh | ine #1 | • | NE 8 | 9 | 20 | ゚゚゚゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゚ヺ゙ |
| Jack | son & John | san oi | 1 LLC | | TRUCK# | DRIVER | TOLON | |
| MAILING ADDR | ESS | | | -[| 7/2 | Fre Mad | TRUCK# | DRIVER |
| HOID | Washington | n Ste | Steloo | | 495 | Har Bec | | |
| ATTY | U IS | STATE | ZIP CODE | | 503 | Dandet | | |
| Kausas | 7) ***** | Mo | 64111 |] [| <u>558</u> | Max Coc | 150.5. T/06 | Jaskic |
| | - n | IOLE SIZE_ | 6314 | HOLE DEPTH | 1415 | CASING SIZE & | | 21 0 03 1C10 |
| ASING DEPTH | | RILL PIPE_ | | _TUBING | | | OTHER | |
| LURRY WEIGH | | LURRY VOL | The same of the sa | WATER gal/sk | | CEMENT LEFT I | 1 CASING 5/ | z"Plug |
| IŠPLACEMENT | | | | MIX PSI | | RATE SBP | n | . 2 |
| | Shortsk | 140 (d. | arew sa | fely mu | Jung Es | tablish | Civenlax | lon |
| <u> </u> | * Punap | | | | lixd Come | 18 6% a | دو مستد و | |
| <u>₩.</u> | | <i>t</i> (<i>t</i>) , | coneut. | Flug | | 4 /mes | cleon. | |
| ï- | T | | ober plu | ~ . | | TO W/ DI | 2.05.BBL | |
| tre. | 2 1 W 41 E | · / / / · | -sgurc | 40 60c | # P. 81. | · · · · · · · · · · · · · · · · · · · | | |
| | | | | | | | - | |
| | | | | | | | , | |
| 7~ | 1117 d to | vc. | | | | 4.0 M | arla. | |
| | <u> </u> | 7 | ., | | | 1400 1110 | edi. | |
| ACCOUNT CODE | QUANITY or | UNITS | DES | SCRIPTION of S | ERVICES or PRO | DUCT | UNIT PRICE | 705. |
| 5401 | | 1 | PUMP CHARGE | | | | OWN FRICE | TOTAL |
| 5406 | > | o mi | MILEAGE | | | 495 | | /085 °º |
| 5402 | , | 108 | Casino | Fostage | | 495 | | 29400 |
| 5407 | Minimu | | | 1/es | | 503 | | N/c |
| 5407A | 378 | | 1 | 1,1/25 | | <u> </u> | | 36800 |
| 5501C | | hes | Trans | | | 505.7106 | | 5270 |
| | | 11-45 | 1 1000.3 | N 02W | | 00011106 | | 48000 |
| | | | | | | | | |
| 1124 | 12 | 05145 | 150/50 | Por Mily | Cement | | | 10 4 0 0 to |
| 1124 | | OSILS | Owe | Comens | | | | 138000 |
| 11188 | | 54- | Premi | MI C.O | | | | 98750 |
| | | | | YIN- | | | | 13310 |
| · | | | | | | | | |
| | | | | | ; | | yr | |
| | | | | | l . | 12/ | romn | tal |
| | | | | | i | LVI | - Guilli | 160 |
| | | | | | | *************************************** | | |
| · . | | | | | | | | |
| | | | | | i | 7.15% | SALES TAX | 17880 |
| 3737 | <u> </u> | | | | | | ESTIMATED | |
| 3737 | 0-00 | , < | | | | | | 41n |
| 3737 THORIZTION | Jan Bellu | dies) | ĭ | TTLE | | | TOTAL DATE | 543346 |