

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1180400

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15			
Name:			Spot Description:			
Address 1:			Sec.	TwpS. R	East _ West	
Address 2:			F6	eet from North /	South Line of Section	
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section	
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:	
Phone: ()			□ NE □ NW	V □SE □SW		
CONTRACTOR: License #			GPS Location: Lat:	, Long:		
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)	
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84		
Purchaser:			County:			
Designate Type of Completion:			Lease Name:	W	ell #:	
	e-Entry	Workover	Field Name:			
	_		Producing Formation:			
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:		
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:	
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet	
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No	
If Workover/Re-entry: Old Well I			If yes, show depth set:			
Operator:			If Alternate II completion, c	cement circulated from:		
Well Name:			feet depth to:	w/	sx cmt.	
Original Comp. Date:						
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan		
Plug Back	Conv. to G		(Data must be collected from to			
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls	
Dual Completion			Dewatering method used:_			
SWD			Location of fluid disposal if	hauled offsite:		
ENHR	Permit #:					
GSW	Permit #:		Operator Name:			
			Lease Name:			
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West	
Recompletion Date		Recompletion Date	County:	Permit #:		

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I III Approved by: Date:

Page Two



Operator Name:			Lease Name: _			Well #:			
Sec Twp	S. R	East West	County:						
open and closed, flow and flow rates if gas t	ving and shut-in presson to surface test, along w	formations penetrated. I ures, whether shut-in pro vith final chart(s). Attach	essure reached stati n extra sheet if more	c level, hydrosta space is neede	itic pressures, bott d.	tom hole tempe	erature, fluid r	recovery,	
		otain Geophysical Data a or newer AND an image		egs must be ema	ailed to kcc-well-lo	gs@kcc.ks.gov	v. Digital elec	tronic log	
Drill Stem Tests Taken (Attach Additional	•	Yes No		_	on (Top), Depth ar		Samp		
Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	e		Тор	Datur	m	
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No							
List All E. Logs Run:									
		CASING	RECORD Ne	ew Used					
		Report all strings set-	conductor, surface, inte	ermediate, product	ion, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv		
		ADDITIONAL	OFMENTING / OOL						
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD		araant Additiraa			
Perforate	Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives					
Protect Casing Plug Back TD									
Plug Off Zone									
Did you perform a hydra	ulic fracturing treatment o	on this well?		Yes	No (If No, ski	p questions 2 ar	nd 3)		
	=	raulic fracturing treatment ex	xceed 350,000 gallons		= ' '	p question 3)	,		
Was the hydraulic fractu	ring treatment information	n submitted to the chemical	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)		
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)					
	Сроспу Г	octago of Laon morvar rol	ioratou	(>1	mount and rand or ma	teriar Good)		Depth	
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No				
Date of First, Resumed	Production, SWD or EN								
Fotimeted Device C	0" -	Flowing			Other (Explain)) O" D "			
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	bls. G	Gas-Oil Ratio	Gr 	ravity	
DISPOSITI	ON OF GAS:	1	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:		
Vented Sold		Open Hole	Perf. Dually	Comp. Con	mmingled				
	bmit ACO-18.)	Other (Specify)	(Submit)	ACO-5) (Sub	omit ACO-4)		-		

Form	ACO1 - Well Completion
Operator	RJM Company
Well Name	Hoelscher 1
Doc ID	1180400

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Type and Percent Additives
Surface	12.25	8.625	23	296	Common	3% cc 2% gel

QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 735-483-2025 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 7012

Date 11 - 15 - 13 4	Twp.	Range	1	County	State IC 5	ead it -	On Location	The second secon	Finish 30 PM
Date 11 13 13 1	100	-10	Locati	0.0	- 15	to 3.	-d Rd	Sinto	, a *
Lease Hoelscher	<u> </u>	Well No. # [Locati	Owner To Quality Oil	well Cemen	ting, Inc.			
Contractor Southwind 2	(27 to 0	NO STELLINGS	SERLED OF	You are hereb	v requested	to rent cer	menting equip	ment and fu	mish as listed
Type Job Surface	92 - 2012	202/	BIB 894	Charge D	J M	SSIST OWNER	OI COILLACIOI	to do work	ao notoa.
Hole Size 12 /4	ole Size 12 /4 T.D. 307								
Csg. 8 5/8	Depth	307	earneg :	Street	ibaacong to	police rep	Elints (Ed)	2 1 7 18 18 18 18	To
Tbg. Size	Depth			City		1000	State	i p 20 1000 i	NAME OF THE PARTY.
Tool	Depth	eluberbe tlerle	oolig Ini	The above was					
Cement Left in Csg. 25	Shoe J		of less	Cement Amor	unt Ordered	180	3% CC	2%	bel
Meas Line	Displac	e 18661	d (35 o)	togratia estan	08861 / 048	are the c.f.	TOUR LICE	DARCY MALE	
EQUIP		Addition of the second	300	Common/8	0	1000 77	Part of the same	OF BUCK	
Pumptrk 5 No. Cementer Helper	rett			Poz. Mix		TO STATE	1.5.11 1.5.01		
Bulktrk 14 No. Driver Driver	49	ISS REMOTEL		Gel. 3	altmain ir	an Lagad	BT / Rentu .	CITYLE	le I
Bulktrk No. Driver Driver	10 10 10 10 10 10	DI TERM	167 103	Calcium 6	Hanna a luc	ne manaci sedio sesie	i i digi	II Takka ya Tu	
JOB SERVICES	& REMA	RKS	tol. ye al	Hulls	rese that he	al year of the	Perputa Ac	1477.8	2014
Remarks:	iot ektell	egang senerginen gal ing hajidi yal	TUALIO	Salt					
Rat Hole	13 19 1. 1	uid eabrerbie	aus ect 1	Flowseal					
Mouse Hole		C 190920 C 17 114.	er eraesy	Kol-Seal					
Centralizers	ion, in	ma yus ya mga	and dig	Mud CLR 48					
Baskets	II NGITIHKI I	n wani ilami ni	z lowi	CFL-117 or CD110 CAF 38					
D/V or Port Collar		abdertorer la p	m iaim	Sand	gunammer	AND THE STREET	La cate or a		1130
Supplies to a clique change a supplier		35		Handling /	99		as beetings a	TEGRITA I	
				Mileage					TO SECULIAR
					FLOAT	EQUIPMEN	VT.	1. 17	the state
anteneo-ri notov later		ecellor and		Guide Shoe	Marie III				
				Centralizer		all to the	The great		7,27
- Cemen	F	ng isang masi		Baskets	green tand		THE THE		- FRIEN
			101 91111	AFU Inserts	CTEST 1	- TO 1			Ella Tellan
CONTRACTOR OF THE CONTRACTOR O	1		1	Float Shoe		174.7		7 200	
C16	1010	rea:	Will b	Latch Down	00 24-24	RUT HOT	8417772	W 1.	
				Lateri Bown	513 TO 5 HILL	SVPC PERSON TO THE	SAU IT THE	on the	46: est 11
	7972	7.4	775			1000		v. religion a	-V S
and to to person out to south an at				Pumptrk Cha	rge 4	Para	19 30,652	. Fri murco	MILES
ceres and the outperson and	- Television	2 - 100 100 101	-DEILLOS	Mileage 33		auc	MAY OFFICE	erth mi dinerte	66 81
		1	10 1150	Willeage	shanium 18	Jen i Togi i	AUGETON, V	Tax	n in the second
500	1	1/		ann krilliv adli antoWZO) i			Disc	count	
x de lilletino	10	Jas	/	arti daliqmos			Total Cl		The state of
Signature WWW.	-								

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwith-standing the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

- ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a

reasonable sum as and attorney's fees.

— PRICES AND TAXES: All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.

- TOWING CHARGES: QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.

- PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.

- DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

- SERVICE CONDITIONS AND LIABILITIES: 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.
- 2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employees.
- 3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any

work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data. (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-2025 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 7243

	Sec.	Twp.	Range	. (County	State	On Location	Finish	
Date 11-20-13	4	18	10	R	ice	ks .		2:30/1	
						Eto3RdS	n 2		
Lease Hoelscher			Well No.		Owner				
Contractor South wind					You are here	lwell Cementing, Inc. by requested to rent	cementing equipmen	t and furnish	
Type Job Plan					cementer and	d helper to assist owr	er or contractor to d	o work as listed.	
Hole Size 7 78		T.D.			Charge R	M			
Csg.		Depth			Street				
Tbg. Size		Depth			City		State		
Tool		Depth	· · · · · · · · · · · · · · · · · · ·		The above wa	s done to satisfaction ar	nd supervision of owne	r agent or contracto	
Cement Left in Csg.		Shoe J	oint		Cement Amo	ount Ordered 2103	x ° 140 4 % ge	<u> </u>	
Meas Line		Displac	:е		,	17			
	EQUIPMI	ENT	1.46.6		Common/	6			
Pumptrk 15 No. Cement Helper	ter Nick	5	#3 Doug		Poz. Mix	54			
Bulktrk / No. Driver	David				Gel.	7		<u> </u>	
Bulktrk Py No. Driver	Travi	_			Calcium			· · ·	
JOB SER	VICES 8	& REMA	RKS		Hulls				
Remarks:					Salt				
Rat Hole					Flowseal 50H				
Mouse Hole					Kol-Seal				
Centralizers					Mud CLR 48				
Baskets					CFL-117 or	CD110 CAF 38			
D/V or Port Collar		-0.0			Sand				
35 sx at 3221	34 F 3	<u> </u>			Handling	17	<u> </u>		
355× 9+ 1250	S		<u> </u>		Mileage			·	
355×97 900						FLOAT EQUIPM	ENT	*	
355x 9+ 350				> 5%	Guide Shoe		***************************************		
	Plug			, je	Centralizer				
255x gt 60 with 1 255x Rat					Baskets				
20sx Mouse		g-23.00g	* 0.00 m	3	AFU Inserts		- // // 		
				9. <i>ji</i>	Float Shoe				
				,y	Latch Down			 	
	1820				Wood	Plug			
				8 7 7 7 7				 	
<u> </u>				33	Pumptrk Ch	arge / Jug	<u> </u>	 	
	5.				Mileage	211	Ta		
					_		Ta		
+ 1		_//			1	•	Discoun		
Signature []////	m	1.	Jen	<u> </u>			Total Charge	9	

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwith-standing the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

- ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.

- PRICES AND TAXES: All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.

-TOWING CHARGES: QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.

- PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.

— DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

SERVICE CONDITIONS AND LIABILITIES: 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:

- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.
- 2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employees.
- 3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

- 2. More specifically:
- (A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data. (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.



Company				Lease & Well No				
Elevation Formation		n	Effective Pay			Ft. Ticket No		
Date	Sec	Twp	Range_	County		State		
Test Approved B	у		D	iamond Representative_				
Formation Test N	No Int	erval Tested from	າ	ft. to	ft.	Total Depth	ft	
Packer Depth	ft.	Size	in.	Packer Depth_		ft. Size	in.	
Packer Depth	ft.	Size	in.	Packer Depth_		ft. Size	in.	
Depth of Selective	ve Zone Set		ft.					
Top Recorder De	epth (Inside)		ft.	Recorder Num	ber	Сар	psi.	
Bottom Recorde	r Depth (Outside		ft.	Recorder Num	ber	Сар	psi.	
Below Straddle F	Recorder Depth		ft.	Recorder Num	ber	Сар	psi.	
Drilling Contracto	or			Drill Collar Length		ft I.D	in	
Mud Type	Vi	scosity		Weight Pipe Length		ft I.D	in.	
Weight	Wa	ater Loss	cc.	Drill Pipe Length		ft I.D	in.	
Chlorides		P.P.M.		Test Tool Length		ft Tool	Sizein.	
Jars: Make		Serial Number		Anchor Length		ft. Size	in.	
Did Well Flow?_	Revers	ed Out	<u> </u>	Surface Choke Size	in.	Bottom Choke	Sizein.	
				Main Hole Size	in.	Tool Joint Size	ein.	
Blow:								
Recovered	ft. of							
Recovered	ft. of							
Recovered	ft. of							
Recovered	ft. of							
Recovered	ft. of							
Recovered	ft. of							
Remarks								
Time Out David	(-)	T Ot	4 - 1 - 11 D - 11 - 1		NA - 1			
	` ,			m	Maximu	m Temperature_		
•			` ,	P.S.I.	to (O)		DCI	
			` '	P.S.I.	to (C)		_P.S.I.	
			` '	P.S.I.	۱۵ / ۲ ۱		D.C.I.	
			` ,		ιο (F)		P.S.I.	
			` ,	P.S.I.				
rınaı Hydrostatic	; rressure		(H)_	P.S.I.				