KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1183826

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

W

Confidentiality Requested:

Yes No

/ELL COMPLETION FORM	
-----------------------------	--

WELL	HISTORY	- DESCF	RIPTION	OF WE	LL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
	If Alternate II completion, cement circulated from:
Operator:	feet depth to: w/ sx cmt.
Well Name:	w/
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected nom the neserve Fit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II Approved by: Date:							

	Page Two	1183826
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INCTRUCTIONS. Chain important tang of formations panetrated De	tail all aaraa Danart all final	appiag of drill stamp tasts giving interval tastsd, time task

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Name	9		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD New		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth	Tupo of Comont	# Sooka Llood		Type and [Paraant Additivaa	

Purpose: Perforate	Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) No (If No, skip question 3)

No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				4		ement Squeeze Record d of Material Used)	Depth		
TUBING RECORD: Size: Set At:			Packer	At:	Liner Ru	un:	No			
			Producing M	ethod:	oing	Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours		Oil Bbls.		Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS:		METHOD OF COMPLE			_	PRODUCTION INT	ERVAL:			
Vented Sold Used on Lease				Open Hole	Perf.	Uually (Submit A		Commingled (Submit ACO-4)		
(If vented, Su	bmit ACO	-18.)		Other (Specify)		Gubillit		(Submit ACC-4)		

Form	ACO1 - Well Completion
Operator	Area Management Corp
Well Name	Longanecker L-1
Doc ID	1183826

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
SURFACE	9.875	7	10	109	Portland	48	50/50 poz
COMPLET ION	5.625	2.875	8	940	Portland	135	50/50 poz



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG Area Management Corp. Longanecker #L-1 API #15-091-24,234 November 26 - November 27, 2013

Paola, KS 66071

Thickness of Strata	Formation	Total
3	soil & clay	3
66	sandstone	69
21	sand & shale	90
5	lime	95
7	shale	102
15	lime	117
9	shale	126
7	lime	133
7	shale	140
19	lime	159
21	shale	180
22	lime	202
5	shale	207
18	lime	225
18	shale	243
21	lime	264
17	shale	281
10	lime	291
17	shale	308
7	lime	315
7	shale	322
13	lime	335
40	shale	375
24	lime	399
8	shale	407
22	lime	429
3	shale	432
15	lime	447 base of the Kansas City
173	shale	620
5	lime	625
4	shale	629
2	lime	631
27	shale	658
3	lime	661
54	shale	715
5	sand	720 green, no oil show
58	shale	778
8	broken sand	786 brown & grey, light bleeding

Longanecker #L-1	Page 2	
16	shale	802
5	lime	807
66	shale	873
1	coal	874
11	shale	885
2	sand	887 white, no oil
2	shale	899
6.5	oil sand	905.5 brown, good bleeding
2	broken sand	907.5 brown & grey, 50% bleeding
42.5	shale	950 TD

Drilled a 9 7/8" hole to 109' Drilled a 5 5/8" hole to 905'

Set 109' of 7" cemented by Consolidated Oil Well Service.

Set 940' of use 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe,1 clamp.

2

ŝ

Longanecker #L-1

4

۵

Core Times		
	<u>Minutes</u>	Seconds
800		59
801		59
802		58
803		54
804		53
805		50
806		61
807		54
808		67
809		53
810		55
811		43
812		45
813		49
814		41
815		48
816		43
817		47
818		39
819		59 .

Page 3

.

.

.